



Talk to data

Phase 9 - Operate, adopt and improve - Annexes

Phase 9: Operate, adopt and improve

Daniel Brulé
Brule.daniel@gmail.com
May 2026 - V1

Table of Contents

1.	How to use this annex	5
2.	Activity 1: Activate early-life support and operating cadence	6
2.1.	Early-life operating start checklist	6
2.2.	Early-life operating cadence template	6
2.3.	Early-life signal review checklist	7
2.4.	Upstream change review route	7
2.5.	Pause, rollback and narrowing trigger examples	7
2.6.	Transition to stable operation criteria	8
2.7.	First operating review agenda	8
2.8.	Common mistakes to avoid	8
2.9.	Evidence to retain	9
3.	Activity 2: Monitor production usage, quality, trust, reliability and cost	10
3.1.	Production monitoring view	10
3.2.	Monitoring threshold template	10
3.3.	Unsupported-question log	10
3.4.	Trust and interpretation check	11
3.5.	Monitoring review agenda	11
3.6.	Evidence to retain	11
4.	Activity 3: Manage incidents, support requests and feedback-to-trace diagnosis	12
4.1.	Incident, support and feedback log	12
4.2.	Feedback-to-trace register	12
4.3.	Root-cause classification guide	12
4.4.	T2D versus upstream fix decision	12
4.5.	Communication note template	13
4.6.	Evidence to retain	13
5.	Activity 4: Maintain access lifecycle and protect the release boundary	14
5.1.	Access lifecycle log	14
5.2.	Release boundary exception log	14
5.3.	Temporary shortcut register	14
5.4.	Boundary review checklist	14
5.5.	Evidence to retain	14

6.	Activity 5: Run live governance, residual-risk and decision-rights cadence	16
6.1.	Live governance cadence.....	16
6.2.	Decision-rights matrix.....	16
6.3.	Residual-risk review log	16
6.4.	Upstream change impact record	17
6.5.	Governance review agenda	17
6.6.	Evidence to retain	17
7.	Activity 6: Maintain BAU service, data, semantic, metadata and documentation.....	18
7.1.	Automated BAU check register	18
7.2.	Upstream change impact checklist	18
7.3.	Currency update log	18
7.4.	Human review prompt	19
7.5.	User check-in guide	19
7.6.	BAU regression check trigger	19
7.7.	Evidence to retain	19
8.	Activity 7: Manage the run / fix / improve / expand backlog and capacity	20
8.1.	Backlog classification guide	20
8.2.	Run / fix / improve / expand backlog.....	20
8.3.	Ownership and dependency check.....	20
8.4.	Adjacent-needs routing log	21
8.5.	Capacity view	21
8.6.	Prioritisation questions	21
8.7.	Evidence to retain	21
9.	Activity 8: Control service development, regression testing and version deployment.....	22
9.1.	Change intake record	22
9.2.	Change impact checklist	22
9.3.	Model review record	22
9.4.	Regression checklist.....	22
9.5.	Version and release record.....	23
9.6.	Post-release review.....	23
9.7.	Evidence to retain	23
10.	Activity 9: Drive controlled adoption and responsible use within approved scope.....	24
10.1.	User onboarding checklist	24
10.2.	Representative user check-in guide	24

10.3.	Responsible-use issue log	24
10.4.	Adoption signal summary	24
10.5.	Scope reminder template	25
10.6.	Evidence to retain	25
11.	Activity 10: Manage lifecycle, retirement and decommissioning readiness	26
11.1.	Lifecycle review checklist.....	26
11.2.	Lifecycle action guide	26
11.3.	Retirement or decommissioning decision record	26
11.4.	Decommissioning action checklist.....	26
11.5.	Evidence to retain	27

1. How to use this annex

These annexes provide optional working templates for Phase 9: Operate, adopt and improve. They are intended to help teams run a controlled T2D production release, monitor real usage, manage incidents, govern change, improve safely and prepare for longer-term lifecycle decisions.

The templates are not all mandatory. Teams should select the artefacts that match the release scope, risk level, user population, data sensitivity and operating maturity of the service.

For a narrow internal release, a lightweight operating cadence, issue log and change record may be sufficient. For a broader, decision-critical or regulated release, monitoring, feedback-to-trace analysis, governance, access lifecycle, regression evidence, cost review and retirement planning should be treated more formally.

The annexes should support operation, not create bureaucracy. If a template does not help the team run, control, improve or safely stop the service, it should be simplified or skipped.

2. Activity 1: Activate early-life support and operating cadence

2.1. Early-life operating start checklist

Purpose: confirm that the service is ready to be operated after controlled release.

Area	Confirmation question	Status	Owner	Evidence / note
Release boundary	Is the approved Phase 8 boundary understood?			
Known limitations	Are limitations visible to users and support teams?			
Support route	Is the first-line support route active?			
Escalation route	Are technical, data, semantic and security escalations clear?			
Monitoring	Are usage, quality, cost, latency and incident signals visible?			
Runbooks	Are support and operator runbooks available?			
Access lifecycle	Are onboarding, offboarding and role-change routes active?			
Pause authority	Is the pause, rollback or narrowing authority confirmed?			
Governance cadence	Are operating and governance reviews scheduled?			
Upstream change route	Is the upstream change check active?			

Suggested status values: Ready / Ready with caveat / Gap / Blocked / Not applicable.

2.2. Early-life operating cadence template

Item	Decision
Early-life support period	Duration and review points.
Daily check owner	Person or team reviewing live signals.
Weekly operating review	Forum, attendees and agenda.
Governance review	Forum for risk, cost, change and boundary decisions.
Support channel	Where users raise questions or issues.
Escalation route	Route for incidents, data issues, semantic issues, access issues and misleading answers.
Monitoring dashboard	Location of dashboard or evidence source.
Issue triage route	How issues are classified and assigned.
User communication route	How users are informed of incidents, fixes or behaviour changes.
Stable-operation review date	Date when early-life support can be reduced or extended.

2.3. Early-life signal review checklist

Signal	Review question	Typical owner
Usage	Are users using the service as expected?	Product / operating owner
Unsupported questions	Are users asking outside the approved scope?	Product / semantic owner
Answer quality	Are answers correct, caveated and understandable?	Product / evaluation owner
Refusals and clarifications	Are refusals and clarifications appropriate?	AI / product owner
Incidents	Are incidents handled within the expected route?	Operating / support owner
Access issues	Are users seeing only what they are allowed to see?	Security / access owner
Latency	Are response times within expected limits?	Platform / AI owner
Cost	Are model, query and support costs within the expected envelope?	Product / finance / platform owner
Support load	Is the support burden sustainable?	Support / operating owner
User feedback	Is feedback trace-linked and diagnosable?	Product / support owner

2.4. Upstream change review route

Purpose: detect changes in the analytical flow before they affect live T2D behaviour.

Upstream area	Change to watch	T2D impact to assess	Owner
Data ingestion	Source, refresh, pipeline or schema change	Missing, stale or inconsistent answers	Data engineering
Data modelling	Table, view, join, grain or aggregation change	Wrong query path or changed result	Data modelling owner
Semantic definitions	Metric, dimension, filter or caveat change	Changed answer meaning	Semantic / metric owner
Metadata	Catalogue, glossary, lineage or examples change	Retrieval or grounding degradation	Metadata owner
Access rules	Role, row, column, masking or aggregation policy change	Exposure or refusal behaviour	Security / access owner
Reporting logic	Dashboard or certified report change	Reconciliation mismatch	BI / reporting owner
Platform	Warehouse, model gateway, logging or orchestration change	Latency, cost, reliability or traceability issue	Platform owner

2.5. Pause, rollback and narrowing trigger examples

Trigger	Possible response
Incorrect access enforcement	Pause affected users or scope immediately.
Materially misleading answer in supported scope	Pause affected question type and investigate root cause.
Missing or broken audit trace	Pause affected flow until traceability is restored.

Cost spike beyond threshold	Constrain usage, model route or query pattern.
Repeated unsupported use	Update guidance, constrain scope or review adoption.
Upstream semantic change without T2D review	Pause affected metric until retested.
Model or prompt change degrades behaviour	Roll back to previous approved version.

2.6. Transition to stable operation criteria

Criterion	Stable-operation expectation
Usage	Usage pattern is understood and within expected scope.
Incidents	No unresolved blocking or recurring material incidents.
Support	Support route works without exceptional project-team effort.
Access	Onboarding, offboarding and role changes are controlled.
Quality	Answer-quality issues are visible, triaged and owned.
Cost	Cost and latency are understood and within agreed tolerance.
Governance	Change, risk and boundary decisions have an active forum.
Upstream change	Upstream owners are engaged and material changes are reviewed.

2.7. First operating review agenda

- Review usage, incidents, cost, latency and support signals.
- Review unsupported questions and user feedback.
- Review answer-quality or trust concerns.
- Review access changes and exceptions.
- Review upstream data, semantic, metadata, access or platform changes.
- Confirm fixes, constraints, communications or escalations required.
- Confirm whether early-life support remains adequate.
- Update issue log, decision log and next review actions.

2.8. Common mistakes to avoid

Mistake	Why it matters
Assuming release approval means operation is ready	Phase 9 must test whether the operating model works in real use.
Leaving support with the build team informally	This hides the true operating cost and support model.
Reviewing usage without quality, trust or cost	High usage can still create risk or unsustainable cost.
Ignoring upstream changes	T2D behaviour can change even when the application has not changed.
No pause or rollback owner	The team may be unable to act quickly when trust or access is at risk.
Treating early-life support as permanent	The service should transition to stable operation or be redesigned.

2.9. Evidence to retain

- Operating start checklist.
- Early-life support plan.
- Named owner and escalation route.
- Monitoring dashboard or signal extract.
- Early-life issue and decision log.
- Upstream change review notes.
- Pause, rollback or narrowing decisions.
- First operating review minutes.
- Stable-operation transition decision.

3. Activity 2: Monitor production usage, quality, trust, reliability and cost

3.1. Production monitoring view

Purpose: define the minimum monitoring view needed to operate the live T2D service.

Area	Signals to review	Owner	Review cadence
Usage	Active users, question volume, follow-up depth, peak usage	Product / operating owner	Weekly
Scope	Supported, unsupported and ambiguous questions	Product / semantic owner	Weekly
Quality	Failed answers, weak grounding, missing caveats, refusals	Product / evaluation owner	Weekly
Trust	Over-reliance, misunderstood caveats, inappropriate use	Product / adoption owner	Fortnightly / monthly
Reliability	Errors, timeouts, failed tool calls, availability	Platform / AI owner	Daily / weekly
Cost	Model calls, query execution, logging, support effort	Product / platform owner	Weekly / monthly
Access	Denied access, permission issues, exposure concerns	Security / access owner	Weekly

3.2. Monitoring threshold template

Signal	Expected range	Review trigger	Action owner	Response
Unsupported questions				Update guidance / backlog / constrain scope
Failed answers				Investigate and fix
High-latency interactions				Review routing, query or model pattern
Cost per interaction				Review model, query or follow-up behaviour
Repeated rephrasing				Review answer clarity or user guidance
Access issue				Escalate to access owner
Trust concern				Follow up with user / review guidance

3.3. Unsupported-question log

Date	User group	Question type	Example question	Reason unsupported	Suggested route
				Data not ready / metric undefined / access issue / outside scope / higher-risk use case	Guidance / fix / improve / expand / separate use case

Purpose: distinguish real demand from unsafe scope creep. Unsupported questions may reveal useful needs, but they should not automatically become part of the live T2D service.

3.4. Trust and interpretation check

Purpose: capture signals that are unlikely to appear clearly in logs.

Check	Evidence source	Concern found?	Action
Do users understand caveats?	Feedback / interview / support call		Update answer wording or guidance
Are users over-trusting answers?	User follow-up / workflow review		Reinforce responsible-use guidance
Are outputs used outside intended workflow?	User discussion / support review		Clarify usage boundary
Are refusals understood?	Feedback / support tickets		Improve refusal wording
Are users repeatedly rephrasing?	Logs + user follow-up		Review answer clarity or scope

3.5. Monitoring review agenda

- Review usage, cost, latency and reliability signals.
- Review unsupported questions and out-of-scope demand.
- Review answer-quality and trust concerns.
- Review access or exposure issues.
- Identify items for run, fix, improve, expand or constrain.
- Confirm owners and next actions.

3.6. Evidence to retain

- Monitoring dashboard or signal extract.
- Unsupported-question log.
- Threshold breach record.
- High-cost or high-latency review.
- Trust and interpretation check notes.
- Actions routed into the run / fix / improve / expand backlog.

4. Activity 3: Manage incidents, support requests and feedback-to-trace diagnosis

4.1. Incident, support and feedback log

Purpose: capture live issues in a structured way before diagnosis.

Date	Source	User group	Issue summary	Severity	Owner	Status
	Incident / support / feedback			Low / Medium / High / Critical		Open / In progress / Closed

4.2. Feedback-to-trace register

Purpose: link user-reported issues to the evidence needed for diagnosis.

Issue	Question type	Trace / session ID	Answer output	Data asset	Model / prompt version	Initial diagnosis
-------	---------------	--------------------	---------------	------------	------------------------	-------------------

4.3. Root-cause classification guide

Root cause	Typical example	Likely owner
User guidance	User asked outside scope or ignored caveat	Product / adoption
Data	Missing, stale or incorrect data	Data owner
Modelling	Wrong grain, join or aggregation	Data modelling owner
Semantics	Metric, dimension or caveat unclear	Semantic owner
Metadata	Wrong or missing retrieval context	Metadata owner
Access	Permission or exposure issue	Security / access
Orchestration	Wrong routing, tool use or context handling	AI / solution architect
Model behaviour	Poor reasoning, overstatement or weak refusal	AI owner
UI / experience	Output unclear or misleading	Product / UX
Cost / latency	Expensive or slow interaction pattern	Platform / AI
Support process	Escalation or ownership unclear	Operating owner

4.4. T2D versus upstream fix decision

Purpose: avoid patching the symptom in the wrong layer.

Question	Decision
Is the issue caused by answer wording, prompt behaviour, clarification or UI guidance?	Likely T2D-layer fix.
Is the issue caused by data, modelling, metric definition, metadata or access rules?	Likely upstream fix.
Is a temporary T2D constraint needed while upstream fix is pending?	Constrain, caveat, pause or refuse affected scope.
Does the fix change production behaviour?	Trigger regression test and change record.

4.5. Communication note template

Item	Content
Issue summary	What happened, in plain language.
Affected scope	Users, questions, metrics, domains or answer types affected.
User action	Continue use / verify answers / avoid affected scope / wait for fix.
Resolution	Fix applied, constraint added, upstream remediation pending or issue closed.
Behaviour change	Any change users or support teams should notice.

4.6. Evidence to retain

- Incident, support and feedback log.
- Feedback-to-trace register.
- Root-cause classification.
- T2D versus upstream fix decision.
- Escalation and ownership record.
- User or support communication note.
- Regression or retest evidence where behaviour changed.

5. Activity 4: Maintain access lifecycle and protect the release boundary

5.1. Access lifecycle log

Purpose: track user access changes after release.

Date	User / group	Change	Reason	Approved by	Status
		Add / remove / role change / exception			Open / approved / rejected / completed

5.2. Release boundary exception log

Purpose: capture where usage starts to drift beyond the approved boundary.

Date	Exception	Source	Risk	Decision	Owner
	New user / question / domain / export / workflow	User / support / monitoring	Low / medium / high	Allow temporarily / constrain / reject / escalate	

5.3. Temporary shortcut register

Purpose: allow small-cohort adoption shortcuts without letting them become permanent.

Shortcut	Why allowed	Risk	Expiry / review date	Owner	Final decision
Manual onboarding	Speed up early adoption	Access process not scalable			Formalise / fix / remove

Suggested rule: any shortcut must be visible, time-bound, owned and reviewed.

5.4. Boundary review checklist

Check	Question
Users	Are all active users inside the approved release group?
Roles	Do roles still match the approved access model?
Questions	Are users staying within supported question types?
Data	Are only approved domains, assets, metrics and dimensions used?
Exports	Are answers being reused only in approved workflows?
Exceptions	Are temporary shortcuts still justified?
Drift	Is repeated support creating informal scope expansion?

5.5. Evidence to retain

- Access lifecycle log.
- Approved user and role list.
- Boundary exception log.
- Temporary shortcut register.
- Access or exposure issue records.
- Boundary change decisions.

- Updated user guidance where needed.

6. Activity 5: Run live governance, residual-risk and decision-rights cadence

6.1. Live governance cadence

Purpose: define how often governance reviews are held and who attends.

Review	Typical cadence	Core attendees	Focus
Early adoption review	Weekly / fortnightly	Product, operating, support, AI, data, semantic, access	Usage, incidents, risks, fixes, adoption
Stable operation review	Monthly / quarterly	Product, operating, platform, governance	Service health, cost, backlog, change
Material change review	As needed	Relevant owners	Scope, model, data, semantic, access or risk change
Lifecycle review	Periodic	Sponsor, product, governance, finance	Continue, expand, constrain, retire or decommission

6.2. Decision-rights matrix

Decision	Typical owner / forum	Evidence required
Minor fix	Product / technical owner	Issue record, test evidence
Material behaviour change	Governance forum	Impact assessment, regression evidence
Model or routing change	AI owner + governance	Evaluation, cost, latency and quality comparison
Boundary change	Product owner + governance	Value, risk, capacity and control evidence
Access exception	Access owner	User need, approval, expiry date
Pause or rollback	Operating owner / risk owner	Incident, risk or degradation evidence
Expansion	Sponsor / governance forum	Production evidence, funding, support and readiness
Retirement / decommissioning	Sponsor / governance forum	Value, cost, usage, risk and replacement assessment

6.3. Residual-risk review log

Risk	Accepted condition	Current signal	Still acceptable?	Action
			Yes / No / Monitor	Continue / mitigate / constrain / escalate

6.4. Upstream change impact record

Purpose: capture upstream changes before they affect live T2D behaviour.

Change	Upstream owner	Potential T2D impact	Review decision	Action owner
Metric update / schema change / access change / platform change		Answer, caveat, access, cost, latency or traceability impact	No impact / test / constrain / deploy update / escalate	

6.5. Governance review agenda

- Review service health, incidents, cost and support load.
- Review residual risks and any threshold breaches.
- Review upcoming upstream changes.
- Review material fixes, model changes or boundary requests.
- Confirm decisions, owners and evidence required.
- Escalate structural issues to the right owner or earlier phase.
- Update decision log and next review actions.

6.6. Evidence to retain

- Governance attendance and review notes.
- Residual-risk review log.
- Decision-rights matrix.
- Material change and boundary decision log.
- Upstream change impact records.
- Pause, rollback, expansion or lifecycle decisions.

7. Activity 6: Maintain BAU service, data, semantic, metadata and documentation

7.1. Automated BAU check register

Purpose: track routine checks that protect the live T2D service from upstream drift.

Check	What is tested	Frequency	Owner	Alert route
Freshness	Source refreshed within expected window			
Schema / format	Tables, columns and data types unchanged			
Volume	Row counts and volumes within expected range			
Quality	Nulls, duplicates, completeness, reconciliation			
Access	Row, column, masking and role rules still apply			
Metadata	Required metric, dimension and caveat metadata available			

7.2. Upstream change impact checklist

Purpose: assess whether an upstream change affects live T2D behaviour.

Change area	Impact question	Action
Data source	Does the change affect freshness, coverage or quality?	No action / test / update / escalate
Data model	Does the change affect grain, joins or aggregation?	No action / test / update / escalate
Metric / semantic logic	Does the change affect meaning, filters or caveats?	No action / test / update / escalate
Metadata	Does the change affect retrieval, grounding or examples?	No action / test / update / escalate
Access	Does the change affect visibility, refusal or exposure?	No action / test / update / escalate
Reporting logic	Does the change affect reconciliation to trusted outputs?	No action / test / update / escalate

7.3. Currency update log

Date	Asset / artefact	Change	User impact	Owner	Status
	Metric / dimension / caveat / metadata / guidance / runbook		None / internal / user-facing		Open / updated / communicated

7.4. Human review prompt

Purpose: capture judgement-based checks that automation will not reliably detect.

Question	Review note
Is the metric still business-appropriate?	
Is the caveat still understandable to users?	
Could users misinterpret the answer after this change?	
Does the anomaly reflect a real business movement or data issue?	
Should user guidance or support material be updated?	

7.5. User check-in guide

Purpose: validate interpretation and usefulness with users.

Topic	Question
Caveats	Are limitations clear when you read the answer?
Trust	Do you know when to rely on the answer and when to verify it?
Interpretation	Have any answers been confusing or misleading?
Workflow	Are you using outputs in the intended workflow?
Gaps	Are there repeated questions the service cannot answer?

This can be done through structured focus groups, but informal check-ins with representatives of key user groups are often enough.

7.6. BAU regression check trigger

Trigger	Regression needed?
Source schema, grain or join change	Usually yes
Metric, filter or caveat change	Yes
Metadata or example update	Yes if retrieval or grounding may change
Access-rule change	Yes
Documentation-only wording change	Only if user-facing interpretation changes

7.7. Evidence to retain

- Automated BAU check results.
- Upstream change impact checklist.
- Currency update log.
- Human review notes.
- User check-in notes.
- BAU regression check results.
- Updated guidance, caveats, metadata or support material.

8. Activity 7: Manage the run / fix / improve / expand backlog and capacity

8.1. Backlog classification guide

Purpose: separate different types of work before prioritisation.

Type	Meaning	Typical route
Run	Normal support, monitoring, access or documentation work	Operating cadence
Fix	Defect, incident, access issue or answer-quality failure	Fix and retest
Optimise	Cost, latency, routing or support-effort reduction	Prioritised improvement
Improve	Better usability, caveats, guidance or answer format	Product backlog
Expand	New users, domains, questions, data assets or integrations	Expansion governance
Constrain	Reduce scope, usage or access to protect trust or cost	Governance decision
Defer	Useful but not justified or resourced now	Roadmap / later review

8.2. Run / fix / improve / expand backlog

Item	Source	Type	Owner	Priority	Capacity need	Decision
	Monitoring / incident / feedback / governance / user request	Run / fix / optimise / improve / expand / constrain / defer		High / medium / low		Do / defer / reject / escalate

8.3. Ownership and dependency check

Question	Answer
Does the item belong in the current T2D service?	Yes / No / unclear
Is it caused by upstream data, semantic, metadata, access or platform issue?	
Does it require product, data, semantic, AI, platform, security or governance capacity?	
Is funding or dedicated capacity required?	
Does it require controlled change and deployment?	
Does it require expansion approval?	

8.4. Adjacent-needs routing log

Purpose: capture needs revealed by T2D without absorbing them automatically.

Need identified	Evidence	Best route	Owner	Decision
	User feedback / unsupported questions / support pattern / workflow gap	Current T2D / new T2D / dashboard / data fix / semantic work / workflow change / other product		

8.5. Capacity view

Capacity area	Current demand	Available capacity	Gap / risk
Product			
Support			
Engineering			
Data			
Semantic / metadata			
AI / orchestration			
Platform			
Governance / security			

8.6. Prioritisation questions

- Is this needed to keep the current release safe and trusted?
- Does it fix a defect or improve an already-approved scope?
- Does it reduce cost, latency or support load?
- Does it create new scope or exposure?
- Is the required owner and capacity available?
- What happens if the item is not done now?

8.7. Evidence to retain

- Classified backlog.
- Ownership and dependency check.
- Capacity view.
- Adjacent-needs routing log.
- Expansion candidate list.
- Prioritisation and decision notes.

9. Activity 8: Control service development, regression testing and version deployment

9.1. Change intake record

Purpose: confirm that each change has an approved route before development starts.

Change	Source	Type	Approval route	Owner	Status
	Backlog / incident / governance / hot fix	Code / prompt / model / UI / config / monitoring	Backlog / governance / hot fix		Proposed / approved / rejected

9.2. Change impact checklist

Impact area	Question
Answers	Could the change alter answer wording, caveats, refusals or confidence?
Retrieval	Could it affect metadata retrieval or grounding?
Access	Could it affect what users can see or ask?
Cost / latency	Could it change model calls, query cost or response time?
Support	Do support teams need updated guidance?
Auditability	Are traces, logs and versions still captured?
Users	Does the change need release notes or user communication?

9.3. Model review record

Purpose: assess whether model, routing or inference changes are justified.

Option reviewed	Expected benefit	Risk	Evidence needed	Decision
New model / smaller model / specialist model / routing change	Quality / cost / latency / reliability / control	Behaviour change / weaker reasoning / refusals / grounding	Evaluation / regression / cost test	Use / reject / test further

9.4. Regression checklist

Test area	Required?	Result
Golden questions	Yes / No	Pass / fail
Known edge cases	Yes / No	Pass / fail
Access scenarios	Yes / No	Pass / fail
Refusals and clarifications	Yes / No	Pass / fail
Caveat handling	Yes / No	Pass / fail
Cost and latency	Yes / No	Pass / fail
Logging and traceability	Yes / No	Pass / fail

9.5. Version and release record

Item	Detail
Release version	
Changed components	Code / prompt / model / config / UI / monitoring / dependency
Test evidence	
Release note required?	Yes / No
Rollback route	
Release approver	
Release date	

9.6. Post-release review

Signal	Review question	Action
Quality	Did answer behaviour remain stable?	Continue / fix / roll back
Cost	Did cost change materially?	Continue / optimise / constrain
Latency	Did response time change materially?	Continue / investigate
Support	Did support tickets increase?	Update guidance / fix
Users	Did users notice unexpected behaviour?	Communicate / roll back

9.7. Evidence to retain

- Change intake record.
- Impact checklist.
- Model review record, where relevant.
- Regression evidence.
- Version and release record.
- Release note or support communication.
- Post-release review.
- Rollback or constraint decision, if used.

10. Activity 9: Drive controlled adoption and responsible use within approved scope

10.1. User onboarding checklist

Purpose: confirm that approved users understand how to use the service responsibly.

Area	Confirmation question	Status
Supported scope	Do users know which questions, domains and outputs are supported?	
Limitations	Are caveats and known limitations clear?	
Responsible use	Do users know when to rely, verify, challenge or escalate?	
Escalation	Do users know where to raise issues or concerns?	
Feedback	Is the feedback route clear and usable?	
Usage boundary	Do users know where outputs can and cannot be reused?	

10.2. Representative user check-in guide

Purpose: capture adoption and interpretation signals that logs may not reveal.

Topic	Question
Workflow fit	Is the service useful in your actual workflow?
Friction	Where does the experience slow you down or confuse you?
Trust	Do you know when the answer is reliable enough to use?
Caveats	Are limitations visible and understandable?
Misuse risk	Are outputs being used outside the intended workflow?
Unmet needs	What repeated needs are not covered by the current scope?

10.3. Responsible-use issue log

Date	User group	Issue	Risk	Action
		Over-trust / caveat misunderstanding / unsupported use / inappropriate reuse	Low / medium / high	Guidance / fix / constrain / escalate

10.4. Adoption signal summary

Signal	Interpretation	Action
High usage inside scope	Positive adoption signal	Continue monitoring
High usage outside scope	Scope pressure or misuse	Clarify, constrain or route to backlog
Low usage	Weak value, onboarding, trust or workflow fit	Review with users
Repeated unsupported questions	Adjacent need or scope gap	Route to backlog or separate initiative
High support load	Guidance or usability issue	Improve support material or product flow

10.5. Scope reminder template

Item	Content
What the service supports	
What it does not support	
Key limitations	
When to verify or escalate	
Where to give feedback	

10.6. Evidence to retain

- Onboarding checklist.
- Representative user check-in notes.
- Responsible-use issue log.
- Adoption signal summary.
- Scope reminder or user communication.
- Requests routed to backlog, expansion or adjacent-needs log.

11. Activity 10: Manage lifecycle, retirement and decommissioning readiness

11.1. Lifecycle review checklist

Purpose: assess whether the service, or part of it, still has a justified role.

Area	Review question
Value	Does the service still support a useful workflow or decision cycle?
Usage	Is usage meaningful, even if occasional or seasonal?
Risk	Are risks still within appetite?
Cost	Are run, model, support and change costs justified?
Ownership	Are business, product and operating owners still active?
Replacement	Has another tool, report, workflow or product replaced the need?
Foundation	Are data, semantic and metadata foundations still maintained?

11.2. Lifecycle action guide

Action	When appropriate
Continue	Value, ownership, cost and risk remain justified.
Constrain	Scope, usage, cost or risk needs tighter control.
Pause	Temporary issue requires investigation before continued use.
Retire part	A user group, metric, question type or domain is no longer justified.
Decommission	The service is replaced, unsupported, too costly or no longer valuable.

11.3. Retirement or decommissioning decision record

Item	Decision
Scope affected	Full service / user group / domain / metric / question type / integration
Reason	Low value / replacement / high cost / risk / weak ownership / obsolete foundation
Evidence	Usage, value, cost, risk, support or ownership evidence
Decision owner	
Effective date	
User communication needed?	Yes / No
Access changes needed?	Yes / No
Data, logs or audit actions needed?	Yes / No

11.4. Decommissioning action checklist

Area	Action
Users	Communicate change, date and alternative route.
Access	Remove or restrict access.
Guidance	Update user guidance and known limitations.
Support	Close or redirect support routes.
Monitoring	Disable or adjust monitoring and alerts.
Backlog	Close, transfer or archive open items.

Logs / audit	Retain required evidence under policy.
Cost	Stop avoidable run, model, storage or platform costs.

11.5. Evidence to retain

- Lifecycle review notes.
- Retirement or decommissioning decision record.
- User and support communication.
- Access removal or restriction evidence.
- Monitoring, backlog and cost closure record.
- Log, trace and audit retention confirmation.
- Lessons learned for future T2D services.