

Controllers

The image shows two separate sessions of Sublime Text 3, both displaying PHP code for a Laravel application's controller. The left session shows the beginning of the `CarroController.php` file, and the right session shows the remainder of the same file.

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Carro;  
  
class CarroController extends Controller  
{  
    //  
    public function index()  
    {  
        $carro = carro::all();  
        return view('carro.index',[ 'carro' =>$carro]);  
    }  
  
    public function create()  
    {  
        return view('carro.create');  
    }  
  
    public function store(Request $resquest){  
        $resquest->validate([  
            'modelo'=>'required',  
        ]);  
  
        $carro = new carro();  
        $carro->modelo = $resquest->modelo;  
        $carro->save();  
    }  
  
    public function update(Request $resquest){  
        $resquest->validate([  
            'modelo'=>'required'  
        ]);  
        carro::find($resquest->id)->update($resquest->except('_method'));  
    }  
}
```

```
    public function update(Request $resquest){  
        $resquest->validate([  
            'modelo'=>'required'  
        ]);  
        carro::find($resquest->id)->update($resquest->except('_method'));  
        return redirect('carro/index')->with('msg','Cadastro realizado com sucesso');  
    }  
  
    public function show($id){  
        if($id){  
            $carro = carro::where('id',$id)->get();  
        }else{  
            $carro = carro::all();  
        }  
        return view('carro.show',[ 'carro' =>$Carro]);  
    }  
  
    public function edit($id){  
        $carro = carro::find($id);  
        return view('carro.edit',[ 'carro' =>$Carro]);  
    }  
  
    public function destroy($id){  
        carro::findOrFail($id)->delete();  
        return redirect('carro/index')->with('msg','apagado com sucesso');  
    }  
}
```

Atividades Sublime Text ~ 25 de jan 08:24

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php index.blade.php — motor index.blade.php — valvula CategoriaController.php blade.php — itensentradas

```
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Categoria;

class CategoriaController extends Controller
{
    /**
     * public function index()
     */
    $Entrada = entrada::all();
    return view('categoria.index',[ 'categoria' =>$Categoria]);
}

public function create()

    return view('categoria.create');

public function store(Request $request)
    $request->validate([
        'categoria'=>'required',
    ]);

    $Categoria = new categoria();
    $Categoria->category = $request->category;
    $Categoria->save();
}

public function update(Request $request){
    $request->validate([
        'categoria'=>'required',
    ]);
    categoria::find($request->id)->update($request->except('_method'));
    return redirect('categoria/index')->with('msg','Cadastro realizado com sucesso');
}

public function show($id){

    if($id){
        $Categoria = categoria::where('id',$id)->get();
    }else{
        $Categoria = categoria::all();
    }
    return view('categoria.show',[ 'categoria' =>$Categoria]);
}

public function edit($id){

    $Categoria = categoria::find($id);
    return view('categoria.edit',[ '=>$]);
}

public function destroy($id){

    categoria::findOrFail($id)->delete();
    return redirect('categoria/index')->with('msg','apagado com sucesso');
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:24

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php index.blade.php — motor index.blade.php — valvula CategoriaController.php blade.php — itensentradas

```
public function update(Request $request){

    $request->validate([
        'categoria'=>'required',
    ]);

    categoria::find($request->id)->update($request->except('_method'));
    return redirect('categoria/index')->with('msg','Cadastro realizado com sucesso');
}

public function show($id){

    if($id){
        $Categoria = categoria::where('id',$id)->get();
    }else{
        $Categoria = categoria::all();
    }
    return view('categoria.show',[ 'categoria' =>$Categoria]);
}

public function edit($id){

    $Categoria = categoria::find($id);
    return view('categoria.edit',[ '=>$]);
}

public function destroy($id){

    categoria::findOrFail($id)->delete();
    return redirect('categoria/index')->with('msg','apagado com sucesso');
}
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:24

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ClienteController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Cliente;  
  
class ClienteController extends Controller  
{  
    //  
    public function index()  
    {  
        $cliente = cliente::all();  
        return view('clientes.index',[ 'cliente' =>$cliente]);  
    }  
  
    public function create()  
    {  
        return view('clientes.create');  
    }  
  
    public function store(Request $request){  
        $request->validate([  
            'nome'=>'required',  
            'telefone'=>'required',  
            'cnpj'=>'required',  
            'cpf'=>'required',  
            'debito'=>'required',  
        ]);  
        $cliente = new cliente();  
        $cliente->nome = $request->nome;  
        $cliente->telefone= $request->telefone;  
        $cliente->cnpj = $request->cnpj;  
        $cliente->cpf = $request->cpf;  
        $cliente->debito = $request->debito;  
        $cliente->save();  
    }  
}
```

Atividades Sublime Text ~ 25 de jan 08:24

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ClienteController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
public function update(Request $request){  
    $request->validate([  
        'nome'=>'required',  
        'telefone'=>'required',  
        'cnpj'=>'required',  
        'cpf'=>'required',  
        'debito'=>'required',  
    ]);  
    Cliente::find($request->id)->update($request->except(' method'));  
    return redirect('clientes/index')->with('msg','Cadastro realizado com sucesso');  
}  
  
public function show($id){  
    if($id)  
        $cliente = Cliente::where('id',$id)->get();  
    else  
        $cliente = Cliente::all();  
    return view('clientes.show',[ 'cliente' =>$cliente]);  
}  
  
public function edit($id){  
    $cliente = Cliente::find($id);  
    return view('clientes.edit',[ 'cliente' =>$cliente]);  
}  
  
public function destroy($id){  
    cliente::findOrFail($id)->delete();  
    return redirect('clientes/index')->with('msg','cliente apagado com sucesso');  
}
```

Atividades Sublime Text ~ 25 de jan 08:24

/Documentos/projetos/projetoLaravel/app/Http/Controllers/EntradaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula EntradaController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Entrada;  
  
class EntradaController extends Controller  
{  
    //  
    public function index()  
    {  
        $Entrada = Entrada::all();  
        return view('entradas.index', ['entrada' =>$Entrada]);  
    }  
  
    public function create()  
    {  
        return view('entradas.create');  
    }  
  
    public function store(Request $request)  
    {  
        $request->validate([  
            'id fornecedor'=>'required',  
            'valortotalnota'=>'required',  
            'datacompra'=>'required',  
        ]);  
        $Entrada = new Entrada();  
        $Entrada->id fornecedor = $request->id fornecedor;  
        $Entrada->valortotalnota = $request->valortotalnota;  
        $Entrada->datacompra = $request->datacompra;  
        $Entrada->save();  
    }  
  
    public function update(Request $request)  
    {  
        $request->validate([  
            'id fornecedor'=>'required',  
            'valortotalnota'=>'required',  
            'datacompra'=>'required',  
        ]);  
        Entrada::find($request->id)->update($request->except(' method'));  
        return redirect('entradas/index')->with('msg', 'Cadastro realizado com sucesso');  
    }  
  
    public function show($id){  
        if($id)  
        {$Entrada = Entrada::where('id',$id)->get();}  
        else{$Entrada = Entrada::all();}  
        return view('entradas.show',[ 'entrada'=>$Entrada]);  
    }  
  
    public function edit($id){  
        $cliente = Entrada::find($id);  
        return view('entradas.edit',[ 'entrada'=>$Entrada]);  
    }  
  
    public function destroy($id){  
        Entrada::findOrFail($id)->delete();  
        return redirect('entradas/index')->with('msg', 'entrada apagado com sucesso');  
    }  
}
```

Line 1, Column 1; Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:24

/Documentos/projetos/projetoLaravel/app/Http/Controllers/EntradaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula EntradaController.php index.blade.php — itensentradas

```
    $Entrada->save();  
}  
  
public function update(Request $request){  
    $request->validate([  
        'id fornecedor'=>'required',  
        'valortotalnota'=>'required',  
        'datacompra'=>'required',  
    ]);  
    Entrada::find($request->id)->update($request->except(' method'));  
    return redirect('entradas/index')->with('msg', 'Cadastro realizado com sucesso');  
}  
  
public function show($id){  
    if($id)  
    {$Entrada = Entrada::where('id',$id)->get();}  
    else{$Entrada = Entrada::all();}  
    return view('entradas.show',[ 'entrada'=>$Entrada]);  
}  
  
public function edit($id){  
    $cliente = Entrada::find($id);  
    return view('entradas.edit',[ 'entrada'=>$Entrada]);  
}  
  
public function destroy($id){  
    Entrada::findOrFail($id)->delete();  
    return redirect('entradas/index')->with('msg', 'entrada apagado com sucesso');  
}  
}
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/FabricacaoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula FabricacaoController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Fabricacao;  
  
class FabricacaoController extends Controller  
{  
    //  
    public function index()  
    {  
        $Fabricacao = Fabricacao::all();  
        return view('fabricação.index',['fabricacao' =>$Fabricacao]);  
    }  
  
    public function create()  
    {  
        return view('fabricação.create');  
    }  
  
    public function store(Request $request)  
    {  
        $request->validate([  
            'ano'=>'required',  
        ]);  
  
        $Fabricacao = new Fabricacao();  
        $Fabricacao->ano = $request->ano;  
        $Fabricacao->save();  
    }  
  
    public function update(Request $request)  
    {  
        $request->validate([  
            'ano'=>'required',  
        ]);  
        $fabricacao::find($request->id)->update($request->except(['_method']));  
    }  
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs

Tab Size: 4 PHP

Atividades Sublime Text

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/FabricacaoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula FabricacaoController.php index.blade.php — itensentradas

```
public function update(Request $request)  
{  
    $request->validate([  
        'ano'=>'required',  
    ]);  
    $fabricacao::find($request->id)->update($request->except(['_method']));  
    return redirect('fabricação/index')->with('msg','Cadastro realizado com sucesso');  
}  
  
public function show($id)  
{  
    if($id){  
        $ = fabricacao::where('id',$id)->get();  
    }else{  
        $ = fabricacao::all();  
    }  
    return view('fabricação.show',['fabricacao'=>$Fabricacao]);  
}  
  
public function edit($id)  
{  
    $ = fabricacao::find($id);  
    return view('fabricação.edit',['fabricacao'=>$Fabricacao]);  
}  
  
public function destroy($id)  
{  
    $fabricacao::findOrFail($id)->delete();  
    return redirect('fabricação/index')->with('msg','apagado com sucesso');  
}
```

Line 1, Column 1

Tab Size: 4 PHP

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/FornecedorController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula FornecedorController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Fornecedor;  
  
class FornecedorController extends Controller  
{  
    //  
    public function index()  
    {  
        $Fornecedores = Fornecedor::all();  
        return view('fornecedores.index', ['fornecedores' =>$Fornecedores]);  
    }  
  
    public function create()  
    {  
        return view('fornecedores.create');  
    }  
  
    public function store(Request $request){  
        $request->validate([  
            'nome'=>'required',  
            'telefone'=>'required',  
            'cnpj'=>'required',  
            'endereco'=>'required',  
        ]);  
        $Fornecedor = new fornecedor();  
        $Fornecedor->nome = $request->nome;  
        $Fornecedor->telefone = $request->telefone;  
        $Fornecedor->cnpj= $request->cnpj;  
        $Fornecedor->endereco= $request->endereco;  
        $Fornecedor->save();  
    }  
  
    public function show($id){  
        if($id){  
            $Fornecedor = fornecedor::where('id',$id)->get();  
            return $Fornecedor;  
        }  
    }  
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/FornecedorController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula FornecedorController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Fornecedor;  
  
class FornecedorController extends Controller  
{  
    //  
    public function index()  
    {  
        $Fornecedor = Fornecedor::all();  
        $Fornecedor->endereco = $request->endereco;  
        $Fornecedor->save();  
    }  
  
    public function show($id){  
        if($id){  
            $Fornecedor = fornecedor::where('id',$id)->get();  
        }else{  
            $Fornecedor = fornecedor::all();  
        }  
        return view('fornecedores.show',[ 'fornecedores'=>$Fornecedor]);  
    }  
  
    public function edit($id){  
        $Fornecedor = Fornecedor::find($id);  
        return view('fornecedores.edit',[ 'fornecedores'=>$Fornecedor]);  
    }  
  
    public function update(Request $request){  
        $request->validate([  
            'nome'=>'required',  
            'telefone'=>'required',  
            'cnpj'=>'required',  
            'endereco'=>'required',  
        ]);  
        fornecedor::find($request->id)->update($request->except(' method'));  
        return redirect('fornecedores/index')->with('msg','Cadastro realizado com sucesso');  
    }  
  
    public function destroy($id){  
        $Fornecedor = fornecedor::find($id)->delete();  
        return redirect('fornecedores/index')->with('msg','Fornecedor apagado com sucesso');  
    }  
}
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text ~

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentraController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula ItensentraController.php lex.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Itensentra;  
  
class ItensentraController extends Controller  
{  
    //  
    public function index()  
    {  
        $itensentradas = Itensentra::all();  
        return view('itensentradas.index', ['itensentradas' =>$itensentradas]);  
    }  
  
    public function create()  
  
        return view('itensentradas.create');  
    }  
  
    public function store(Request $request){  
        $request->validate([  
            'id_produto'=>'required',  
            'id_entraida'=>'required',  
            'quantidade'=>'required',  
            'preco_compra'=>'required',  
            'icms'=>'required',  
            'ipi'=>'required',  
            'frete'=>'required',  
            'unidade'=>'required',  
        ]);  
        $itensentradas = new Itensentra();  
        $itensentradas->id_produto = $request->id_produto;  
        $itensentradas->id_entraida = $request->id_entraida;  
        $itensentradas->quantidade = $request->quantidade;  
        $itensentradas->preco_compra = $request->preco_compra;  
        $itensentradas->icms = $request->icms;  
        $itensentradas->ipi = $request->ipi;  
        $itensentradas->frete = $request->frete;  
        $itensentradas->save();  
    }  
  
    public function show($id){  
        if($id){  
            $itensentradas = Itensentra::where('id',$id)->get();  
        }else{  
            $itensentradas = Itensentra::all();  
        }  
        return view('itensentradas.show',[ 'itensentradas'=>$itensentradas]);  
    }  
  
    public function edit($id){  
        $itensentradas = Itensentra::find($id);  
        return view('itensentradas.edit',[ 'itensentradas'=>$itensentradas]);  
    }  
  
    public function update(Request $request){  
        $request->validate([  
            'id_produto'=>'required',  
            'id_entraida'=>'required',  
            'quantidade'=>'required',  
            'preco_compra'=>'required',  
            'icms'=>'required',  
            'ipi'=>'required',  
            'frete'=>'required',  
            'unidade'=>'required',  
        ]);  
        Itensentra::find($request->id)->update($request->except('method'));  
        return redirect('itensentradas/index')->with('msg','Cadastro realizado com sucesso');  
    }  
  
    public function destroy($id){  
        Itensentra::findOrFail($id)->delete();  
        return redirect('itensentradas/index')->with('msg','itensentra apagado com sucesso');  
    }  
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentraController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula ItensentraController.php lex.blade.php — itensentradas

```
39     $itensentradas->preco_compra = $request->preco_compra;  
40     $itensentradas->icms = $request->icms;  
41     $itensentradas->ipi = $request->ipi;  
42     $itensentradas->frete = $request->frete;  
43     $itensentradas->unidade = $request->unidade;  
44     $itensentradas->save();  
45 }  
46  
47 public function show($id){  
48     if($id){  
49         $itensentradas = Itensentra::where('id',$id)->get();  
50     }else{  
51         $itensentradas = Itensentra::all();  
52     }  
53     return view('itensentradas.show',[ 'itensentradas'=>$itensentradas]);  
54 }  
55  
56 public function edit($id){  
57     $itensentradas = Itensentra::find($id);  
58     return view('itensentradas.edit',[ 'itensentradas'=>$itensentradas]);  
59 }  
60  
61 public function update(Request $request){  
62     $request->validate([  
63         'id_produto'=>'required',  
64         'id_entraida'=>'required',  
65         'quantidade'=>'required',  
66         'preco_compra'=>'required',  
67         'icms'=>'required',  
68         'ipi'=>'required',  
69         'frete'=>'required',  
70         'unidade'=>'required',  
71     ]);  
72     Itensentra::find($request->id)->update($request->except('method'));  
73     return redirect('itensentradas/index')->with('msg','Cadastro realizado com sucesso');  
74 }  
75  
76 public function destroy($id){  
77     Itensentra::findOrFail($id)->delete();  
78     return redirect('itensentradas/index')->with('msg','itensentra apagado com sucesso');  
79 }  
80 }
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text 25 de jan 08:24

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/ItensvendaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula ItensvendaController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Itensvenda;  
  
class ItensvendaController extends Controller  
{  
    //  
    public function index()  
    {  
        $itensvenda = Itensvenda::all();  
        return view('itensvendas.index', ['itensvenda' =>$itensvenda]);  
    }  
  
    public function create()  
    {  
        return view('itensvendas.create');  
    }  
  
    public function store(Request $resquest)  
    {  
        $itensvenda = new itensvenda();  
        $resquest->validate([  
            'id produto'=> required,  
            'id venda'=> required,  
            'quantidade'=> required,  
            'valorvenda'=> required,  
            'desconto'=> required,  
            'lucro'=> required,  
        ]);  
        $itensvenda = new itensvenda();  
        $itensvenda->id produto = $resquest->id produto;  
        $itensvenda->id venda = $resquest->id venda;  
        $itensvenda->quantidade = $resquest->quantidade;  
        $itensvenda->valorvenda = $resquest->valorvenda;  
        $itensvenda->desconto = $resquest->desconto;  
        $itensvenda->lucro = $resquest->lucro;  
        $itensvenda->save();  
    }  
    public function show($id)  
    {  
    }  
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/ItensvendaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula ItensvendaController.php index.blade.php — itensentradas

```
30     'lucro'=>'required',
31     );
32     $Itensvenda = new Itensvenda();
33     $Itensvenda->id_produto = $resquest->id_produto;
34     $Itensvenda->id_venda = $resquest->id_venda;
35     $Itensvenda->quantidade = $resquest->quantidade;
36     $Itensvenda->valorvenda = $resquest->valorvenda;
37     $Itensvenda->desconto = $resquest->desconto;
38     $Itensvenda->lucro = $resquest->lucro;
39     $Itensvenda->save();
40   }
41
42   public function show($id){
43     if($id){
44       $Itensvenda = Itensvenda::where('id',$id)->get();
45     }else{
46       $Itensvenda = Itensvenda::all();
47     }
48     return view('itensvendas.show',[ 'itensvendas'=>$Itensvenda]);
49   }
50
51   public function edit($id){
52     $Itensvenda = Itensvenda::find($id);
53     return view('itensvendas.edit',[ 'itensvendas'=>$Itensvenda]);
54   }
55
56   public function update(Request $resquest){
57     $Itensvenda::find($resquest->id)->update($resquest->except('_method'));
58     return redirect('itensvendas/index')->with('msg','Cadastro realizado com sucesso');
59   }
60
61   public function destroy($id){
62     $Itensvenda::findOrFail($id)->delete();
63     return redirect('itensvendas/index')->with('msg','Itensvenda apagado com sucesso');
64   }
65 }
```

Line 1, Column 1

Tab Size: 4 PHP

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/LocalizacaoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula LocalizacaoController.php index.blade.php — itensentradas

```
<?php
1 namespace App\Http\Controllers;
2 use Illuminate\Http\Request;
3 use App\Models\Localizacao;
4
5 class LocalizacaoController extends Controller
6 {
7   //public function index(){
8     $Localizacao = Localizacao::all();
9     return view('localização.index', [ 'localizacao' =>$Localizacao]);
10 }
11
12 public function create(){
13
14   return view('localização.create');
15 }
16
17 public function store(Request $resquest){
18   $resquest->validate([
19     'departamento'=>'required',
20   ]);
21
22   $Localizacao = new Localizacao();
23   $Localizacao->departamento = $resquest->departamento;
24   $Localizacao->save();
25
26 }
27
28 public function update(Request $resquest){
29   $resquest->validate([
30     'departamento'=>'required',
31   ]);
32   $Localizacao::find($resquest->id)->update($resquest->except('_method'));
33
34 }
35
36 }
```

Line 1, Column 1: Detect Indentation: Setting Indentation to tabs

Tab Size: 4 PHP

Atividades Sublime Text ~ /Documentos/projetos/projetoLaravel/app/Http/Controllers/LocalizacaoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

```

32     $Localizacao->save();
33 }
34
35
36
37 public function update(Request $request){
38     $request->validate([
39         'departamento'=>'required',
40     ]);
41     $localizacao::find($request->id)->update($request->except(['_method']));
42
43     return redirect('localizacao/index')->with('msg','Cadastro realizado com sucesso');
44 }
45
46
47 public function show($id){
48
49     if($id){
50         $Localizacao = localizacao::where('id',$id)->get();
51     }else{
52         $Localizacao = localizacao::all();
53     }
54
55     return view('localizacao.show',['localizacao'=>$Localizacao]);
56 }
57
58 public function edit($id){
59
60     $Localizacao = localizacao::find($id);
61
62     return view('localizacao.edit',['localizacao'=>$Localizacao]);
63 }
64
65 public function destroy($id){
66
67     localizacao::findOrFail($id)->delete();
68
69     return redirect('localizacao/index')->with('msg','apagado com sucesso');
70 }
71
72 }
73

```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text ~ /Documentos/projetos/projetoLaravel/app/Http/Controllers/MarcaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

```

1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\Models\Marca;
7
8 class MarcaController extends Controller
9 {
10
11     //public function index(){
12
13     //    $marca = marca::all();
14
15     //    return view('marca.index', ['marca' =>$marca]);
16
17     //}
18
19     public function create(){
20
21
22     }
23
24
25     public function store(Request $request){
26
27         $request->validate([
28             'marca'=>'required',
29         ]);
30
31         $Marca = new marca();
32         $Marca->marca = $request->marca;
33         $Marca->save();
34
35     }
36
37     public function update(Request $request){
38
39         $request->validate([
40             'marca'=>'required',
41         ]);
42         $marca->find($request->id)->update($request->except(['_method']));
43
44     }
45
46
47 }
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73

```

Line 1, Column 1: Detect Indentation: Setting Indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/MarcaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blad index.blade.php — motor index.blade.php — valvula MarcaController.php index.blade.php — itensentradas

```
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
```

```
public function update(Request $request){
    $request->validate([
        'marca'=>'required',
    ]);
    $marca = $request->id->update($request->except('_method'));
    return redirect('marca/index')->with('msg','Cadastro realizado com sucesso');
}

public function show($id){
    if($id){
        $marca = $marca::where('id',$id)->get();
    }else{
        $marca = $marca::all();
    }
    return view('marca.show',[ '$id']);
}

public function edit($id){
    $marca = $marca::find($id);
    return view('marca.edit',[ '$id']);
}

public function destroy($id){
    $marca->findOrFail($id)->delete();
    return redirect('marca/index')->with('msg','apagado com sucesso');
}
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/MotorController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blad index.blade.php — motor index.blade.php — valvula MotorController.php index.blade.php — itensentradas

```
1 <?php
2
3 namespace App\Http\Controllers;
4 use Illuminate\Http\Request;
5 use App\Models\Motor;
6
7 class MotorController extends Controller
8 {
9     /**
10     * @param Request $request
11     */
12     public function index(){
13         $motor = $motor::all();
14         return view('motor.index', ['motor' =>$motor]);
15     }
16
17     public function create(){
18         return view('motor.create');
19     }
20
21     public function store(Request $request){
22         $request->validate([
23             'potencia'=>'required',
24         ]);
25
26         $motor = new motor();
27         $motor->potencia = $request->potencia;
28         $motor->save();
29     }
30
31     public function update(Request $request){
32         $request->validate([
33             'potencia'=>'required',
34         ]);
35
36         $motor = $request->id->update($request->except('_method'));
37
38         return redirect('motor/index')->with('msg','atualizado com sucesso');
39     }
40
41 }
```

Line 1, Column 1: Detect Indentation: Setting Indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/MotorController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
```

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php**
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula MotorController.php index.blade.php — itensentradas

```
40     'potencia'=>'required',
41   );
42 
43   $motor=>find($request->id)->update($request->except(['_method']));
44 
45   return redirect('motor/index')->with('msg','Cadastro realizado com sucesso');
46 }
47 
48 public function show($id){
49 
50   if($id){
51     $motor = $motor->where('id',$id)->get();
52   }else{
53     $motor = $motor->all();
54   }
55 
56   return view('motor.show',[ '='=>$motor]);
57 }
58 
59 public function edit($id){
60 
61   $motor = $motor->find($id);
62 
63   return view('motor.edit',[ '='=>$motor]);
64 }
65 
66 public function destroy($id){
67 
68   $motor=>findOrFail($id)->delete();
69 
70   return redirect('motor/index')->with('msg','apagado com sucesso');
71 }
72 
73 }
74 
75 }
76 }
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ProdutoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
```

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - ProdutoController.php**
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blade.php — motor index.blade.php — valvula ProdutoController.php index.blade.php — itensentradas

```
1 <?php
2 
3 namespace App\Http\Controllers;
4 use Illuminate\Http\Request;
5 use App\Models\Produto;
6 
7 class ProdutoController extends Controller
8 {
9   /**
10    * @param Request $request
11    */
12   public function index(Request $request)
13   {
14     $produtos = $request->get('produtos');
15 
16     return view('produto.index', ['produtos' => $produtos]);
17   }
18 
19   public function create()
20   {
21     return view('produto.create');
22   }
23 
24   public function store(Request $request)
25   {
26     $request->validate([
27       'id_carro'=>'required',
28       'id_motor'=>'required',
29       'id_valvula'=>'required',
30       'id_categoria'=>'required',
31       'id_marca'=>'required',
32       'id_fabricacao'=>'required',
33       'id_localizacao'=>'required',
34       'icms'=>'required',
35       'imposto'=>'required',
36       'frete'=>'required',
37       'valor_nfabrica'=>'required',
38       'valor_de_compra'=>'required',
39       'valor_venda'=>'required',
40       'lucro'=>'required',
41       'unidade'=>'required',
42       'quantidade'=>'required',
43     ]);
44   }
45 }
```

Line 1, Column 1: Detect Indentation: Setting Indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ProdutoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
```

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

Line 1, Column 1

```
36     'valornafabrica'=>'required',
37     'valordecompra'=>'required',
38     'valorvenda'=>'required',
39     'lucro'=>'required',
40     'unidade'=>'required',
41     'quantidade'=>'required',
42   ]);
43   $Produto = new produto();
44   $Produto->id_carro = $resquest->id_carro;
45   $Produto->id_motor = $resquest->id_motor;
46   $Produto->id_valvula = $resquest->id_valvula;
47   $Produto->id_categoria = $resquest->id_categoria;
48   $Produto->id_marca = $resquest->id_marca;
49   $Produto->id_fabricacao = $resquest->id_fabricacao;
50   $Produto->id_localizacao = $resquest->id_localizacao;
51   $Produto->icms = $resquest->icms;
52   $Produto->ipr = $resquest->ipr;
53   $Produto->frete = $resquest->frete;
54   $Produto->valornafabrica = $resquest->valornafabrica;
55   $Produto->valordecompra = $resquest->valordecompra;
56   $Produto->valorvenda = $resquest->valorvenda;
57   $Produto->lucro = $resquest->lucro;
58   $Produto->unidade = $resquest->unidade;
59   $Produto->quantidade = $resquest->quantidade;
60   $Produto->save();
61 }
62
63
64 public function show($id){
65   if($id){
66     $Produto = produto::where('id',$id)->get();
67   }else{
68     $Produto = produto::all();
69   }
70   return view('produto.show',[ 'produtos'=>$Produto]);
71 }
72
73 public function edit($id){
74   $Produto = produto::find($id);
75   return view('produto.edit',[ 'produtos'=>$Produto]);
76 }
77
78 public function update(Request $resquest){
79   $resquest->validate([
80     'id_carro'=>'required',
81     'id_motor'=>'required',
82     'id_valvula'=>'required',
83     'id_categoria'=>'required',
84     'id_marca'=>'required',
85     'id_fabricacao'=>'required',
86     'id_localizacao'=>'required',
87     'icms'=>'required',
88     'ipr'=>'required',
89     'frete'=>'required',
90     'valornafabrica'=>'required',
91     'valordecompra'=>'required',
92     'valorvenda'=>'required',
93     'lucro'=>'required',
94     'unidade'=>'required',
95     'quantidade'=>'required',
96   ]);
97   $produto::find($resquest->id)->update($resquest->except('_method'));
98   return redirect('produto/index')->with('msg','Cadastro realizado com sucesso');
99 }
100
101 public function destroy($id){
102   $produto::findorFail($id)->delete();
103   return redirect('produto/index')->with('msg','produto apagado com sucesso');
104 }
105
106 }
107 }
```

Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ProdutoController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
File Edit Selection Find View Goto Tools Project Preferences Help
```

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

Line 1, Column 1

```
67     $Produto = produto::all();
68   }
69   return view('produto.show',[ 'produtos'=>$Produto]);
70 }
71
72 public function edit($id){
73   $Produto = produto::find($id);
74   return view('produto.edit',[ 'produtos'=>$Produto]);
75 }
76
77 public function update(Request $resquest){
78   $resquest->validate([
79     'id_carro'=>'required',
80     'id_motor'=>'required',
81     'id_valvula'=>'required',
82     'id_categoria'=>'required',
83     'id_marca'=>'required',
84     'id_fabricacao'=>'required',
85     'id_localizacao'=>'required',
86     'icms'=>'required',
87     'ipr'=>'required',
88     'frete'=>'required',
89     'valornafabrica'=>'required',
90     'valordecompra'=>'required',
91     'valorvenda'=>'required',
92     'lucro'=>'required',
93     'unidade'=>'required',
94     'quantidade'=>'required',
95   ]);
96   $produto::find($resquest->id)->update($resquest->except('_method'));
97   return redirect('produto/index')->with('msg','Cadastro realizado com sucesso');
98 }
99
100 public function destroy($id){
101   $produto::findorFail($id)->delete();
102   return redirect('produto/index')->with('msg','produto apagado com sucesso');
103 }
104
105 }
106 }
```

Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ValvulaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

```
<?php

namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Valvula;

class ValvulaController extends Controller
{
    /**
     * @return \Illuminate\Contracts\View\Factory|\Illuminate\View\View
     */
    public function index()
    {
        $valvula = valvulas::all();
        return view('valvula.index', ['valvulas' =>$valvula]);
    }

    public function create()
    {
        return view('valvula.create');
    }

    public function store(Request $request)
    {
        $request->validate([
            'quantidade'=>'required',
        ]);

        $valvula = new valvulas();
        $valvula->quantidade = $request->quantidade;
        $valvula->save();
    }

    public function update(Request $request)
    {
        $request->validate([
            'quantidade'=>'required',
        ]);
    }
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to tabs

Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

/Documentos/projetos/projetoLaravel/app/Http/Controllers/ValvulaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensentradController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

```
public function update(Request $request)
{
    $request->validate([
        'quantidade'=>'required',
    ]);

    valvulas::find($request->id)->update($request->except('_method'));
    return redirect('valvula/index')->with('msg','Cadastro realizado com sucesso');
}

public function show($id)
{
    if($id){
        $valvula = valvulas::where('id',$id)->get();
    }else{
        $valvula = valvulas::all();
    }
    return view('valvula.show',[ 'valvulas'=>$valvula]);
}

public function edit($id)
{
    $valvula = valvulas::find($id);
    return view('valvula.edit',[ '=>$']);
}

public function destroy($id)
{
    valvulas::findOrFail($id)->delete();
    return redirect('valvula/index')->with('msg','apagado com sucesso');
}
}
```

Line 1, Column 1

Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/VendaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensvendaController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blad index.blade.php — motor index.blade.php — valvula VendaController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Venda;  
  
class VendaController extends Controller  
{  
    //  
    public function index()  
    {  
        $Venda = Venda::all();  
        return view('vendas.index', ['vendas' =>$Venda]);  
    }  
  
    public function create()  
    {  
        return view('vendas.create');  
    }  
  
    public function store(Request $request){  
        $request->validate([  
            'id_cliente'=>'required',  
            'id_formapagamento'=>'required',  
            'data'=>'required',  
            'valortotal'=>'required',  
        ]);  
        $Venda = new Venda();  
        $Venda->id_cliente = $request->id_cliente;  
        $Venda->id_formapagamento = $request->id_formapagamento;  
        $Venda->data = $request->data;  
        $Venda->valortotal = $request->valortotal;  
        $Venda->save();  
    }  
  
    public function show($id){  
        if($id){  
            $Venda = Venda::where('id',$id)->get();  
        }else{  
            $Venda = Venda::all();  
        }  
        return view('vendas.show', ['vendas'=>$Vendas]);  
    }  
  
    public function edit($id){  
        $Vendas = Venda::find($id);  
        return view('vendas.edit', ['vendas'=>$Vendas]);  
    }  
  
    public function update(Request $request){  
        $request->validate([  
            'id_cliente'=>'required',  
            'id_formapagamento'=>'required',  
            'data'=>'required',  
            'valortotal'=>'required',  
        ]);  
        $Venda::find($request->id)->update($request->except('method'));  
        return redirect('vendas/index')->with('msg','Cadastro realizado com sucesso');  
    }  
  
    public function destroy($id){  
        $Venda::findOrFail($id)->delete();  
        return redirect('vendas/index')->with('msg','venda apagado com sucesso');  
    }  
}
```

Line 1, Column 1; Detect Indentation: Setting indentation to tabs Tab Size: 4 PHP

Atividades Sublime Text ~ 25 de jan 08:25

-/Documentos/projetos/projetoLaravel/app/Http/Controllers/VendaController.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Controllers
 - CarroController.php
 - CategoriaController.php
 - ClienteController.php
 - Controller.php
 - EntradaController.php
 - FabricacaoController.php
 - FornecedorController.php
 - ItensvendaController.php
 - ItensvendaController.php
 - LocalizacaoController.php
 - MarcaController.php
 - MotorController.php
 - ProdutoController.php
 - ValvulaController.php
 - VendaController.php
 - Middleware
 - Kernel.php
 - Models
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources

index.blad index.blade.php — motor index.blade.php — valvula VendaController.php index.blade.php — itensentradas

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\Venda;  
  
class VendaController extends Controller  
{  
    //  
    public function index()  
    {  
        $Venda = new Venda();  
        $Venda->id_cliente = $request->id_cliente;  
        $Venda->id_formapagamento = $request->id_formapagamento;  
        $Venda->data = $request->data;  
        $Venda->valortotal = $request->valortotal;  
        $Venda->save();  
    }  
  
    public function show($id){  
        if($id){  
            $Venda = Venda::where('id',$id)->get();  
        }else{  
            $Venda = Venda::all();  
        }  
        return view('vendas.show', ['vendas'=>$Vendas]);  
    }  
  
    public function edit($id){  
        $Vendas = Venda::find($id);  
        return view('vendas.edit', ['vendas'=>$Vendas]);  
    }  
  
    public function update(Request $request){  
        $request->validate([  
            'id_cliente'=>'required',  
            'id_formapagamento'=>'required',  
            'data'=>'required',  
            'valortotal'=>'required',  
        ]);  
        $Venda::find($request->id)->update($request->except('method'));  
        return redirect('vendas/index')->with('msg','Cadastro realizado com sucesso');  
    }  
  
    public function destroy($id){  
        $Venda::findOrFail($id)->delete();  
        return redirect('vendas/index')->with('msg','venda apagado com sucesso');  
    }  
}
```

Line 1, Column 1 Tab Size: 4 PHP

Model

The screenshot shows two instances of Sublime Text running side-by-side, both displaying PHP code for Laravel models.

Top Window (Carro.php):

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Cliente extends Model{  
    use HasFactory;  
  
    // nome da tabela  
    protected $table= "carro";  
  
    // permite salvar menos campos no bd  
    protected $guarded = [];  
  
}  
?>
```

Bottom Window (Categoria.php):

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Cliente extends Model{  
    use HasFactory;  
  
    // nome da tabela  
    protected $table= "categoria";  
  
    // permite salvar menos campos no bd  
    protected $guarded = [];  
  
    function produto(){  
        return $this->hasMany(Produto::class, 'idcategoria', 'id');  
    }  
}  
?>
```

Atividades Sublime Text 25 de jan 08:26

-/Documentos/projetos/projetoLaravel/app/Models/Cliente.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentra.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Cliente extends Model{
    use HasFactory;

    // nome da tabela
    protected $table= "cliente";

    // permite salvar menos campos no bd
    protected $guarded = [
        'id',
        'nome',
        'telefone',
        'cep',
        'cpf',
        'debito'
    ];

    function venda(){
        return $this->hasMany(Venda::class, 'id_cliente', 'id');
    }
}

?>
```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Spaces: 4 PHP

Atividades Sublime Text 25 de jan 08:26

-/Documentos/projetos/projetoLaravel/app/Models/Entrada.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentra.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Entrada extends Model{
    use HasFactory;

    // NOME DA TABELA
    protected $table="entrada";

    // COLOCAR CAMPOS QUE SERÃO SETADOS NO BD
    protected $guarded = [];

    public function fornecedor(){
        return $this->belongsTo(Fornecedor::class, 'id_fornecedor','id');
    }

    function itensentra(){
        return $this->hasMany(Itensentra::class, 'id_entrada', 'id');
    }
}

?>
```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Tab Size: 4 PHP

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/Fabricacao.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Cliente extends Model{  
    use HasFactory;  
  
    // nome da tabela  
    protected $table= "fabricacao";  
  
    // permite salvar menos campos no bd  
    protected $guarded = [];  
  
    function produto(){  
        return $this->hasMany(Produto::class, 'id_fabricacao', 'id');  
    }  
}  
?>
```

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/FormaPagamento.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Cliente extends Model{  
    use HasFactory;  
  
    // nome da tabela  
    protected $table= "formapagamento";  
  
    // permite salvar menos campos no bd  
    protected $guarded = [];  
  
    function venda(){  
        return $this->hasMany(FormaPagamento::class, 'id_formapagamento', 'id');  
    }  
}  
?>
```

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/Fornecedor.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentra.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Fornecedor extends Model{
    use HasFactory;
    //NOME DA TABELA
    protected $table="fornecedor";
    //COLOCAR CAMPOS QUE SERÃO SETADOS NO BD
    protected $guarded = [];
    function entrada(){
        return $this->hasMany(Entrada::class, 'id', 'idfornecedor');
    }
}
```

Line 1, Column 1 Tab Size: 4 PHP

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/Itensentra.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentra.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

```
<>?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Itensentra extends Model{
    use HasFactory;
    protected $table= "itensentra";
    //permite salvar menos campos no bd
    protected $guarded = [];
    public function entrada(){
        return $this->belongsTo(Entrada::class, 'id_entrada','id');
    }
    public function produto(){
        return $this->belongsTo(Produto::class, 'id_produto','id');
    }
}
```

Line 1, Column 1: Detect Indentation: Setting Indentation to 2 spaces Spaces: 2 PHP

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/Itensvenda.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentrada.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

index.blade.php — m index.blade.php — motor x index.blade.php — valvula x Itensvenda.php x index.blade.php — itensentradas x

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Itensvenda extends Model{
    use HasFactory;

    protected $table= "itensvenda";
    //permite salvar menos campos no bd
    protected $guarded = [];

    public function venda(){
        return $this->belongsTo(Venda::class, 'id_venda','id');
    }

    public function produto(){
        return $this->hasMany(Produto::class, 'id_produto','id');
    }
}
?>
```

Line 1, Column 1: Detect Indentation: Setting indentation to 2 spaces

Spaces: 2 PHP

Atividades Sublime Text ~/Documentos/projetos/projetoLaravel/app/Models/Localizacao.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentrada.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

index.blade.php — m index.blade.php — motor x index.blade.php — valvula x Localizacao.php x index.blade.php — itensentradas x

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Cliente extends Model{
    use HasFactory;
    //nome da tabela
    protected $table= "localizacao";
    //permite salvar menos campos no bd
    protected $guarded = [];

    function produto(){
        return $this->hasMany(Produto::class, 'id_localizacao', 'id');
    }
}
?>
```

Line 1, Column 1: Detect Indentation: Setting indentation to 2 spaces

Tab Size: 4 PHP

Atividades Sublime Text 25 de jan 08:26

~/Documentos/projetos/projetoLaravel/app/Models/Marca.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Cliente extends Model{
    use HasFactory;
    // nome da tabela
    protected $table= "marca";
    // permite salvar menos campos no bd
    protected $guarded = [];
    function produto(){
        return $this->hasMany(Produto::class, 'id_marca', 'id');
    }
?>
```

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

Atividades Sublime Text 25 de jan 08:26

~/Documentos/projetos/projetoLaravel/app/Models/Motor.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Cliente extends Model{
    use HasFactory;
    // nome da tabela
    protected $table= "motor";
    // permite salvar menos campos no bd
    protected $guarded = [];
    function produto(){
        return $this->hasMany(Produto::class, 'id_motor', 'id');
    }
?>
```

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

Atividades Sublime Text 25 de jan 08:26

File Edit Selection Find View Goto Tools Project Preferences Help

~ /Documentos/projetos/projetoLaravel/app/Models/Produto.php (projetoLaravel) - Sublime Text (UNREGISTERED)

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

index.blade.php — m index.blade.php — motor x index.blade.php — valvula x Produto.php x index.blade.php — Itensentradas x

```
<?php  
namespace App\Models;  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Cliente extends Model{  
    use HasFactory;  
  
    //NOME DA TABELA  
    protected $table="produto";  
  
    //OCOLOCAR CAMPOS QUE SERÃO SETADOS NO BD  
    protected $guarded = [];  
  
    function itensentradap(){  
        return $this->hasMany(Itensentradap::class, 'id_produto', 'id');  
    }  
  
    function itensvenda(){  
        return $this->hasMany(Itensvenda::class, 'id_produto', 'id');  
    }  
  
    public function carro(){  
        return $this->belongsTo(Carro::class, 'id_carro','id');  
    }  
  
    public function motor(){  
        return $this->belongsTo(Motor::class, 'id_motor','id');  
    }  
  
    public function categoria(){  
        return $this->belongsTo(Categoria::class, 'id_categoria','id');  
    }  
  
    public function fabricacao(){  
        return $this->belongsTo(Fabricacao::class, 'id_fabricacao','id');  
    }  
}
```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Spaces: 4 PHP

Atividades Sublime Text 25 de jan 08:26

File Edit Selection Find View Goto Tools Project Preferences Help

~ /Documentos/projetos/projetoLaravel/app/Models/Produto.php (projetoLaravel) - Sublime Text (UNREGISTERED)

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

index.blade.php — m index.blade.php — motor x index.blade.php — valvula x Produto.php x index.blade.php — Itensentradas x

```
function itensvenda(){  
    return $this->hasMany(Itensvenda::class, 'id_produto', 'id');  
}  
  
public function carro(){  
    return $this->belongsTo(Carro::class, 'id_carro','id');  
}  
  
public function motor(){  
    return $this->belongsTo(Motor::class, 'id_motor','id');  
}  
  
public function categoria(){  
    return $this->belongsTo(Categoria::class, 'id_categoria','id');  
}  
  
public function fabricacao(){  
    return $this->belongsTo(Fabricacao::class, 'id_fabricacao','id');  
}  
  
public function localizacao(){  
    return $this->belongsTo(Localizacao::class, 'id_localizacao','id');  
}  
  
public function marca(){  
    return $this->belongsTo(Marca::class, 'id_marca','id');  
}  
  
public function valvula(){  
    return $this->belongsTo(Valvula::class, 'id_valvula','id');  
}
```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Spaces: 4 PHP

Atividades Sublime Text 25 de jan 08:26

-/Documentos/projetos/projetoLaravel/app/Models/Valvula.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

Atividades Sublime Text 25 de jan 08:26

-/Documentos/projetos/projetoLaravel/app/Models/Venda.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

FOLDERS

- projetoLaravel
 - app
 - Console
 - Exceptions
 - Http
 - Models
 - Carro.php
 - Categoria.php
 - Cliente.php
 - Entrada.php
 - Fabricacao.php
 - FormaPagamento.php
 - Fornecedor.php
 - Itensentradap.php
 - Itensvenda.php
 - Localizacao.php
 - Marca.php
 - Motor.php
 - Produto.php
 - User.php
 - Valvula.php
 - Venda.php
 - Providers
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js

Migrations

Atividades Sublime Text ~ 25 de jan 08:27

/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_120311_create_motor.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```

1 <?php
2 use Illuminate\Database\Migrations\Migration;
3 use Illuminate\Database\Schema\Blueprint;
4 use Illuminate\Support\Facades\Schema;
5
6 class CreateMotor extends Migration
7 {
8     /**
9      * Run the migrations.
10     *
11     * @return void
12     */
13    public function up()
14    {
15        Schema::create('motor', function (Blueprint $table) {
16            $table->id();
17            $table->float('potencia');
18            $table->timestamps();
19        });
20    }
21
22    /**
23     * Reverse the migrations.
24     *
25     * @return void
26     */
27    public function down()
28    {
29        Schema::dropIfExists('motor');
30    }
31
32 }
33

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_120337_create_categoria.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```

1 <?php
2 use Illuminate\Database\Migrations\Migration;
3 use Illuminate\Database\Schema\Blueprint;
4 use Illuminate\Support\Facades\Schema;
5
6 class CreateCategoria extends Migration
7 {
8     /**
9      * Run the migrations.
10     *
11     * @return void
12     */
13    public function up()
14    {
15        Schema::create('categoria', function (Blueprint $table) {
16            $table->id();
17            $table->String('categoria');
18            $table->timestamps();
19        });
20    }
21
22    /**
23     * Reverse the migrations.
24     *
25     * @return void
26     */
27    public function down()
28    {
29        Schema::dropIfExists('categoria');
30    }
31
32 }
33

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122829_create_marca.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateMarca extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('marca', function (Blueprint $table) {
            $table->id();
            $table->String('marca');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('marca');
    }
}
```

index.blade.php — index.blade.php — valvula 2022_01_17_122829_create_marca.php

Spaces: 4 PHP

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122845_create_carro.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateCarro extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('carro', function (Blueprint $table) {
            $table->id();
            $table->String('modelo');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('carro');
    }
}
```

index.blade.php — index.blade.php — valvula 2022_01_17_122845_create_carro.php

Spaces: 4 PHP

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

~Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122855_create_fabricacao.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateFabricacao extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('fabricacao', function (Blueprint $table) {
            $table->id();
            $table->String('ano');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('fabricacao');
    }
}
```

File Edit Selection Find View Goto Tools Project Preferences Help

index.blade.php — m index.blade.php — valvula x 2022_01_17_122855_create_fabricacao.php x

Produto.php User.php Valvula.php Venda.php Providers bootstrap config database factories migrations 2022_01_12_225157_create_table_carro.php 2022_01_17_120311_create_motor.php 2022_01_17_120337_create_categoria.php 2022_01_17_122829_create_marca.php 2022_01_17_122845_create_carro.php 2022_01_17_122855_create_fabricacao.php 2022_01_17_122906_create_localizacao.php 2022_01_17_122920_create_valvulas.php 2022_01_17_122931_create_formapagamento.php 2022_01_17_122939_create_cliente.php 2022_01_17_122952_create_venda.php 2022_01_17_123009_create_itensvenda.php 2022_01_17_123016_create_itensentrada.php 2022_01_17_123026_create_entrada.php 2022_01_17_123035_create_fornecedor.php 2022_01_17_123042_create_produto.php

seeders .gitignore public resources routes

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

~Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122906_create_localizacao.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateLocalizacao extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('localizacao', function (Blueprint $table) {
            $table->id();
            $table->String('departamento');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('localizacao');
    }
}
```

File Edit Selection Find View Goto Tools Project Preferences Help

index.blade.php — m index.blade.php — valvula x 2022_01_17_122906_create_localizacao.php x

Produto.php User.php Valvula.php Venda.php Providers bootstrap config database factories migrations 2022_01_12_225157_create_table_carro.php 2022_01_17_120311_create_motor.php 2022_01_17_120337_create_categoria.php 2022_01_17_122829_create_marca.php 2022_01_17_122845_create_carro.php 2022_01_17_122855_create_fabricacao.php 2022_01_17_122906_create_localizacao.php 2022_01_17_122920_create_valvulas.php 2022_01_17_122931_create_formapagamento.php 2022_01_17_122939_create_cliente.php 2022_01_17_122952_create_venda.php 2022_01_17_123009_create_itensvenda.php 2022_01_17_123016_create_itensentrada.php 2022_01_17_123026_create_entrada.php 2022_01_17_123035_create_fornecedor.php 2022_01_17_123042_create_produto.php

seeders .gitignore public resources routes

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122920_create_valvulas.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateValvulas extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('valvulas', function (Blueprint $table) {
17             $table->id();
18             $table->String('quantidade');
19             $table->timestamps();
20         });
21     }
22
23     /**
24      * Reverse the migrations.
25      *
26      * @return void
27      */
28     public function down()
29     {
30         Schema::dropIfExists('valvulas');
31     }
32 }
33

```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:27

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122931_create_formapagamento.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateFormapagamento extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('formapagamento', function (Blueprint $table) {
17             $table->id();
18             $table->String('condicao');
19             $table->String('forma');
20             $table->timestamps();
21         });
22     }
23
24     /**
25      * Reverse the migrations.
26      *
27      * @return void
28      */
29     public function down()
30     {
31         Schema::dropIfExists('formapagamento');
32     }
33 }
34

```

Line 1, Column 1: Detect Indentation: Setting Indentation to 4 spaces

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122939_create_cliente.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateCliente extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('cliente', function (Blueprint $table) {
17             $table->id();
18             $table->String('nome');
19             $table->String('telefone');
20             $table->String('email');
21             $table->String('cpf');
22             $table->float('debito');
23             $table->timestamps();
24         });
25     }
26
27     /**
28      * Reverse the migrations.
29      *
30      * @return void
31      */
32     public function down()
33     {
34         Schema::dropIfExists('cliente');
35     }
36 }
37

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_122952_create_venda.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

```

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateVenda extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('venda', function (Blueprint $table) {
17             $table->id();
18             $table->integer('id_cliente')->unsigned();
19             $table->foreign('id_cliente')->references('id')->on('cliente');
20             $table->integer('id_formapagamento')->unsigned();
21             $table->foreign('id_formapagamento')->references('id')->on(
22                 'formapagamento');
23             $table->date('data');
24             $table->float('valortotal');
25             $table->timestamps();
26         });
27     }
28
29     /**
30      * Reverse the migrations.
31      *
32      * @return void
33      */
34     public function down()
35     {
36         Schema::dropIfExists('venda');
37     }
38

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:28

~/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_123009_create_itensvenda.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateItensvenda extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('itensvenda', function (Blueprint $table) {
            $table->id();
            $table->integer('id_produto')->unsigned();
            $table->foreign('id_produto')->references('id')->on('produto');
            $table->integer('id_venda')->unsigned();
            $table->foreign('id_venda')->references('id')->on('venda');
            $table->integer('quantidade');
            $table->float('valorvenda');
            $table->float('desconto');
            $table->float('lucro');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('itensvenda');
    }
}
```

Spaces: 4 PHP

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~ 25 de jan 08:28

~/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_123016_create_itensentrada.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateItensentrada extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('itensentrada', function (Blueprint $table) {
            $table->id();
            $table->integer('id_produto')->unsigned();
            $table->foreign('id_produto')->references('id')->on('produto');
            $table->integer('id_entrada')->unsigned();
            $table->foreign('id_entrada')->references('id')->on('entrada');
            $table->integer('quantidade');
            $table->float('precoCompra');
            $table->float('lcm');
            $table->float('frete');
            $table->float('unidade');
            $table->String('unidade');
            $table->timestamps();
        });
    }
    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('itensentrada');
    }
}
```

Spaces: 4 PHP

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text 25 de jan 08:28

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_123026_create_entra.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```

File Edit Selection Find View Goto Tools Project Preferences Help
    index.blad index.blade.php — valvula x 2022_01_17_123026_create_entra.php x sentadas x
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateEntrada extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('entrada', function (Blueprint $table) {
17             $table->id();
18             $table->integer('id_fornecedor')->unsigned();
19             $table->foreign('id_fornecedor')->references('id')->on(
20                 'fornecedor');
21             $table->float('valortotalnota');
22             $table->date('datacompra');
23             $table->timestamps();
24         });
25
26         /**
27          * Reverse the migrations.
28          *
29          * @return void
30          */
31         public function down()
32         {
33             Schema::dropIfExists('entrada');
34         }
35     }
36

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text 25 de jan 08:28

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_123035_create_fornecedor.php (projetoLaravel) - Sublime Text (UNREGISTERED)

```

File Edit Selection Find View Goto Tools Project Preferences Help
    index.blad index.blade.php — valvula x 2022_01_17_123035_create_fornecedor.php x entradas x
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 class CreateFornecedor extends Migration
8 {
9     /**
10      * Run the migrations.
11      *
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('fornecedor', function (Blueprint $table) {
17             $table->id();
18             $table->String('nome');
19             $table->String('telefone');
20             $table->String('cnpj');
21             $table->String('endereco');
22             $table->timestamps();
23         });
24
25         /**
26          * Reverse the migrations.
27          *
28          * @return void
29          */
30         public function down()
31         {
32             Schema::dropIfExists('fornecedor');
33         }
34
35     }
36

```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces

Atividades Sublime Text ~

-/Documentos/projetos/projetoLaravel/database/migrations/2022_01_17_123042_create_produto.php (projetoLaravel) - Sublime Text (UNREGISTERED)

File Edit Selection Find Goto Tools Project Preferences Help

Produto.php User.php Valvula.php Venda.php Providers bootstrap config database factories migrations 2022_01_12_225157_create_table_carro.php 2022_01_17_120311_create_motor.php 2022_01_17_120337_create_categoria.php 2022_01_17_122829_create_marca.php 2022_01_17_122845_create_carro.php 2022_01_17_122855_create_fabricacao.php 2022_01_17_122906_create_localizacao.php 2022_01_17_122920_create_valvulas.php 2022_01_17_122931_create_formapagamento.php 2022_01_17_122939_create_cliente.php 2022_01_17_122952_create_venda.php 2022_01_17_123009_create_itensentrad.php 2022_01_17_123016_create_itensentrad.php 2022_01_17_123026_create_entrad.php 2022_01_17_123035_create_fornecedor.php 2022_01_17_123042_create_produto.php seeders .gitignore public resources routes

index.blad index.blade.php — valvula 2022_01_17_123042_create_produto.php sentradas

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateProduto extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('produto', function (Blueprint $table) {
            $table->id();
            $table->foreign('id_carro')->unsigned();
            $table->foreign('id_motor')->references('id')->on('carro');
            $table->foreign('id_motor')->unsigned();
            $table->foreign('id_valvula')->references('id')->on('motor');
            $table->foreign('id_valvula')->unsigned();
            $table->foreign('id_categoria')->references('id')->on('marca');
            $table->foreign('id_categoria')->unsigned();
            $table->foreign('id_categoria')->references('id')->on('categoria');
            $table->integer('id_marca')->unsigned();
            $table->foreign('id_marca')->references('id')->on('marca');
            $table->integer('id_fabricacao')->unsigned();
            $table->foreign('id_fabricacao')->references('id')->on(
                'fabricacao');
            $table->integer('id_localizacao')->unsigned();
            $table->foreign('id_localizacao')->references('id')->on(
                'localizacao');
            $table->float('quantidade');
            $table->float('cm');
            $table->float('im');
            $table->float('frete');
            $table->float('valornfabrica');
            $table->float('valordecompra');
            $table->float('valorvenda');
            $table->float('desconto');
        });
    }
}
```

Line 1, Column 1: Detect Indentation: Setting indentation to 4 spaces Spaces: 4 PHP