

```

1 "C:\Program Files\Java\jdk-21\bin\java.exe" "-
  javaagent:C:\Program Files\JetBrains\IntelliJ IDEA
  Community Edition 2023.1.2\lib\idea_rt.jar=62194:C:\
  Program Files\JetBrains\IntelliJ IDEA Community
  Edition 2023.1.2\bin" -Dfile.encoding=UTF-8 -Dsun.
  stdout.encoding=UTF-8 -Dsun.stderr.encoding=UTF-8 -
  classpath "D:\10 Apps\EduOnline\Edu Learn\edulearn\
  target\classes;C:\Users\Utilisateur\.m2\repository\
  org\springframework\boot\spring-boot-starter-data-jpa
  \3.5.8\spring-boot-starter-data-jpa-3.5.8.jar;C:\
  Users\Utilisateur\.m2\repository\org\springframework\
  boot\spring-boot-starter\3.5.8\spring-boot-starter-3.
  5.8.jar;C:\Users\Utilisateur\.m2\repository\org\
  springframework\boot\spring-boot-starter-logging\3.5.
  8\spring-boot-starter-logging-3.5.8.jar;C:\Users\
  Utilisateur\.m2\repository\ch\qos\logback\logback-
  classic\1.5.21\logback-classic-1.5.21.jar;C:\Users\
  Utilisateur\.m2\repository\ch\qos\logback\logback-
  core\1.5.21\logback-core-1.5.21.jar;C:\Users\
  Utilisateur\.m2\repository\org\apache\logging\log4j\
  log4j-to-slf4j\2.24.3\log4j-to-slf4j-2.24.3.jar;C:\
  Users\Utilisateur\.m2\repository\org\apache\logging\
  log4j\log4j-api\2.24.3\log4j-api-2.24.3.jar;C:\Users\
  Utilisateur\.m2\repository\org\slf4j\jul-to-slf4j\2.0
  .17\jul-to-slf4j-2.0.17.jar;C:\Users\Utilisateur\.m2\
  repository\jakarta\annotation\jakarta.annotation-api\
  2.1.1\jakarta.annotation-api-2.1.1.jar;C:\Users\
  Utilisateur\.m2\repository\org\yaml\snakeyaml\2.4\
  snakeyaml-2.4.jar;C:\Users\Utilisateur\.m2\repository
  \org\hibernate\orm\hibernate-core\6.6.36.Final\
  hibernate-core-6.6.36.Final.jar;C:\Users\Utilisateur
  \.m2\repository\jakarta\persistence\jakarta.
  persistence-api\3.1.0\jakarta.persistence-api-3.1.0.
  jar;C:\Users\Utilisateur\.m2\repository\jakarta\
  transaction\jakarta.transaction-api\2.0.1\jakarta.
  transaction-api-2.0.1.jar;C:\Users\Utilisateur\.m2\
  repository\org\jboss\logging\jboss-logging\3.6.1.
  Final\jboss-logging-3.6.1.Final.jar;C:\Users\
  Utilisateur\.m2\repository\org\hibernate\common\
  hibernate-commons-annotations\7.0.3.Final\hibernate-
  commons-annotations-7.0.3.Final.jar;C:\Users\

```

```
1 Utilisateur\.m2\repository\io\smallrye\jandex\3.2.0\
jandex-3.2.0.jar;C:\Users\Utilisateur\.m2\repository\
com\fastxml\classmate\1.7.1\classmate-1.7.1.jar;C:\
Users\Utilisateur\.m2\repository\net\bytebuddy\byte-
buddy\1.17.8\byte-buddy-1.17.8.jar;C:\Users\
Utilisateur\.m2\repository\org\glassfish\jaxb\jaxb-
runtime\4.0.6\jaxb-runtime-4.0.6.jar;C:\Users\
Utilisateur\.m2\repository\org\glassfish\jaxb\jaxb-
core\4.0.6\jaxb-core-4.0.6.jar;C:\Users\Utilisateur\.
m2\repository\org\glassfish\jaxb\txw2\4.0.6\txw2-4.0.
6.jar;C:\Users\Utilisateur\.m2\repository\com\sun\
istack\istack-commons-runtime\4.1.2\istack-commons-
runtime-4.1.2.jar;C:\Users\Utilisateur\.m2\repository
\jakarta\inject\jakarta.inject-api\2.0.1\jakarta.
inject-api-2.0.1.jar;C:\Users\Utilisateur\.m2\
repository\org\antlr\antlr4-runtime\4.13.0\antlr4-
runtime-4.13.0.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\data\spring-data-jpa\3
.5.6\spring-data-jpa-3.5.6.jar;C:\Users\Utilisateur\.
m2\repository\org\springframework\data\spring-data-
commons\3.5.6\spring-data-commons-3.5.6.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\spring
-orm\6.2.14\spring-orm-6.2.14.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\spring
-context\6.2.14\spring-context-6.2.14.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\spring
-aop\6.2.14\spring-aop-6.2.14.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\spring
-tx\6.2.14\spring-tx-6.2.14.jar;C:\Users\Utilisateur
\.m2\repository\org\springframework\spring-beans\6.2.
14\spring-beans-6.2.14.jar;C:\Users\Utilisateur\.m2\
repository\org\slf4j\slf4j-api\2.0.17\slf4j-api-2.0.
17.jar;C:\Users\Utilisateur\.m2\repository\org\
springframework\spring-aspects\6.2.14\spring-aspects-
6.2.14.jar;C:\Users\Utilisateur\.m2\repository\org\
aspectj\aspectjweaver\1.9.25\aspectjweaver-1.9.25.jar
;C:\Users\Utilisateur\.m2\repository\org\
springframework\boot\spring-boot-starter-jdbc\3.5.8\
spring-boot-starter-jdbc-3.5.8.jar;C:\Users\
Utilisateur\.m2\repository\com\zaxxer\HikariCP\6.3.3\
HikariCP-6.3.3.jar;C:\Users\Utilisateur\.m2\
```

```
1 repository\org\springframework\spring-jdbc\6.2.14\
spring-jdbc-6.2.14.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\boot\spring-boot-
starter-web\3.5.8\spring-boot-starter-web-3.5.8.jar;C
:\Users\Utilisateur\.m2\repository\org\
springframework\boot\spring-boot-starter-json\3.5.8\
spring-boot-starter-json-3.5.8.jar;C:\Users\
Utilisateur\.m2\repository\com\fastxml\jackson\core
\jackson-databind\2.19.4\jackson-databind-2.19.4.jar;
C:\Users\Utilisateur\.m2\repository\com\fastxml\
jackson\core\jackson-annotations\2.19.4\jackson-
annotations-2.19.4.jar;C:\Users\Utilisateur\.m2\
repository\com\fastxml\jackson\core\jackson-core\2.
19.4\jackson-core-2.19.4.jar;C:\Users\Utilisateur\.m2
\repository\com\fastxml\jackson\datatype\jackson-
datatype-jdk8\2.19.4\jackson-datatype-jdk8-2.19.4.jar
;C:\Users\Utilisateur\.m2\repository\com\fastxml\
jackson\datatype\jackson-datatype-jsr310\2.19.4\
jackson-datatype-jsr310-2.19.4.jar;C:\Users\
Utilisateur\.m2\repository\com\fastxml\jackson\
module\jackson-module-parameter-names\2.19.4\jackson-
module-parameter-names-2.19.4.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\boot\
spring-boot-starter-tomcat\3.5.8\spring-boot-starter-
tomcat-3.5.8.jar;C:\Users\Utilisateur\.m2\repository\
org\apache\tomcat\embed\tomcat-embed-core\10.1.49\
tomcat-embed-core-10.1.49.jar;C:\Users\Utilisateur\.
m2\repository\org\apache\tomcat\embed\tomcat-embed-el
\10.1.49\tomcat-embed-el-10.1.49.jar;C:\Users\
Utilisateur\.m2\repository\org\apache\tomcat\embed\
tomcat-embed-websocket\10.1.49\tomcat-embed-websocket
-10.1.49.jar;C:\Users\Utilisateur\.m2\repository\org\
springframework\spring-web\6.2.14\spring-web-6.2.14.
jar;C:\Users\Utilisateur\.m2\repository\io\micrometer
\micrometer-observation\1.15.6\micrometer-observation
-1.15.6.jar;C:\Users\Utilisateur\.m2\repository\io\
micrometer\micrometer-commons\1.15.6\micrometer-
commons-1.15.6.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\spring-webmvc\6.2.14\
spring-webmvc-6.2.14.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\spring-expression\6.2.
```

```
1 14\spring-expression-6.2.14.jar;C:\Users\Utilisateur
.m2\repository\org\apache\pdfbox\pdfbox\2.0.29\
pdfbox-2.0.29.jar;C:\Users\Utilisateur\.m2\repository
\org\apache\pdfbox\fontbox\2.0.29\fontbox-2.0.29.jar;
C:\Users\Utilisateur\.m2\repository\commons-logging\
commons-logging\1.2\commons-logging-1.2.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\ai\
spring-ai-starter-model-openai\1.1.0\spring-ai-
starter-model-openai-1.1.0.jar;C:\Users\Utilisateur\
.m2\repository\org\springframework\ai\spring-ai-
autoconfigure-model-openai\1.1.0\spring-ai-
autoconfigure-model-openai-1.1.0.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\ai\
spring-ai-autoconfigure-model-tool\1.1.0\spring-ai-
autoconfigure-model-tool-1.1.0.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\ai\
spring-ai-autoconfigure-retry\1.1.0\spring-ai-
autoconfigure-retry-1.1.0.jar;C:\Users\Utilisateur\
.m2\repository\org\springframework\ai\spring-ai-
autoconfigure-model-chat-observation\1.1.0\spring-ai-
autoconfigure-model-chat-observation-1.1.0.jar;C:\
Users\Utilisateur\.m2\repository\org\springframework\
ai\spring-ai-autoconfigure-model-embedding-
observation\1.1.0\spring-ai-autoconfigure-model-
embedding-observation-1.1.0.jar;C:\Users\Utilisateur
.m2\repository\org\springframework\ai\spring-ai-
autoconfigure-model-image-observation\1.1.0\spring-ai-
autoconfigure-model-image-observation-1.1.0.jar;C:\
Users\Utilisateur\.m2\repository\org\springframework\
ai\spring-ai-openai\1.1.0\spring-ai-openai-1.1.0.jar;
C:\Users\Utilisateur\.m2\repository\org\
springframework\ai\spring-ai-model\1.1.0\spring-ai-
model-1.1.0.jar;C:\Users\Utilisateur\.m2\repository\
org\springframework\ai\spring-ai-commons\1.1.0\spring
-ai-commons-1.1.0.jar;C:\Users\Utilisateur\.m2\
repository\io\micrometer\micrometer-core\1.15.6\
micrometer-core-1.15.6.jar;C:\Users\Utilisateur\.m2\
repository\org\hdrhistogram\HdrHistogram\2.2.2\
HdrHistogram-2.2.2.jar;C:\Users\Utilisateur\.m2\
repository\org\latencyutils\LatencyUtils\2.0.3\
LatencyUtils-2.0.3.jar;C:\Users\Utilisateur\.m2\
```



```
1 repository\io\micrometer\context-propagation\1.1.3\
context-propagation-1.1.3.jar;C:\Users\Utilisateur\.
m2\repository\org\springframework\ai\spring-ai-
template-st\1.1.0\spring-ai-template-st-1.1.0.jar;C:\
Users\Utilisateur\.m2\repository\org\antlr\ST4\4.3.4\
ST4-4.3.4.jar;C:\Users\Utilisateur\.m2\repository\org
\antlr\antlr-runtime\3.5.3\antlr-runtime-3.5.3.jar;C
:\Users\Utilisateur\.m2\repository\org\
springframework\spring-messaging\6.2.14\spring-
messaging-6.2.14.jar;C:\Users\Utilisateur\.m2\
repository\io\projectreactor\reactor-core\3.7.13\
reactor-core-3.7.13.jar;C:\Users\Utilisateur\.m2\
repository\org\reactivestreams\reactive-streams\1.0.4
\reactive-streams-1.0.4.jar;C:\Users\Utilisateur\.m2\
repository\com\github\victools\jsonschema-module-
swagger-2\4.38.0\jsonschema-module-swagger-2-4.38.0.
jar;C:\Users\Utilisateur\.m2\repository\io\swagger\
core\v3\swagger-annotations-jakarta\2.2.30\swagger-
annotations-jakarta-2.2.30.jar;C:\Users\Utilisateur\.
m2\repository\org\springframework\ai\spring-ai-retry\
1.1.0\spring-ai-retry-1.1.0.jar;C:\Users\Utilisateur
\.m2\repository\org\springframework\retry\spring-
retry\2.0.12\spring-retry-2.0.12.jar;C:\Users\
Utilisateur\.m2\repository\com\github\victools\
jsonschema-generator\4.38.0\jsonschema-generator-4.38
.0.jar;C:\Users\Utilisateur\.m2\repository\com\github
\victools\jsonschema-module-jackson\4.38.0\jsonschema
-module-jackson-4.38.0.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\spring-webflux\6.2.14\
spring-webflux-6.2.14.jar;C:\Users\Utilisateur\.m2\
repository\org\springframework\ai\spring-ai-
autoconfigure-model-chat-client\1.1.0\spring-ai-
autoconfigure-model-chat-client-1.1.0.jar;C:\Users\
Utilisateur\.m2\repository\org\springframework\ai\
spring-ai-client-chat\1.1.0\spring-ai-client-chat-1.1
.0.jar;C:\Users\Utilisateur\.m2\repository\io\
modelcontextprotocol\sdk\mcp-json-jackson2\0.16.0\mcp
-json-jackson2-0.16.0.jar;C:\Users\Utilisateur\.m2\
repository\io\modelcontextprotocol\sdk\mcp-json\0.16.
0\mcp-json-0.16.0.jar;C:\Users\Utilisateur\.m2\
repository\com\networknt\json-schema-validator\2.0.0\
```

```

1 json-schema-validator-2.0.0.jar;C:\Users\Utilisateur
  \.m2\repository\com\ethlo\time\itu\1.14.0\itu-1.14.0.
  jar;C:\Users\Utilisateur\.m2\repository\com\fastertxml
  \jackson\dataformat\jackson-dataformat-yaml\2.19.4\
  jackson-dataformat-yaml-2.19.4.jar;C:\Users\
  Utilisateur\.m2\repository\com\fastertxml\jackson\
  module\jackson-module-jsonSchema\2.19.4\jackson-
  module-jsonSchema-2.19.4.jar;C:\Users\Utilisateur\.m2
  \repository\javax\validation\validation-api\1.1.0.
  Final\validation-api-1.1.0.Final.jar;C:\Users\
  Utilisateur\.m2\repository\com\knuddels\jtokkit\1.1.0
  \jtokkit-1.1.0.jar;C:\Users\Utilisateur\.m2\
  repository\org\springframework\ai\spring-ai-
  autoconfigure-model-chat-memory\1.1.0\spring-ai-
  autoconfigure-model-chat-memory-1.1.0.jar;C:\Users\
  Utilisateur\.m2\repository\org\springframework\boot\
  spring-boot-starter-mail\3.5.8\spring-boot-starter-
  mail-3.5.8.jar;C:\Users\Utilisateur\.m2\repository\
  org\springframework\spring-context-support\6.2.14\
  spring-context-support-6.2.14.jar;C:\Users\
  Utilisateur\.m2\repository\org\eclipse\angus\jakarta.
  mail\2.0.5\jakarta.mail-2.0.5.jar;C:\Users\
  Utilisateur\.m2\repository\jakarta\activation\jakarta
  .activation-api\2.1.4\jakarta.activation-api-2.1.4.
  jar;C:\Users\Utilisateur\.m2\repository\org\eclipse\
  angus\angus-activation\2.0.3\angus-activation-2.0.3.
  jar;C:\Users\Utilisateur\.m2\repository\org\
  springframework\boot\spring-boot-devtools\3.5.8\
  spring-boot-devtools-3.5.8.jar;C:\Users\Utilisateur\
  .m2\repository\org\springframework\boot\spring-boot\3.
  5.8\spring-boot-3.5.8.jar;C:\Users\Utilisateur\.m2\
  repository\org\springframework\boot\spring-boot-
  autoconfigure\3.5.8\spring-boot-autoconfigure-3.5.8.
  jar;C:\Users\Utilisateur\.m2\repository\com\mysql\
  mysql-connector-j\9.5.0\mysql-connector-j-9.5.0.jar;C
  :\Users\Utilisateur\.m2\repository\org\projectlombok\
  lombok\1.18.42\lombok-1.18.42.jar;C:\Users\
  Utilisateur\.m2\repository\jakarta\xml\bind\jakarta.
  xml.bind-api\4.0.4\jakarta.xml.bind-api-4.0.4.jar;C:\
  Users\Utilisateur\.m2\repository\org\springframework\
  spring-core\6.2.14\spring-core-6.2.14.jar;C:\Users\

```



```
18 edulearn] [ restartedMain] .s.d.r.c.  
RepositoryConfigurationDelegate : Bootstrapping  
Spring Data JPA repositories in DEFAULT mode.  
19 2026-02-01T12:46:53.198+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] .s.d.r.c.  
RepositoryConfigurationDelegate : Finished Spring  
Data repository scanning in 204 ms. Found 26 JPA  
repository interfaces.  
20 2026-02-01T12:46:53.732+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.s.b.w.embedded.tomcat.  
TomcatWebServer : Tomcat initialized with port 8080  
(http)  
21 2026-02-01T12:46:53.747+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.apache.catalina.core.  
StandardService : Starting service [Tomcat]  
22 2026-02-01T12:46:53.747+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.apache.catalina.core.  
StandardEngine : Starting Servlet engine: [Apache  
Tomcat/10.1.49]  
23 2026-02-01T12:46:53.792+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.a.c.c.C.[Tomcat].[  
localhost].[/] : Initializing Spring embedded  
WebApplicationContext  
24 2026-02-01T12:46:53.793+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] w.s.c.  
ServletWebServerApplicationContext : Root  
WebApplicationContext: initialization completed in  
1625 ms  
25 Standard Commons Logging discovery in action with  
spring-jcl: please remove commons-logging.jar from  
classpath in order to avoid potential conflicts  
26 2026-02-01T12:46:53.985+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.hibernate.jpa.internal.  
util.LogHelper : HHH000204: Processing  
PersistenceUnitInfo [name: default]  
27 2026-02-01T12:46:54.051+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] org.hibernate.Version  
: HHH000412: Hibernate ORM core  
version 6.6.36.Final  
28 2026-02-01T12:46:54.081+01:00 INFO 5304 --- [  
edulearn] [ restartedMain] o.h.c.internal.
```

```
28 RegionFactoryInitiator      : HHH000026: Second-level
   cache disabled
29 2026-02-01T12:46:54.355+01:00 INFO 5304 --- [
   edulearn] [ restartedMain] o.s.o.j.p.
   SpringPersistenceUnitInfo    : No LoadTimeWeaver
   setup: ignoring JPA class transformer
30 2026-02-01T12:46:54.381+01:00 INFO 5304 --- [
   edulearn] [ restartedMain] com.zaxxer.hikari.
   HikariDataSource             : HikariPool-1 - Starting...
31 2026-02-01T12:46:55.659+01:00 WARN 5304 --- [
   edulearn] [ restartedMain] o.h.engine.jdbc.spi.
   SQLExceptionHelper           : SQL Error: 0, SQLState: 08S01
32 2026-02-01T12:46:55.660+01:00 ERROR 5304 --- [
   edulearn] [ restartedMain] o.h.engine.jdbc.spi.
   SQLExceptionHelper           : Communications link failure
33
34 The last packet sent successfully to the server was 0
   milliseconds ago. The driver has not received any
   packets from the server.
35 2026-02-01T12:46:55.661+01:00 WARN 5304 --- [
   edulearn] [ restartedMain] o.h.e.j.e.i.
   JdbcEnvironmentInitiator     : HHH000342: Could not
   obtain connection to query metadata
36
37 org.hibernate.exception.JDBCConnectionException:
   unable to obtain isolated JDBC connection [
   Communications link failure
38
39 The last packet sent successfully to the server was 0
   milliseconds ago. The driver has not received any
   packets from the server.] [n/a]
40     at org.hibernate.exception.internal.
   SQLStateConversionDelegate.convert(
   SQLStateConversionDelegate.java:100) ~[hibernate-core
   -6.6.36.Final.jar:6.6.36.Final]
41     at org.hibernate.exception.internal.
   StandardSQLExceptionConverter.convert(
   StandardSQLExceptionConverter.java:58) ~[hibernate-
   core-6.6.36.Final.jar:6.6.36.Final]
42     at org.hibernate.engine.jdbc.spi.
   SQLExceptionHelper.convert(SQLExceptionHelper.java:
```

```
42 108) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
43     at org.hibernate.engine.jdbc.spi.
    SQLExceptionHelper.convert(SQLExceptionHelper.java:94
    ) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
44     at org.hibernate.resource.transaction.backend.
    jdbc.internal.JdbcIsolationDelegate.delegateWork(
    JdbcIsolationDelegate.java:116) ~[hibernate-core-6.6.
    36.Final.jar:6.6.36.Final]
45     at org.hibernate.engine.jdbc.env.internal.
    JdbcEnvironmentInitiator.
    getJdbcEnvironmentUsingJdbcMetadata(
    JdbcEnvironmentInitiator.java:334) ~[hibernate-core-6
    .6.36.Final.jar:6.6.36.Final]
46     at org.hibernate.engine.jdbc.env.internal.
    JdbcEnvironmentInitiator.initiateService(
    JdbcEnvironmentInitiator.java:129) ~[hibernate-core-6
    .6.36.Final.jar:6.6.36.Final]
47     at org.hibernate.engine.jdbc.env.internal.
    JdbcEnvironmentInitiator.initiateService(
    JdbcEnvironmentInitiator.java:81) ~[hibernate-core-6.
    6.36.Final.jar:6.6.36.Final]
48     at org.hibernate.boot.registry.internal.
    StandardServiceRegistryImpl.initiateService(
    StandardServiceRegistryImpl.java:130) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
49     at org.hibernate.service.internal.
    AbstractServiceRegistryImpl.createService(
    AbstractServiceRegistryImpl.java:263) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
50     at org.hibernate.service.internal.
    AbstractServiceRegistryImpl.initializeService(
    AbstractServiceRegistryImpl.java:238) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
51     at org.hibernate.service.internal.
    AbstractServiceRegistryImpl.getService(
    AbstractServiceRegistryImpl.java:215) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
52     at org.hibernate.boot.model.relational.Database.<
    init>(Database.java:45) ~[hibernate-core-6.6.36.Final
    .jar:6.6.36.Final]
53     at org.hibernate.boot.internal.
```

```
53 InFlightMetadataCollectorImpl.getDatabase(  
    InFlightMetadataCollectorImpl.java:226) ~[hibernate-  
core-6.6.36.Final.jar:6.6.36.Final]  
54     at org.hibernate.boot.internal.  
InFlightMetadataCollectorImpl.<init>(  
    InFlightMetadataCollectorImpl.java:194) ~[hibernate-  
core-6.6.36.Final.jar:6.6.36.Final]  
55     at org.hibernate.boot.model.process.spi.  
MetadataBuildingProcess.complete(  
    MetadataBuildingProcess.java:171) ~[hibernate-core-6.  
6.36.Final.jar:6.6.36.Final]  
56     at org.hibernate.jpa.boot.internal.  
EntityManagerFactoryBuilderImpl.metadata(  
    EntityManagerFactoryBuilderImpl.java:1442) ~[  
hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
57     at org.hibernate.jpa.boot.internal.  
EntityManagerFactoryBuilderImpl.build(  
    EntityManagerFactoryBuilderImpl.java:1513) ~[  
hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
58     at org.springframework.orm.jpa.vendor.  
SpringHibernateJpaPersistenceProvider.  
createContainerEntityManagerFactory(  
    SpringHibernateJpaPersistenceProvider.java:66) ~[  
spring-orm-6.2.14.jar:6.2.14]  
59     at org.springframework.orm.jpa.  
LocalContainerEntityManagerFactoryBean.  
createNativeEntityManagerFactory(  
    LocalContainerEntityManagerFactoryBean.java:390) ~[  
spring-orm-6.2.14.jar:6.2.14]  
60     at org.springframework.orm.jpa.  
AbstractEntityManagerFactoryBean.  
buildNativeEntityManagerFactory(  
    AbstractEntityManagerFactoryBean.java:419) ~[spring-  
orm-6.2.14.jar:6.2.14]  
61     at org.springframework.orm.jpa.  
AbstractEntityManagerFactoryBean.afterPropertiesSet(  
    AbstractEntityManagerFactoryBean.java:400) ~[spring-  
orm-6.2.14.jar:6.2.14]  
62     at org.springframework.orm.jpa.  
LocalContainerEntityManagerFactoryBean.  
afterPropertiesSet(  

```

```
62 LocalContainerEntityManagerFactoryBean.java:366) ~[
   spring-orm-6.2.14.jar:6.2.14]
63     at org.springframework.beans.factory.support.
   AbstractAutowireCapableBeanFactory.invokeInitMethods
   (AbstractAutowireCapableBeanFactory.java:1873) ~[
   spring-beans-6.2.14.jar:6.2.14]
64     at org.springframework.beans.factory.support.
   AbstractAutowireCapableBeanFactory.initializeBean(
   AbstractAutowireCapableBeanFactory.java:1822) ~[
   spring-beans-6.2.14.jar:6.2.14]
65     at org.springframework.beans.factory.support.
   AbstractAutowireCapableBeanFactory.doCreateBean(
   AbstractAutowireCapableBeanFactory.java:607) ~[
   spring-beans-6.2.14.jar:6.2.14]
66     at org.springframework.beans.factory.support.
   AbstractAutowireCapableBeanFactory.createBean(
   AbstractAutowireCapableBeanFactory.java:529) ~[
   spring-beans-6.2.14.jar:6.2.14]
67     at org.springframework.beans.factory.support.
   AbstractBeanFactory.lambda$doGetBean$0(
   AbstractBeanFactory.java:339) ~[spring-beans-6.2.14.
   jar:6.2.14]
68     at org.springframework.beans.factory.support.
   DefaultSingletonBeanRegistry.getSingleton(
   DefaultSingletonBeanRegistry.java:373) ~[spring-
   beans-6.2.14.jar:6.2.14]
69     at org.springframework.beans.factory.support.
   AbstractBeanFactory.doGetBean(AbstractBeanFactory.
   java:337) ~[spring-beans-6.2.14.jar:6.2.14]
70     at org.springframework.beans.factory.support.
   AbstractBeanFactory.getBean(AbstractBeanFactory.java
   :207) ~[spring-beans-6.2.14.jar:6.2.14]
71     at org.springframework.context.support.
   AbstractApplicationContext.
   finishBeanFactoryInitialization(
   AbstractApplicationContext.java:973) ~[spring-
   context-6.2.14.jar:6.2.14]
72     at org.springframework.context.support.
   AbstractApplicationContext.refresh(
   AbstractApplicationContext.java:627) ~[spring-
   context-6.2.14.jar:6.2.14]
```



```
73      at org.springframework.boot.web.servlet.context.  
ServletWebServerApplicationContext.refresh(  
ServletWebServerApplicationContext.java:146) ~[  
spring-boot-3.5.8.jar:3.5.8]  
74      at org.springframework.boot.SpringApplication.  
refresh(SpringApplication.java:752) ~[spring-boot-3.  
5.8.jar:3.5.8]  
75      at org.springframework.boot.SpringApplication.  
refreshContext(SpringApplication.java:439) ~[spring-  
boot-3.5.8.jar:3.5.8]  
76      at org.springframework.boot.SpringApplication.  
run(SpringApplication.java:318) ~[spring-boot-3.5.8.  
jar:3.5.8]  
77      at org.springframework.boot.SpringApplication.  
run(SpringApplication.java:1361) ~[spring-boot-3.5.8  
.jar:3.5.8]  
78      at org.springframework.boot.SpringApplication.  
run(SpringApplication.java:1350) ~[spring-boot-3.5.8  
.jar:3.5.8]  
79      at com.example.edulearn.EdulearnApplication.main  
(EdulearnApplication.java:10) ~[classes/:na]  
80      at java.base/jdk.internal.reflect.  
DirectMethodHandleAccessor.invoke(  
DirectMethodHandleAccessor.java:103) ~[na:na]  
81      at java.base/java.lang.reflect.Method.invoke(  
Method.java:580) ~[na:na]  
82      at org.springframework.boot.devtools.restart.  
RestartLauncher.run(RestartLauncher.java:50) ~[  
spring-boot-devtools-3.5.8.jar:3.5.8]  
83 Caused by: com.mysql.cj.jdbc.exceptions.  
CommunicationsException: Communications link failure  
84  
85 The last packet sent successfully to the server was  
0 milliseconds ago. The driver has not received any  
packets from the server.  
86      at com.mysql.cj.jdbc.exceptions.SQLException.  
createCommunicationsException(SQLException.java:165) ~[  
mysql-connector-j-9.5.0.jar:9.5.0]  
87      at com.mysql.cj.jdbc.exceptions.  
SQLExceptionsMapping.translateException(  
SQLExceptionsMapping.java:55) ~[mysql-connector-j-9.
```

```
87 5.0.jar:9.5.0]
88     at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(
    ConnectionImpl.java:840) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
89     at com.mysql.cj.jdbc.ConnectionImpl.<init>(
    ConnectionImpl.java:416) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
90     at com.mysql.cj.jdbc.ConnectionImpl.getInstance(
    ConnectionImpl.java:237) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
91     at com.mysql.cj.jdbc.NonRegisteringDriver.
    connect(NonRegisteringDriver.java:180) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
92     at com.zaxxer.hikari.util.DriverDataSource.
    getConnection(DriverDataSource.java:144) ~[HikariCP-
    6.3.3.jar:na]
93     at com.zaxxer.hikari.pool.PoolBase.newConnection
    (PoolBase.java:370) ~[HikariCP-6.3.3.jar:na]
94     at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(
    PoolBase.java:207) ~[HikariCP-6.3.3.jar:na]
95     at com.zaxxer.hikari.pool.HikariPool.
    createPoolEntry(HikariPool.java:488) ~[HikariCP-6.3.
    3.jar:na]
96     at com.zaxxer.hikari.pool.HikariPool.
    checkFailFast(HikariPool.java:576) ~[HikariCP-6.3.3.
    jar:na]
97     at com.zaxxer.hikari.pool.HikariPool.<init>(
    HikariPool.java:97) ~[HikariCP-6.3.3.jar:na]
98     at com.zaxxer.hikari.HikariDataSource.
    getConnection(HikariDataSource.java:111) ~[HikariCP-
    6.3.3.jar:na]
99     at org.hibernate.engine.jdbc.connections.
    internal.DatasourceConnectionProviderImpl.
    getConnection(DatasourceConnectionProviderImpl.java:
    126) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
100    at org.hibernate.engine.jdbc.env.internal.
    JdbcEnvironmentInitiator$ConnectionProviderJdbcConne
    ctionAccess.obtainConnection(
    JdbcEnvironmentInitiator.java:485) ~[hibernate-core-
    6.6.36.Final.jar:6.6.36.Final]
101    at org.hibernate.resource.transaction.backend.
```

```
101 jdbc.internal.JdbcIsolationDelegate.delegateWork(  
    JdbcIsolationDelegate.java:61) ~[hibernate-core-6.6.  
    36.Final.jar:6.6.36.Final]  
102     ... 38 common frames omitted  
103 Caused by: com.mysql.cj.exceptions.  
    CJCommunicationsException: Communications link  
    failure  
104  
105 The last packet sent successfully to the server was  
    0 milliseconds ago. The driver has not received any  
    packets from the server.  
106     at java.base/jdk.internal.reflect.  
    DirectConstructorHandleAccessor.newInstance(  
    DirectConstructorHandleAccessor.java:62) ~[na:na]  
107     at java.base/java.lang.reflect.Constructor.  
    newInstanceWithCaller(Constructor.java:502) ~[na:na]  
108     at java.base/java.lang.reflect.Constructor.  
    newInstance(Constructor.java:486) ~[na:na]  
109     at com.mysql.cj.exceptions.ExceptionFactory.  
    createException(ExceptionFactory.java:52) ~[mysql-  
    connector-j-9.5.0.jar:9.5.0]  
110     at com.mysql.cj.exceptions.ExceptionFactory.  
    createException(ExceptionFactory.java:95) ~[mysql-  
    connector-j-9.5.0.jar:9.5.0]  
111     at com.mysql.cj.exceptions.ExceptionFactory.  
    createException(ExceptionFactory.java:140) ~[mysql-  
    connector-j-9.5.0.jar:9.5.0]  
112     at com.mysql.cj.exceptions.ExceptionFactory.  
    createCommunicationsException(ExceptionFactory.java:  
    156) ~[mysql-connector-j-9.5.0.jar:9.5.0]  
113     at com.mysql.cj.protocol.a.  
    NativeSocketConnection.connect(  
    NativeSocketConnection.java:79) ~[mysql-connector-j-  
    9.5.0.jar:9.5.0]  
114     at com.mysql.cj.NativeSession.connect(  
    NativeSession.java:142) ~[mysql-connector-j-9.5.0.  
    jar:9.5.0]  
115     at com.mysql.cj.jdbc.ConnectionImpl.  
    connectOneTryOnly(ConnectionImpl.java:964) ~[mysql-  
    connector-j-9.5.0.jar:9.5.0]  
116     at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(  

```

```
116 ConnectionImpl.java:828) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
117     ... 51 common frames omitted
118 Caused by: java.net.UnknownHostException: Hôte
    inconnu (mysql-1484dbd6-danielngono002-10a9.f.
    aivencloud.com)
119     at java.base/java.net.Inet6AddressImpl.
    lookupAllHostAddr(Native Method) ~[na:na]
120     at java.base/java.net.Inet6AddressImpl.
    lookupAllHostAddr(Inet6AddressImpl.java:52) ~[na:na]
121     at java.base/java.net.
    InetAddress$PlatformResolver.lookupByName(
    InetAddress.java:1211) ~[na:na]
122     at java.base/java.net.InetAddress.
    getAddressesFromNameService(InetAddress.java:1828
    ) ~[na:na]
123     at java.base/java.net.
    InetAddress$NameServiceAddresses.get(InetAddress.
    java:1139) ~[na:na]
124     at java.base/java.net.InetAddress.getAllByName0(
    InetAddress.java:1818) ~[na:na]
125     at java.base/java.net.InetAddress.getAllByName(
    InetAddress.java:1688) ~[na:na]
126     at com.mysql.cj.protocol.StandardSocketFactory.
    connect(StandardSocketFactory.java:121) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
127     at com.mysql.cj.protocol.a.
    NativeSocketConnection.connect(
    NativeSocketConnection.java:53) ~[mysql-connector-j-
    9.5.0.jar:9.5.0]
128     ... 54 common frames omitted
129
130 2026-02-01T12:46:55.677+01:00 WARN 5304 --- [
    edulearn] [ restartedMain] org.hibernate.orm.
    deprecation           : HHH90000025: MySQLDialect
    does not need to be specified explicitly using '
    hibernate.dialect' (remove the property setting and
    it will be selected by default)
131 2026-02-01T12:46:55.685+01:00 INFO 5304 --- [
    edulearn] [ restartedMain] org.hibernate.orm.
    connections.pooling    : HHH10001005: Database info:
```

```
132      Database JDBC URL [Connecting through datasource
      'HikariDataSource (null)']
133      Database driver: undefined/unknown
134      Database version: 8.0
135      Autocommit mode: undefined/unknown
136      Isolation level: undefined/unknown
137      Minimum pool size: undefined/unknown
138      Maximum pool size: undefined/unknown
139 2026-02-01T12:46:56.694+01:00 INFO 5304 --- [
      edulearn] [ restartedMain] o.h.e.t.j.p.i.
      JtaPlatformInitiator      : HHH000489: No JTA
      platform available (set 'hibernate.transaction.jta.
      platform' to enable JTA platform integration)
140 2026-02-01T12:46:56.712+01:00 INFO 5304 --- [
      edulearn] [ restartedMain] com.zaxxer.hikari.
      HikariDataSource          : HikariPool-1 - Starting...
141 2026-02-01T12:46:57.714+01:00 WARN 5304 --- [
      edulearn] [ restartedMain] o.h.engine.jdbc.spi.
      SQLExceptionHelper       : SQL Error: 0, SQLState: 08S01
142 2026-02-01T12:46:57.714+01:00 ERROR 5304 --- [
      edulearn] [ restartedMain] o.h.engine.jdbc.spi.
      SQLExceptionHelper       : Communications link failure
143
144 The last packet sent successfully to the server was
      0 milliseconds ago. The driver has not received any
      packets from the server.
145 2026-02-01T12:46:57.717+01:00 ERROR 5304 --- [
      edulearn] [ restartedMain] j.
      LocalContainerEntityManagerFactoryBean : Failed to
      initialize JPA EntityManagerFactory: [
      PersistenceUnit: default] Unable to build Hibernate
      SessionFactory; nested exception is org.hibernate.
      exception.JDBCConnectionException: Unable to open
      JDBC Connection for DDL execution [Communications
      link failure
146
147 The last packet sent successfully to the server was
      0 milliseconds ago. The driver has not received any
      packets from the server.] [n/a]
148 2026-02-01T12:46:57.718+01:00 WARN 5304 --- [
      edulearn] [ restartedMain]
```

```

148 ConfigServletWebServerApplicationContext : Exception
    encountered during context initialization -
    cancelling refresh attempt: org.springframework.
    beans.factory.BeanCreationException: Error creating
    bean with name 'entityManagerFactory' defined in
    class path resource [org/springframework/boot/
    autoconfigure/orm/jpa/HibernateJpaConfiguration.
    class]: [PersistenceUnit: default] Unable to build
    Hibernate SessionFactory; nested exception is org.
    hibernate.exception.JDBCConnectionException: Unable
    to open JDBC Connection for DDL execution [
    Communications link failure

149
150 The last packet sent successfully to the server was
    0 milliseconds ago. The driver has not received any
    packets from the server.] [n/a]
151 2026-02-01T12:46:57.720+01:00 INFO 5304 --- [
    edulearn] [ restartedMain] o.apache.catalina.core.
    StandardService : Stopping service [Tomcat]
152 2026-02-01T12:46:57.731+01:00 INFO 5304 --- [
    edulearn] [ restartedMain] .s.b.a.l.
    ConditionEvaluationReportLogger :

153
154 Error starting ApplicationContext. To display the
    condition evaluation report re-run your application
    with 'debug' enabled.
155 2026-02-01T12:46:57.748+01:00 ERROR 5304 --- [
    edulearn] [ restartedMain] o.s.boot.
    SpringApplication : Application run
    failed

156
157 org.springframework.beans.factory.
    BeanCreationException: Error creating bean with name
    'entityManagerFactory' defined in class path
    resource [org/springframework/boot/autoconfigure/orm
    /jpa/HibernateJpaConfiguration.class]: [
    PersistenceUnit: default] Unable to build Hibernate
    SessionFactory; nested exception is org.hibernate.
    exception.JDBCConnectionException: Unable to open
    JDBC Connection for DDL execution [Communications
    link failure

```

```
158
159 The last packet sent successfully to the server was
    0 milliseconds ago. The driver has not received any
    packets from the server.] [n/a]
160     at org.springframework.beans.factory.support.
    AbstractAutowireCapableBeanFactory.initializeBean(
    AbstractAutowireCapableBeanFactory.java:1826) ~[
    spring-beans-6.2.14.jar:6.2.14]
161     at org.springframework.beans.factory.support.
    AbstractAutowireCapableBeanFactory.doCreateBean(
    AbstractAutowireCapableBeanFactory.java:607) ~[
    spring-beans-6.2.14.jar:6.2.14]
162     at org.springframework.beans.factory.support.
    AbstractAutowireCapableBeanFactory.createBean(
    AbstractAutowireCapableBeanFactory.java:529) ~[
    spring-beans-6.2.14.jar:6.2.14]
163     at org.springframework.beans.factory.support.
    AbstractBeanFactory.lambda$doGetBean$0(
    AbstractBeanFactory.java:339) ~[spring-beans-6.2.14.
    jar:6.2.14]
164     at org.springframework.beans.factory.support.
    DefaultSingletonBeanRegistry.getSingleton(
    DefaultSingletonBeanRegistry.java:373) ~[spring-
    beans-6.2.14.jar:6.2.14]
165     at org.springframework.beans.factory.support.
    AbstractBeanFactory.doGetBean(AbstractBeanFactory.
    java:337) ~[spring-beans-6.2.14.jar:6.2.14]
166     at org.springframework.beans.factory.support.
    AbstractBeanFactory.getBean(AbstractBeanFactory.java
    :207) ~[spring-beans-6.2.14.jar:6.2.14]
167     at org.springframework.context.support.
    AbstractApplicationContext.
    finishBeanFactoryInitialization(
    AbstractApplicationContext.java:973) ~[spring-
    context-6.2.14.jar:6.2.14]
168     at org.springframework.context.support.
    AbstractApplicationContext.refresh(
    AbstractApplicationContext.java:627) ~[spring-
    context-6.2.14.jar:6.2.14]
169     at org.springframework.boot.web.servlet.context.
    ServletWebServerApplicationContext.refresh(
```

```
169 ServletWebServerApplicationContext.java:146) ~[
    spring-boot-3.5.8.jar:3.5.8]
170     at org.springframework.boot.SpringApplication.
refresh(SpringApplication.java:752) ~[spring-boot-3.
5.8.jar:3.5.8]
171     at org.springframework.boot.SpringApplication.
refreshContext(SpringApplication.java:439) ~[spring-
boot-3.5.8.jar:3.5.8]
172     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:318) ~[spring-boot-3.5.8.
jar:3.5.8]
173     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:1361) ~[spring-boot-3.5.8
.jar:3.5.8]
174     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:1350) ~[spring-boot-3.5.8
.jar:3.5.8]
175     at com.example.edulearn.EdulearnApplication.main
(EdulearnApplication.java:10) ~[classes/:na]
176     at java.base/jdk.internal.reflect.
DirectMethodHandleAccessor.invoke(
DirectMethodHandleAccessor.java:103) ~[na:na]
177     at java.base/java.lang.reflect.Method.invoke(
Method.java:580) ~[na:na]
178     at org.springframework.boot.devtools.restart.
RestartLauncher.run(RestartLauncher.java:50) ~[
spring-boot-devtools-3.5.8.jar:3.5.8]
179 Caused by: jakarta.persistence.PersistenceException
: [PersistenceUnit: default] Unable to build
Hibernate SessionFactory; nested exception is org.
hibernate.exception.JDBCConnectionException: Unable
to open JDBC Connection for DDL execution [
Communications link failure
180
181 The last packet sent successfully to the server was
0 milliseconds ago. The driver has not received any
packets from the server.] [n/a]
182     at org.springframework.orm.jpa.
AbstractEntityManagerFactoryBean.
buildNativeEntityManagerFactory(
AbstractEntityManagerFactoryBean.java:431) ~[spring-
```



```
182 orm-6.2.14.jar:6.2.14]
183     at org.springframework.orm.jpa.
    AbstractEntityManagerFactoryBean.afterPropertiesSet(
    AbstractEntityManagerFactoryBean.java:400) ~[spring-
    orm-6.2.14.jar:6.2.14]
184     at org.springframework.orm.jpa.
    LocalContainerEntityManagerFactoryBean.
    afterPropertiesSet(
    LocalContainerEntityManagerFactoryBean.java:366) ~[
    spring-orm-6.2.14.jar:6.2.14]
185     at org.springframework.beans.factory.support.
    AbstractAutowireCapableBeanFactory.invokeInitMethods
    (AbstractAutowireCapableBeanFactory.java:1873) ~[
    spring-beans-6.2.14.jar:6.2.14]
186     at org.springframework.beans.factory.support.
    AbstractAutowireCapableBeanFactory.initializeBean(
    AbstractAutowireCapableBeanFactory.java:1822) ~[
    spring-beans-6.2.14.jar:6.2.14]
187     ... 18 common frames omitted
188 Caused by: org.hibernate.exception.
    JDBCConnectionException: Unable to open JDBC
    Connection for DDL execution [Communications link
    failure
189
190 The last packet sent successfully to the server was
    0 milliseconds ago. The driver has not received any
    packets from the server.] [n/a]
191     at org.hibernate.exception.internal.
    SQLStateConversionDelegate.convert(
    SQLStateConversionDelegate.java:100) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
192     at org.hibernate.exception.internal.
    StandardSQLExceptionConverter.convert(
    StandardSQLExceptionConverter.java:58) ~[hibernate-
    core-6.6.36.Final.jar:6.6.36.Final]
193     at org.hibernate.engine.jdbc.spi.
    SqlExceptionHandler.convert(SqlExceptionHandler.java:
    108) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
194     at org.hibernate.engine.jdbc.spi.
    SqlExceptionHandler.convert(SqlExceptionHandler.java:
    94) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
```

```
195      at org.hibernate.resource.transaction.backend.  
      jdbc.internal.DdlTransactionIsolatorNonJtaImpl.  
      getIsolatedConnection(  
      DdlTransactionIsolatorNonJtaImpl.java:74) ~[  
      hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
196      at org.hibernate.resource.transaction.backend.  
      jdbc.internal.DdlTransactionIsolatorNonJtaImpl.  
      getIsolatedConnection(  
      DdlTransactionIsolatorNonJtaImpl.java:39) ~[  
      hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
197      at org.hibernate.tool.schema.internal.exec.  
      ImprovedExtractionContextImpl.getJdbcConnection(  
      ImprovedExtractionContextImpl.java:63) ~[hibernate-  
      core-6.6.36.Final.jar:6.6.36.Final]  
198      at org.hibernate.tool.schema.internal.exec.  
      ImprovedExtractionContextImpl.  
      getJdbcDatabaseMetaData(  
      ImprovedExtractionContextImpl.java:70) ~[hibernate-  
      core-6.6.36.Final.jar:6.6.36.Final]  
199      at org.hibernate.tool.schema.extract.internal.  
      InformationExtractorJdbcDatabaseMetaDataImpl.  
      processTableResultSet(  
      InformationExtractorJdbcDatabaseMetaDataImpl.java:65  
      ) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
200      at org.hibernate.tool.schema.extract.internal.  
      AbstractInformationExtractorImpl.getTables(  
      AbstractInformationExtractorImpl.java:570) ~[  
      hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
201      at org.hibernate.tool.schema.extract.internal.  
      DatabaseInformationImpl.getTablesInformation(  
      DatabaseInformationImpl.java:122) ~[hibernate-core-6  
      .6.36.Final.jar:6.6.36.Final]  
202      at org.hibernate.tool.schema.internal.  
      GroupedSchemaMigratorImpl.performTablesMigration(  
      GroupedSchemaMigratorImpl.java:72) ~[hibernate-core-  
      6.6.36.Final.jar:6.6.36.Final]  
203      at org.hibernate.tool.schema.internal.  
      AbstractSchemaMigrator.performMigration(  
      AbstractSchemaMigrator.java:233) ~[hibernate-core-6.  
      6.36.Final.jar:6.6.36.Final]  
204      at org.hibernate.tool.schema.internal.
```

```
204 AbstractSchemaMigrator.doMigration(  
    AbstractSchemaMigrator.java:112) ~[hibernate-core-6.  
    6.36.Final.jar:6.6.36.Final]  
205     at org.hibernate.tool.schema.spi.  
    SchemaManagementToolCoordinator.  
    performDatabaseAction(  
    SchemaManagementToolCoordinator.java:280) ~[  
    hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
206     at org.hibernate.tool.schema.spi.  
    SchemaManagementToolCoordinator.lambda$process$5(  
    SchemaManagementToolCoordinator.java:144) ~[  
    hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
207     at java.base/java.util.HashMap.forEach(HashMap.  
    java:1429) ~[na:na]  
208     at org.hibernate.tool.schema.spi.  
    SchemaManagementToolCoordinator.process(  
    SchemaManagementToolCoordinator.java:141) ~[  
    hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
209     at org.hibernate.boot.internal.  
    SessionFactoryObserverForSchemaExport.  
    sessionFactoryCreated(  
    SessionFactoryObserverForSchemaExport.java:37) ~[  
    hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
210     at org.hibernate.internal.  
    SessionFactoryObserverChain.sessionFactoryCreated(  
    SessionFactoryObserverChain.java:35) ~[hibernate-  
    core-6.6.36.Final.jar:6.6.36.Final]  
211     at org.hibernate.internal.SessionFactoryImpl.<  
    init>(SessionFactoryImpl.java:324) ~[hibernate-core-  
    6.6.36.Final.jar:6.6.36.Final]  
212     at org.hibernate.boot.internal.  
    SessionFactoryBuilderImpl.build(  
    SessionFactoryBuilderImpl.java:463) ~[hibernate-core  
    -6.6.36.Final.jar:6.6.36.Final]  
213     at org.hibernate.jpa.boot.internal.  
    EntityManagerFactoryBuilderImpl.build(  
    EntityManagerFactoryBuilderImpl.java:1517) ~[  
    hibernate-core-6.6.36.Final.jar:6.6.36.Final]  
214     at org.springframework.orm.jpa.vendor.  
    SpringHibernateJpaPersistenceProvider.  
    createContainerEntityManagerFactory(  

```

```
214 SpringHibernateJpaPersistenceProvider.java:66) ~[
    spring-orm-6.2.14.jar:6.2.14]
215     at org.springframework.orm.jpa.
        LocalContainerEntityManagerFactoryBean.
        createNativeEntityManagerFactory(
        LocalContainerEntityManagerFactoryBean.java:390) ~[
        spring-orm-6.2.14.jar:6.2.14]
216     at org.springframework.orm.jpa.
        AbstractEntityManagerFactoryBean.
        buildNativeEntityManagerFactory(
        AbstractEntityManagerFactoryBean.java:419) ~[spring-
        orm-6.2.14.jar:6.2.14]
217     ... 22 common frames omitted
218 Caused by: com.mysql.cj.jdbc.exceptions.
        CommunicationsException: Communications link failure
219
220 The last packet sent successfully to the server was
        0 milliseconds ago. The driver has not received any
        packets from the server.
221     at com.mysql.cj.jdbc.exceptions.SQLException.
        createCommunicationsException(SQLException.java:165) ~[
        mysql-connector-j-9.5.0.jar:9.5.0]
222     at com.mysql.cj.jdbc.exceptions.
        SQLExceptionsMapping.translateException(
        SQLExceptionsMapping.java:55) ~[mysql-connector-j-9.
        5.0.jar:9.5.0]
223     at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(
        ConnectionImpl.java:840) ~[mysql-connector-j-9.5.0.
        jar:9.5.0]
224     at com.mysql.cj.jdbc.ConnectionImpl.<init>(
        ConnectionImpl.java:416) ~[mysql-connector-j-9.5.0.
        jar:9.5.0]
225     at com.mysql.cj.jdbc.ConnectionImpl.getInstance(
        ConnectionImpl.java:237) ~[mysql-connector-j-9.5.0.
        jar:9.5.0]
226     at com.mysql.cj.jdbc.NonRegisteringDriver.
        connect(NonRegisteringDriver.java:180) ~[mysql-
        connector-j-9.5.0.jar:9.5.0]
227     at com.zaxxer.hikari.util.DriverDataSource.
        getConnection(DriverDataSource.java:144) ~[HikariCP-
        6.3.3.jar:na]
```

```
228     at com.zaxxer.hikari.pool.PoolBase.newConnection
(PoolBase.java:370) ~[HikariCP-6.3.3.jar:na]
229     at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(
PoolBase.java:207) ~[HikariCP-6.3.3.jar:na]
230     at com.zaxxer.hikari.pool.HikariPool.
createPoolEntry(HikariPool.java:488) ~[HikariCP-6.3.
3.jar:na]
231     at com.zaxxer.hikari.pool.HikariPool.
checkFailFast(HikariPool.java:576) ~[HikariCP-6.3.3.
jar:na]
232     at com.zaxxer.hikari.pool.HikariPool.<init>(
HikariPool.java:97) ~[HikariCP-6.3.3.jar:na]
233     at com.zaxxer.hikari.HikariDataSource.
getConnection(HikariDataSource.java:111) ~[HikariCP-
6.3.3.jar:na]
234     at org.hibernate.engine.jdbc.connections.
internal.DatasourceConnectionProviderImpl.
getConnection(DatasourceConnectionProviderImpl.java:
126) ~[hibernate-core-6.6.36.Final.jar:6.6.36.Final]
235     at org.hibernate.engine.jdbc.env.internal.
JdbcEnvironmentInitiator$ConnectionProviderJdbcConne
ctionAccess.obtainConnection(
JdbcEnvironmentInitiator.java:485) ~[hibernate-core-
6.6.36.Final.jar:6.6.36.Final]
236     at org.hibernate.resource.transaction.backend.
jdbc.internal.DdlTransactionIsolatorNonJtaImpl.
getIsolatedConnection(
DdlTransactionIsolatorNonJtaImpl.java:46) ~[
hibernate-core-6.6.36.Final.jar:6.6.36.Final]
237     ... 43 common frames omitted
238 Caused by: com.mysql.cj.exceptions.
CJCommunicationsException: Communications link
failure
239
240 The last packet sent successfully to the server was
0 milliseconds ago. The driver has not received any
packets from the server.
241     at java.base/jdk.internal.reflect.
DirectConstructorHandleAccessor.newInstance(
DirectConstructorHandleAccessor.java:62) ~[na:na]
242     at java.base/java.lang.reflect.Constructor.
```

```
242 newInstanceWithCaller(Constructor.java:502) ~[na:na]
243     at java.base/java.lang.reflect.Constructor.
    newInstance(Constructor.java:486) ~[na:na]
244     at com.mysql.cj.exceptions.ExceptionFactory.
    createException(ExceptionFactory.java:52) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
245     at com.mysql.cj.exceptions.ExceptionFactory.
    createException(ExceptionFactory.java:95) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
246     at com.mysql.cj.exceptions.ExceptionFactory.
    createException(ExceptionFactory.java:140) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
247     at com.mysql.cj.exceptions.ExceptionFactory.
    createCommunicationsException(ExceptionFactory.java:
    156) ~[mysql-connector-j-9.5.0.jar:9.5.0]
248     at com.mysql.cj.protocol.a.
    NativeSocketConnection.connect(
    NativeSocketConnection.java:79) ~[mysql-connector-j-
    9.5.0.jar:9.5.0]
249     at com.mysql.cj.NativeSession.connect(
    NativeSession.java:142) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
250     at com.mysql.cj.jdbc.ConnectionImpl.
    connectOneTryOnly(ConnectionImpl.java:964) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
251     at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(
    ConnectionImpl.java:828) ~[mysql-connector-j-9.5.0.
    jar:9.5.0]
252     ... 56 common frames omitted
253 Caused by: java.net.UnknownHostException: mysql-
    1484dbd6-danielngono002-10a9.f.aivencloud.com
254     at java.base/java.net.InetAddress$CachedLookup.
    get(InetAddress.java:988) ~[na:na]
255     at java.base/java.net.InetAddress.getAllByName0(
    InetAddress.java:1818) ~[na:na]
256     at java.base/java.net.InetAddress.getAllByName(
    InetAddress.java:1688) ~[na:na]
257     at com.mysql.cj.protocol.StandardSocketFactory.
    connect(StandardSocketFactory.java:121) ~[mysql-
    connector-j-9.5.0.jar:9.5.0]
258     at com.mysql.cj.protocol.a.
```

```
258 NativeSocketConnection.connect(  
    NativeSocketConnection.java:53) ~[mysql-connector-j-  
    9.5.0.jar:9.5.0]  
259     ... 59 common frames omitted  
260  
261  
262 Process finished with exit code 0  
263
```