

# Session Info

## Session info

Print session info

```
sessionInfo()
```

Store session info

```
my_sesh <- sessionInfo()
```

Save as RDS

```
saveRDS(my_sesh, here::here("scripts", "session_info_sessionInfo.rds"))
```

```
old_sesh <- readRDS(here::here("scripts", "session_info_sessionInfo.rds"))
```

## Load packages

```
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

filter, lag

The following objects are masked from 'package:base':

intersect, setdiff, setequal, union

# LaTeX

```
---
title: "Session Info"
format:
  html: default
  pdf:
    keep-tex: true # this is what you need
---
```

## Session Info

```
sessionInfo()
```

```
R version 4.4.1 (2024-06-14)
Platform: x86_64-apple-darwin20
Running under: macOS Sonoma 14.6.1
```

```
Matrix products: default
```

```
BLAS: /Library/Frameworks/R.framework/Versions/4.4-x86_64/Resources/lib/libRblas.0.dylib
```

```
LAPACK: /Library/Frameworks/R.framework/Versions/4.4-x86_64/Resources/lib/libRlapack.dylib;
```

```
locale:
```

```
[1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
```

```
time zone: Europe/Berlin
```

```
tzcode source: internal
```

```
attached base packages:
```

```
[1] stats      graphics  grDevices  utils      datasets  methods    base
```

```
other attached packages:
```

```
[1] dplyr_1.1.4
```

```
loaded via a namespace (and not attached):
```

```
[1] digest_0.6.37    utf8_1.2.4      R6_2.5.1        fastmap_1.2.0
[5] tidyselect_1.2.1 xfun_0.47       magrittr_2.0.3   glue_1.7.0
[9] tibble_3.2.1     knitr_1.48      pkgconfig_2.0.3  htmltools_0.5.8.1
[13] generics_0.1.3   rmarkdown_2.28  lifecycle_1.0.4  cli_3.6.3
```

[17]	fansi_1.0.6	vctr_0.6.5	compiler_4.4.1	rprojroot_2.0.4
[21]	here_1.0.1	rstudioapi_0.16.0	tools_4.4.1	pillar_1.9.0
[25]	evaluate_0.24.0	yaml_2.3.10	rlang_1.1.4	jsonlite_1.8.8