

# Reproducible analyses in R

What, Why, and How?

Daniela Palleschi

Leibniz-Zentrum Allgemeine Sprachwissenschaft (ZAS)

Tue Oct 8, 2024

# Topics

- Open Science Practices
- Reproducibility: What it is and why/how to practice it
- Concepts for building a reproducible workflow

# What is Open Science?

“Open science” is an umbrella term used to refer to the concepts of openness, transparency, rigor, reproducibility, replicability, and accumulation of knowledge, which are considered fundamental features of science”

— Crüwell et al. (2019), p.3

- a movement developed to respond to crisis in scientific research
  - lack of accessibility, transparency, reproducibility, and replicability of previous research
- transparency is key to all facets of Open Science
  - it allows for full evaluation of all stages of science
- Open Access, software, data, code, materials...

# Systemic problem in science

- the combination of
  - publication bias
    - journals favour novel, significant findings
  - publish or perish
    - researchers' careers depend on publications
- can/does/did lead to:
  - HARKing
    - Hypothesising After Results are Known
  - p-hacking
    - (re-)running analyses until a significant effect is found
  - replication crisis
    - pervasive failure to replicate previous research

# How to practice Open Science

Open Science

Reproducibility


Reproducible Practices

Data Management

6

- [Figure 1](#) shows some suggestions from Kathawalla et al. (2021)
- Open Science is not all-or-nothing
- there are things I consider the bare minimum
  - detailed experiment plan, ideally public
  - openly available materials (e.g., stimuli)
  - share code and data
- the important thing is to do what you can

Figure 1: Image source: Kathawalla et al. (2021) (all rights reserved)



💡 Which Open Science research practices in [Figure 1](#) do you already practice? Are there any you'd like to start implementing?

Figure 1. Open Science research practices across the research cycle



# Reproducibility

# *What* is reproducibility?

- one piece of the Open Science pie
- generating the same results with the same data and analysis scripts
- seems obvious, but requires organisation and forethought before and during data collection/analysis
- bare minimum: share the code and the data ([Laurinavichyute et al., 2022](#))



# Reproducibility vs. replication

- the two terms have been used interchangeably in the past (e.g., in the title of [Open Science Collaboration, 2015](#))
  - we'll define them as follows (and this is becoming the standard distinction, imo)

## Reproducibility

- re-analysing the same data using (ideally) the same scripts, software...
- aim: produce the same results (means, model estimates, etc.)
- why: tests for errors, coding mistakes, biases, etc.

## Replication

- re-running a previous experiment, ideally with the same materials, set-up...
  - ideally the same analysis workflow as the original study (i.e., like reproducing the analyses but with new data)
- aim: test whether results are replicated with new data in terms of direction and magnitude

- in short:
  - reproducibility = re-analysis of the *same data*
  - replication = collection of *new data*

# *Why* implement reproducibility in my workflow?

- firstly: the help future you (or collaborators/other researchers)!
  - you may return to your analyses tomorrow, next month, or next year
- to ensure robustness and to document your steps
  - ‘researcher degrees of freedom’ and the ‘garden of forking paths’: there’s more than one way to analyse a certain dataset
  - we can try to plan ahead in detail (e.g., pre-register your analysis plan), but there will always be decisions made that were not foreseen
- lastly: it makes your life *much* easier and streamlines your workflow

# *How* to implement reproducibility?

- not exactly straightforward
  - there are degrees of reproducibility
  - the rest of our time will be spent on this topic
- sharing code and data is a first step
  - think of the FAIR principles of data sharing
  - apply them to sharing analyses as well

# Practice FAIR principles

- guidelines for sharing digital resources
- refers broadly to (meta)data, let's extend them to analysis code

Figure 2: Source: [National Library of Medicine](#) (all rights reserved)



- **findable and accessible:** where materials are stored
  - in *findable* repositories
  - that are *accessible*, i.e., do not require an account
- **interoperable and reusable:** format of data (and code)
  - the importance of future use
  - and use beyond your precise computational environment


# Conduct a code review

- a great way to test the FAIR principles
  - code review!
  - i.e., have a colleague try to access your data/run your code
    - either via an online repository
    - or send them your project folder

# The reproducibility spectrum

- reproducibility is on a continuum, referred to as the *reproducibility spectrum* in Peng (2011) (Figure 3)
  - *linked* means “all data, metadata, and code [is] stored and linked with each other and with corresponding publications” (Peng, 2011, p. 1227)
  - *executable* is not explained, and is more difficult to guarantee long-term as it depends on software versions
  - but at minimum we can assume it refers to code running on someone else’s machine

Figure 3: Source: Peng (2011)



**Fig. 1.** The spectrum of reproducibility.

# Share the code, not just the data

- Why?
  - key details are often missing from 'Methods' sections
- suggestions for researchers from Laurinavichyute et al. ([2022](#))

## 1. Share data in usable form

- with pre-processing code

## 2. Use publicly accessible repositories

- e.g., OSF

## 3. Use non-proprietary data formats

- e.g., not **.xls** files (Excel)

## 4. Provide documentation

- e.g., README, data dictionaries

## 5. Share code *and* data

- they estimate a 38% increase in reproducibility

## 6. Teach data management and computing skills

- that's what this workshop is for!

# Data and code $\neq$ Reproducibility

- access to data and code does not mean analyses are reproducible
- what can go wrong? Examples from Laurinavichyute et al. ([2022](#))

## 1. Data problems

- inaccessible data
- incomplete data (e.g., 2/3 experiments)

## 2. Code problems

- incomplete code
- error messages
- code rot: outdated syntax or environment
- proprietary software

## 3. Documentation problems

- data difficult to interpret
- no README file/data dictionary
- unclear folder/file/variable naming convention
- manuscript contradicts code

## 4. Unclear terms of use

- no licence specification



# What should (ideally) be shared?


- materials
  - protocols
  - stimuli
  - experiment set-up
- documentation
  - README
  - metadata
- materials are helpful for replication
  - but also for inspection of e.g., design
- data
  - raw
    - e.g., text files, audio, video, or images
  - processed
- analysis code
  - pre-processing
  - analyses
- data and code are necessary for reproducibility
  - along with proper documentation of software used

# Reproducibility rates of published works

- rates of reproducibility vary across fields (see [Bochynska et al., 2023](#) for a review)
  - open access: 25-65%
  - data and analyses sharing: 11-33%
  - pre-registrations: 0-3%

# Reproducibility rates in linguistic research

Figure 4: Source: Bochynska et al. (2023), p. 11 (all rights reserved)




**Figure 2:** Percentages of the available and not available materials, raw data, processed data, and analysis scripts for the pre-RC (left) and post-RC (right) time windows, displayed separately for primary data (Primary) and secondary data (Secondary), for the empirical study articles in the sample. The Other category was excluded.

- meta-analysis of 519 randomly sampled articles from various linguistic journals
  - pre- and post-reproducibility crisis (2008/9, 2018/19) (Bochynska et al., 2023)
  - differentiated between primary (collected for study) and secondary (pre-existing) data
- reported a post-RC increase in shared materials, data, and analyses
  - but still low rates of each
- higher rates of secondary data sharing, presumably due to publicly available corpora
- data shared more often than analyses, pre- and post-RC

# Journal of Memory and Language

- meta-analysis of articles from JML ([Laurinavichyute et al., 2022](#))
  - before and after an Open Science Policy was introduced in 2019



**Fig. 1.** A summary showing the number of papers which had a readme file or the like that provided some documentation, for which the code was available, which were preregistered, and for which the data were accessible.

Figure 5: Source: Laurinavichyute et al. ([2022](#)), p. 5 (all rights reserved)

- code and data availability improved
- but reproducibility rate ranged from 34-56%, depending on criteria
- higher rates compared to field-wide meta-analysis ([Bochynska et al., 2023](#))

# Reproducible Practices

# Beyond the reproducibility spectrum

- there are different levels of reproducibility
  - the *bare minimum* is sharing the code and data
  - *and* including session information:
    - which operating system was used
    - which software/package versions were used
- going bigger:
  - project-oriented workflow
  - project-specific filepaths
  - contained in a single project folder
- we will be using RProjects to achieve this

# Project management

- folder structure
- project-relative file paths
- appropriate documentation
  - e.g., README files
- it's great to map out your project structure early on
  - but it will grow as you go along
  - reproducible principles facilitate adapting as it grows

# Naming conventions

- there are some “rules” for naming files, folders, and variables

- The Turing Way: Naming files, folders, and other things
- Jenny Bryan: naming things (Reproducible Science Workshop 2015)
- Danielle Navarro: Project structure

## 1. Avoid special characters

- ensures machine readability

## 2. Make names concise but meaningful

- ensures human-readability

## 3. Avoid spaces

- try `CamelCase`, snake case (`snake_case`), or skewer case (`skewer-case`)
- or use hyphens (–) to separate chunks, and underscores (–) to connect words of the same chunk

## 4. Consider default ordering

- e.g., with dates (ISO 8601): `YYYY-MM-DD`
- with folders or files: numerical prefixes (e.g., `01-data_cleaning.R`, `02-data_visualisation.R`)

## 5. Be consistent

- as long as your names are machine and human readable



## Tidy data practices

Good coding style is like correct punctuation: you can manage without it, but it sure makes things easier to read.

— [Tidyverse Style Guide](#)

- the Tidyverse “is an opinionated collection of R packages designed for data science. All packages share an underlying design philosophy, grammar, and data structures.” (<https://www.tidyverse.org/>)
  - “tidy” code should use snake case (this\_is\_snake\_case) Wickham et al. (2023)

# Literate programming

Instead of imagining that our main task is to instruct a *computer* what to do, let us concentrate rather on explaining to *human beings* what we want a computer to do.

— Knuth (1984), p. 97

- originally used to refer to writing programs
- but also applies to analysis code
  - especially if we're aiming for reproducibility
- main concepts:
  - code is linear (this pre-dates Knuth, 1984)
  - informative but concise commenting
- main benefits:
  - facilitates maintenance
  - helpful for future-you, collaborators, etc.

# Version control (not covered in this workshop)

- git: local tracking
- useful for the analysis and writing phases
  - but can be tricky for collaboration
- GitHub/GitLab: remote tracking
  - store your changes to your local git repository
  - then push them to your remote repository
- safe guards against local hardware/software issues
  - lost or damaged computer or local files
- and allows for collaboration or sharing

# Writing (not covered in this workshop)

- dynamic reports with Markdown syntax
  - e.g., Rmarkdown, Quarto
  - integration of data, code, and prose
    - facilitates cross-referencing within document
    - integration of citation management tools
    - supports LaTeX syntax for example sentences and tables
- [papa](#) package for APA-formatted Rmarkdown documents
- challenge: collaboration
  - not all collaborators know these tools
  - track changes not currently possible

# Data management and sharing

# Data Management (and Sharing) Plans (DM(S)P)

- research data management is relevant for all stages of the data life cycle
  - planning, collection, processing, archiving, publishing
- DMSPs are required by some funding bodies
  - even if not, they're an important part of project planning
- questions to consider:
  - do I have data from human participants?
  - do I have data from vulnerable groups (children, patients, etc.)
  - have I collected any identifiable data from humans? (direct or indirect)

## Facilitating data management/sharing

- planning and implementing folder structure, file and variable names
- keep everything relevant to a certain project in one place (i.e., folder)
  - use subfolders appropriately
  - avoid mixing subfolders and files within a single folder

# Documentation

- metadata
  - project README
  - codebook/data dictionary
- README should contain
  - a project description
  - relevant links
  - description of folder structure
- can be updated as the project develops
- README.md files in GitHub/Lab are automatically used as a project description
  - `.md` is a plain text document
  - uses markdown syntax
- README files don't need to be markdown files, but



# Version control (again)

- version control is an important aspect of data management
  - can be done with git, or manually
- manual version control ()

# Persistent (public) storage

- GitHub/Lab are sub-optimal
  - developer-focused
  - typically lack thorough documentation/metadata
  - not very user-friendly for non-users
- OSF, Zenodo
  - Open Science-focused
  - can be linked to a GitHub/Lab repository
  - facilitate thorough documentation
  - user-friendly

### ZAS Data Protocol

From the Employee Handbook (p. 37-8):

All data must always be stored on your personal OneDrive or a SharePoint drive of the relevant project.

Make sure this is the case!! This however does not make the data public, which usually happens after publication of a relevant manuscript.

# Steps we'll take

## 1. Open source software:

- R, an open source statistical programming language
- in RStudio, an IDE (integrated developer environment)
- with [R Projects](#)

## 2. Project-oriented workflow:

- establish folder structure
- and file/variable naming conventions
- use project-relative filepaths with the [here](#) package
- establish and maintain project-relative package library with [renv](#) (time permitting)




### 3. Practice literate programming:

- writing clean, commented, linear code
- in dynamic reports (e.g., Quarto, R markdown)
- practice modularity, i.e., 1 script = 1 purpose

### 4. Sharing and checking our code

- uploading our code and data to an OSF repository
- conducting a code review

# Topics

- Open Science Practices 
- Reproducibility: What it is and why/how to practice it 
- Concepts for building a reproducible workflow 

# References

- Bochynska, A., Keeble, L., Halfacre, C., Casillas, J. V., Champagne, I.-A., Chen, K., Röthlisberger, M., Buchanan, E. M., & Roettger, T. B. (2023). Reproducible research practices and transparency across linguistics. *Glossa Psycholinguistics*, 2(1).  
<https://doi.org/10.5070/G6011239>
- Bowers, J., & Voors, M. (2016). How to improve your relationship with your future self. *Revista de Ciencia Política (Santiago)*, 36(3), 829–848. <https://doi.org/10.4067/S0718-090X2016000300011>
- Corker, K. S. (2022). An Open Science Workflow for More Credible, Rigorous Research. In M. J. Prinstein (Ed.), *The Portable Mentor* (3rd ed., pp. 197–216). Cambridge University Press. <https://doi.org/10.1017/9781108903264.012>
- Crüwell, S., Van Doorn, J., Etz, A., Makel, M. C., Moshontz, H., Niebaum, J. C., Orben, A., Parsons, S., & Schulte-Mecklenbeck, M. (2019). Seven Easy Steps to Open Science: An Annotated Reading List. *Zeitschrift Für Psychologie*, 227(4), 237–248.  
<https://doi.org/10.1027/2151-2604/a000387>
- Kathawalla, U.-K., Silverstein, P., & Syed, M. (2021). Easing Into Open Science: A Guide for Graduate Students and Their Advisors. *Collabra: Psychology*, 7(1), 18684. <https://doi.org/10.1525/collabra.18684>
- Knuth, D. (1984). Literate programming. *The Computer Journal*, 27(2), 97–111.
- Laurinavichyute, A., Yadav, H., & Vasisht, S. (2022). Share the code, not just the data: A case study of the reproducibility of articles published in the Journal of Memory and Language under the open data policy. *Journal of Memory and Language*, 125, 12.
- Nagler, J. (1995). Coding Style and Good Computing Practices. *PS: Political Science & Politics*, 28(3), 488–492.  
<https://doi.org/10.2307/420315>
- Open Science Collaboration. (2015). Estimating the reproducibility of psychological science. *Science*, 349(6251), aac4716.  
<https://doi.org/10.1126/science.aac4716>
- Peng, R. D. (2011). Reproducible Research in Computational Science. *Science*, 334(6060), 1226–1227.  
<https://doi.org/10.1126/science.1213847>