```
getgenv().YMP = getgenv().YMP or false
if getgenv().YMP then return end
getgenv().YMP = true task.wait(0.5)
local fn = cloneref or function(arg) return arg end
-- Configuración de Animaciones e Interfaz local tweenFast = TweenInfo.new(0.08,
Enum.EasingStyle.Quad, Enum.EasingDirection.Out) local tweenBounce = TweenInfo.new(0.2,
Enum.EasingStyle.Back, Enum.EasingDirection.Out) local tweenSmooth = TweenInfo.new(0.35,
Enum.EasingStyle.Sine, Enum.EasingDirection.Out) local tweenElastic = TweenInfo.new(0.45,
Enum.EasingStyle.Elastic, Enum.EasingDirection.Out)
local tbl = { Ordem = "relevance", Data = "any", Duracao = "any", Pagina = 1 } local ordem =
"relevance" local data = "any" local duracao = "any" local tbl2 = { "relevance", "view" } local tbl3
= { "any", "hours", "today", "week", "month", "year" } local tbl4 = { "any", "short", "medium", "long"
} local tbl5, tbl6, tbl7, tbl8, tbl9, tbl10, tbl11 = {}, {}, {}, {}, {}, {}, {}
local v = fn(game:GetService("CoreGui")) local v2 = fn(game:GetService("StarterGui")) local
screenGui = Instance.new("ScreenGui") screenGui.Parent = v screenGui.IgnoreGuiInset = true
HttpService = fn(game:GetService("HttpService")) local v3 = fn(game:GetService("Lighting"))
local v4 = fn(game:GetService("Players")) local userId = v4.LocalPlayer.UserId local str =
v4.LocalPlayer.LocaleId:lower() local v5 = fn(game:GetService("LogService")) local v6 =
fn(game:GetService("TweenService")) fn(Instance.new("Sound")) local v7 =
fn(game:GetService("SoundService")) local v8 = fn(game:GetService("Workspace")) local v9 =
fn(game:GetService("UserInputService")) local currentCamera = v8.CurrentCamera
local flag, flag2, screenGui2 = false, false, nil local n = 1 local str2 = "Todos" local flag3, flag4 =
false, false local n2 = 0 local v10 = nil
local flag5, flag6 = true, false local str3 = "https://ymp-api.ddns.net" local websocket_ =
WebSocket or websocket or Websocket or syn and syn.websocket or nil local flag7, flag8 =
false, false local str4 = "Auto" local v11 = nil local flag9 = false local v12 = nil local udim2 = nil
local flag10, flag11, flag12, flag13 = false, false, false, false local tween = nil local n3 = 0 local
text = nil local flag14 = false local layoutOrder = 0 local udim22 = UDim2.new(0, 4, 0, 4) local
udim23 = UDim2.new(0, 4, 1, 4) local flag15 = true local tween2, v13, tween3 = nil, nil, nil local
flag16, flag17 = false, false
local request_ = request or http_request or syn_request or syn and syn.request or http and
http.request or fluxus and fluxus.request or getgenv and getgenv().request local requestAsync =
request_ or (http and http.request_async)
local writeClipboard = setclipboard or toclipboard or syn and syn.write_clipboard local
setclipboard_ = writeClipboard or (fluxus and fluxus.setclipboard)
local gethwid_ = gethwid and gethwid() or (syn and syn.gethwid and syn.gethwid()) or (fluxus
and fluxus.gethwid and fluxus.gethwid()) local hwid = gethwid_ or (getgenv and getgenv().hwid)
local v14 = hwid or userId
local flag18 = typeof(clonefunction) == "function" and clonefunction or nil local v15 = flag18 and
flag18(pcall) or pcall local v16 = flag18 and flag18(typeof) or typeof
CheckRequest = function() local v17 = v15(function() return ishooked end) and ishooked or nil
local v18 = v15(function() return restorefunction end) and restorefunction or nil
if v16(v18) == "function" and v16(v17) == "function" then local v19, v20 = v15(v17, v17) if v19
and v20 then v15(v18, v17) end end
if v16(v17) == "function" then local v19, v20 = v15(v17, requestAsync) if v19 and v20 then return
false end local v21, v22 = v15(v17, game.HttpGet) if v21 and v22 then return false end end
return true end
if not CheckRequest() then return end
```

```
local ok, result = pcall(game.HttpGet, game,
"https://raw.githubusercontent.com/Dan41/Roblox-Scripts/refs/heads/main/Youtube%20Music%
20Player/Versao") if not ok or not result or not CheckRequest() then return end
local str5 = result:gsub("%s+", ""):gsub("[^%w.]", "") if str5 == "off" then return end
if str5 ~= "8.5" then getgenv().YMP = false
loadstring(game:HttpGet("https://raw.githubusercontent.com/Dan41/Roblox-Scripts/refs/heads/
main/Youtube%20Music%20Player/YoutubeMusicPlayer.lua", true))() return end
local ok2, result2 = pcall(function() return
game:HttpGet("https://raw.githubusercontent.com/Dan41/Roblox-Scripts/refs/heads/main/Youtu
be%20Music%20Player/Notifications") end)
if ok2 then local ok3, result3 = pcall(function() return HttpService:JSONDecode(result2) end) if
ok3 and result3 then local str6 = (result3.title or ""):gsub("%s+", "") local str7 = (result3.text or
""):gsub("%s+", "") if str6 ~= "" or str7 ~= "" then v2:SetCore("SendNotification", { Title =
result3.title or "YouTube Music Player", Text = result3.text or "", Icon =
"rbxassetid://83758613781843", Duration = 10, }) task.wait(2) end end end
-- Pantalla de carga mejorada Carregar = function() if not flag then flag = true screenGui2 =
Instance.new("ScreenGui") screenGui2.Parent = v local imageLabel =
Instance.new("ImageLabel") imageLabel.AnchorPoint = Vector2.new(0.5, 0.5) imageLabel.Size
= UDim2.new(0, 0, 0, 0) imageLabel.Position = UDim2.new(0.5, 0, 0.4, 0)
imageLabel.BackgroundColor3 = Color3.fromRGB(15, 15, 20) imageLabel.Image =
"rbxassetid://132058030456598" imageLabel.Active = true imageLabel.Parent = screenGui2
local uiCorner = Instance.new("UICorner") uiCorner.CornerRadius = UDim.new(0, 12)
uiCorner.Parent = imageLabel
local uiStroke = Instance.new("UIStroke") uiStroke.Thickness = 2 uiStroke.Color =
Color3.fromRGB(229, 9, 20) uiStroke.Parent = imageLabel
local tween4 = v6:Create(imageLabel, TweenInfo.new(0.5, Enum.EasingStyle.Back,
Enum.EasingDirection.Out), { Size = UDim2.new(0, 220, 0, 220), Position = UDim2.new(0.5, 0,
0.4, 0) }) tween4:Play()
tween4.Completed:Connect(function() if not flag then return end flag2 = true
task.spawn(function() while flag2 and imageLabel.Parent do local tween5 =
v6:Create(imageLabel, TweenInfo.new(1.2, Enum.EasingStyle.Sine,
Enum.EasingDirection.InOut), { Position = UDim2.new(0.5, 0, 0.38, 0) }) local tween6 =
v6:Create(imageLabel, TweenInfo.new(1.2, Enum.EasingStyle.Sine,
Enum.EasingDirection.InOut), { Position = UDim2.new(0.5, 0, 0.42, 0) }) tween5:Play()
tween5.Completed:Wait() if flag2 then tween6:Play() tween6.Completed:Wait() end end end)
end) else flag = false flag2 = false if screenGui2 then local imageLabel =
screenGui2:FindFirstChildWhichIsA("ImageLabel") if imageLabel then local tween4 =
v6:Create(imageLabel, TweenInfo.new(0.4, Enum.EasingStyle.Quad, Enum.EasingDirection.In),
{ Position = UDim2.new(0.5, 0, -0.5, 0), BackgroundTransparency = 1, ImageTransparency = 1,
}) tween4:Play() tween4.Completed:Connect(function() if screenGui2 then screenGui2:Destroy()
screenGui2 = nil end end) else screenGui2:Destroy() screenGui2 = nil end end end end
Carregar()
-- Traducción e Idioma Traducao = { Sucesso = "Success", Erro = "Error", Imcompativel = "Your
executor is not supported", Navegacao = "Navigation", Player = "Media Player", Add = "Search
& Download", Equalizador = "Audio Effects", Welcome = "Welcome", Dev = "Developer", Hey =
"Hey User!", Play = "Play a song or video", Volume = "Volume", Freque = "Frequencies", Efeitos
= "Audio FX", Graves = "Bass Boost", Medios = "Mid Gain", Agudos = "Treble Gain", Nenhum =
"None", Todos = "All Media", Musicas = "Music Tracks", Favoritos = "Favorites", Favoritado =
```

"Added to favorites", Desfavoritado = "Removed from favorites", Excluido = "Content deleted", Vazio = "Empty Category", VazioTexto = "No media files found in this category", Search = "Search...", Pesquisar = "Search YouTube track or link", Pesquisar2 = "Search YouTube title, link or Roblox ID", PesquiseTitle = "Start your search", PesquiseText = "Enter keywords to find tracks and videos", PesquiseTextPL = "Search across your playlist", SemResutadoTitle = "No results", SemResutadoText = "Could not find any results for this search", SemResutadoTextPL = "No matching items found in your playlist", LocalTitle = "Local Audios", LocalText = "Add audio files to the 'Local Audios' folder to play them", EscolhaFor = "Choose Format", Musica = "Audio (MP3)", Cancelar = "Cancel", De = "By", In = "In", ErroCrackTitle = "Access Denied", ErroCrackText = "Premium key is required for this feature", ErroTitle = "Playback Error", ErroText = "Server or network error. Please try again.", Aguarde = "Please Wait", Dados = "Fetching metadata...", MaisUmPauco = "Almost ready", Baixando = "Downloading content...", Baixado = "Download Completed", Terminou = "Added to your playlist!", Priv1 = "Download & play high quality videos", Priv2 = "Advanced YouTube search filters", PP = "Premium Pass", SobrePri1 = "Download and watch YouTube videos directly", SobrePri2 = "Access multi-page results and custom sorting", SobrePri3 = "Floating MiniPlayer window control", SobrePri4 = "Play Roblox asset IDs", SobrePri5 = "Global Real-time Chat access", SobrePri6 = "Stylized Gold UI theme", Key = "Enter Premium Key", Link = "Get Free Key", Robux = "Buy Key with Robux", KeyInvalida = "The key provided is invalid or expired!", KeyErro = "Validation error. Try again shortly.", JaTemKey = "You already have an active Premium key", LinkCopiado = "Link Copied!", Navegador = "Paste the copied link in your web browser", TooMany = "Rate Limit Reached", RateLi = "Too many requests. Please wait a moment.", KeyError = "Key verification error", OpcaoBloqueadaTitle = "Feature Locked", OpcaoBloqueadaText = "Unlock this feature with a Premium Key!", NenhumaMidia = "No playable media found!", PlayMode = "Playback Mode", Auto = "Auto-Next: Play next track automatically", Repetir = "Loop: Repeat current track", Random = "Shuffle: Random track order", PlayModeRepetir = "Repeating current track...", DownloadFazendo = "Please wait for active downloads", RecursoTi = "Video Mode Active", RecursoTe = "Equalizer controls disabled for video playback", RsetadoEqua = "Audio settings restored to default!", NaoPodePagina = "Page change unavailable during load", NaoPodeFiltro = "Search for content before applying filters", Processando = "Processing request...", Filter = "Search Filters", Order = "Sort By:", UploaDate = "Upload Date:", Duration = "Duration:", AplicarF = "Apply", RemoverF = "Reset", Relevance = "Relevance", View = "Views", Any = "Any", Hours = "Last hour", Today = "Today", Week = "This week", Month = "This month", Year = "This year", Short = "< 4 Mins", Long = "> 20 Mins", Medium = "4-20 Mins", JaTemRoblox = "Roblox ID already saved!", JaTemMusica = "Audio already saved!", JaTemVideo = "Video already saved!", FiltrosRemovidos = "Filters reset!", FiltrosJaPadrao = "Filters are already default!", Privado = "Audio is set to private or unavailable", VocePremium = "Premium Active", Keyless = "Global Chat Mode", KeylessOn = "Keyless Mode Active. Chat unlocked!", KeylessOff = "Keyless Mode Disabled. Chat locked!", VocePremiumTexto = "Premium status verified. Enjoy all features!", Respeito = "Follow community guidelines in chat", RegrasTi = "Rules", Regras = "Be respectful. No spam, toxicity or bad links.", Sistema = "System", EnvieGc = "Type a message...", GcKey = "Premium required for Global Chat", GcBan = "You are banned from Global Chat. Appeal ID:", GcUnban = "Global Chat access restored!", Banido = "Banned", Desbanido = "Unbanned", ExploitIcomGC = "Executor does not support WebSockets!", TraducaoSystem = "Translation", TraduOn = "Chat translation turned ON", TraduOff = "Chat translation turned OFF", TextoCopiado = "Text Copied", Mutado = "Muted Game Sounds", Desmutado = "Restored Game Sounds", SobreMute = "Other game audios muted", SobreUnmute = "Game audios restored", AvisoReport1 = "Report user", AvisoReport2 = "in

Global Chat? Abuse leads to ban.", ReportSucesso = "Report Sent", ReportSucesso2 = "Staff will review your report.", MotivoReport = "Reason for report...", ReportErro = "Report Failed", ReportErro1 = "Premium key required to report", ReportErro2 = "Message not found", ReportErro3 = "Server error processing report", ReportErro4 = "Cooldown active (2 mins)", ReportErro5 = "You cannot report yourself", ReportErro6 = "Already reported by you", ReportErro7 = "Already reported by another user", ReportErro8 = "You are currently banned", ReportErro10 = "Please specify a reason!", ReportErro11 = "Reason must be 10-200 characters", Aviso = "Notice", FecharAviso = "Dismiss", MsgMod = "Moderator Notice:", Tutorial = "Link copied. Check browser for download troubleshooting.", Tentando = "Retrying...", TentandoTexto = "Re-attempting download...", GCmudo = "Chat Muted", GCmudoTexto = "Chat notifications hidden", GCunmudo = "Chat Unmuted", GCunmudoTexto = "Notifications active", MidiaErro = "Playback Error", MidiaErroMsg = "Failed to load media asset.", }
pcall(function() if str == "en-us" or not Traducao then return end local str6 = str:sub(1, 2) local tbl12, tbl13, n4 = {}, {}, 0
for k, v17 in pairs(Traducao) do n4 += 1 tbl12[n4] = k tbl13[n4] = v17 end
local str7 = table.concat(tbl13, " || ") local ok3, result3 = pcall(function() return game:HttpGet("https://translate.googleapis.com/translate_a/single?client=gtx&sl=auto&tl=" .. str6 .. "&dt=t&q=" .. HttpService:UrlEncode(str7)) end)
if ok3 and result3 then local data2 = HttpService:JSONDecode(result3) local v17 = data2 and data2[1] local str8 = "" if v17 then for _, v18 in ipairs(data2[1]) do str8 ..= v18[1] or "" end end local parts = str8:split("||") for i = 1, n4 do local v18 = parts[i] if v18 then Traducao[tbl12[i]] = v18:match("^%s*(.-)%s*$") end end end end)
local sound = Instance.new("Sound") sound.Looped = false sound.Parent = v7
local function fn2(arg) sound.SoundId = "rbxassetid://" .. arg sound:Play() end
local function fn3(text2, text3, arg, arg2) text2 = type(text2) == "string" and text2 or tostring(text2 or "") text3 = type(text3) == "string" and text3 or tostring(text3 or "") arg = type(arg) == "number" and arg or 3
n2 += 1 local v17 = n2 fn2(arg2 ~= nil and type(arg2) == "number" and tostring(arg2) or "129485210015224")
local notifGui = v4.LocalPlayer:WaitForChild("PlayerGui"):FindFirstChild("NotifGui") if not notifGui then notifGui = Instance.new("ScreenGui") notifGui.Name = "NotifGui" notifGui.ResetOnSpawn = false notifGui.Parent = v end
if v10 and v10.Parent then v10:Destroy() v10 = nil end
local imageButton = Instance.new("ImageButton") imageButton.Size = UDim2.new(0, 0, 0, 70) imageButton.Position = UDim2.new(0.5, 0, 0, 15) imageButton.AnchorPoint = Vector2.new(0.5, 0) imageButton.BackgroundColor3 = Color3.fromRGB(20, 20, 26) imageButton.BackgroundTransparency = 0.05 imageButton.BorderSizePixel = 0 imageButton.AutomaticSize = Enum.AutomaticSize.Y imageButton.ClipsDescendants = true imageButton.Parent = notifGui
local uiCorner = Instance.new("UICorner") uiCorner.CornerRadius = UDim.new(0, 10) uiCorner.Parent = imageButton
local uiStroke = Instance.new("UIStroke") uiStroke.Color = Color3.fromRGB(229, 9, 20) uiStroke.Thickness = 2 uiStroke.Parent = imageButton
local textLabel = Instance.new("TextLabel") textLabel.Size = UDim2.new(1, -20, 0, 22) textLabel.Position = UDim2.new(0, 10, 0, 8) textLabel.BackgroundTransparency = 1 textLabel.Text = text2 textLabel.TextColor3 = Color3.fromRGB(255, 255, 255) textLabel.Font = Enum.Font.SourceSansBold textLabel.TextScaled = true textLabel.Parent = imageButton
local textLabel2 = Instance.new("TextLabel") textLabel2.Position = UDim2.new(0, 10, 0, 32)

```
textLabel2.BackgroundTransparency = 1 textLabel2.TextColor3 = Color3.fromRGB(180, 180, 190) textLabel2.Font = Enum.Font.SourceSans textLabel2.Size = UDim2.new(1, -20, 0, 0) textLabel2.AutomaticSize = Enum.AutomaticSize.Y textLabel2.TextWrapped = true textLabel2.TextSize = 16 textLabel2.Text = text3 textLabel2.Parent = imageButton
v10 = imageButton local tween4 = v6:Create(imageButton, tweenElastic, { Size = UDim2.new(0, 360, 0, 70) }) tween4:Play()
local flag19 = false local function fn4() if flag19 or not imageButton or not imageButton.Parent then return end flag19 = true local tween5 = v6:Create(imageButton, tweenFast, { Size = UDim2.new(0, 0, 0, 70) }) tween5:Play() tween5.Completed:Connect(function() if imageButton then imageButton:Destroy() end if v10 == imageButton then v10 = nil end end) end imageButton.MouseButton1Click:Connect(fn4) task.delay(arg, function() if v17 == n2 then fn4() end end) end
-- Validaciones de Funciones del Ejecutor for _, v17 in ipairs({"writefile", "readfile", "isfile", "delfile", "listfiles", "makefolder", "isfolder", "delfolder", "getcustomasset"}) do if type(_G[v17] or getgenv()[v17]) ~= "function" then fn3(Traducao.Erro, Traducao.Imcompativel, 15) Carregar() getgenv().YMP = false return end end
if not requestAsync then fn3(Traducao.Erro, Traducao.Imcompativel, 15) Carregar() getgenv().YMP = false return end
-- Creación de Directorios Basados en Sistema de Archivos local folders = { "YouTube Music Player", "YouTube Music Player/Musics", "YouTube Music Player/Videos", "YouTube Music Player/Roblox IDS", "YouTube Music Player/Local Audios", "YouTube Music Player/Internal", "YouTube Music Player/Internal/Cache" } for _, folder in ipairs(folders) do if not isfolder(folder) then makefolder(folder) end end
if isfolder("YouTube Music Player/Cache") then delfolder("YouTube Music Player/Cache") end if not isfile("YouTube Music Player/Internal/Data.json") then writefile("YouTube Music Player/Internal/Data.json", "[{"Key":"","Favorites":[]}]") end
-- Helpers Estéticos UI (Corner y Stroke Modificados) Corner = function(parent, arg, arg2) local uiCorner = parent:FindFirstChildOfClass("UICorner") or Instance.new("UICorner") uiCorner.CornerRadius = arg2 == nil and UDim.new(0, arg) or UDim.new(arg, arg2) uiCorner.Parent = parent end
Stroke = function(parent, arg, arg2, arg3, thickness, transparency) local uiStroke = parent:FindFirstChildOfClass("UIStroke") or Instance.new("UIStroke") uiStroke.Color = Color3.fromRGB(arg, arg2, arg3) uiStroke.Thickness = thickness if transparency ~= nil then uiStroke.Transparency = transparency end uiStroke.Parent = parent end
Draggable = function(arg, arg2) if not arg or not arg:IsA("GuiObject") then return end local flag19 = false local v17, position, position2 = nil, nil, nil local n4 = 2 arg:SetAttribute("Blocked", false) arg:SetAttribute("Moved", false)
local function fn4(arg3) local n5 = arg3.Position - position if not arg:GetAttribute("Moved") and n5.Magnitude > n4 then arg:SetAttribute("Moved", true) end local n6 = position2.X.Offset + n5.X local n7 = position2.Y.Offset + n5.Y
if arg2 then local screenGui3 = arg:FindFirstAncestorWhichIsA("ScreenGui") if screenGui3 then local absoluteSize = screenGui3.AbsoluteSize local absoluteSize2 = arg.AbsoluteSize local anchorPoint = arg.AnchorPoint local uiStroke = arg:FindFirstChildWhichIsA("UIStroke") local n8 = (uiStroke and uiStroke.Enabled) and uiStroke.Thickness or 0
n6 = math.clamp(n6, -position2.X.Scale * absoluteSize.X + anchorPoint.X * absoluteSize2.X + n8, (1 - position2.X.Scale) * absoluteSize.X - (1 - anchorPoint.X) * absoluteSize2.X - n8) n7 = math.clamp(n7, -position2.Y.Scale * absoluteSize.Y + anchorPoint.Y * absoluteSize2.Y + n8, (1 - position2.Y.Scale) * absoluteSize.Y - (1 - anchorPoint.Y) * absoluteSize2.Y - n8) end end
```

```
arg.Position = UDim2.new(position2.X.Scale, n6, position2.Y.Scale, n7) end
arg.InputBegan:Connect(function(input) if flag19 then return end if input.UserInputType ==
Enum.UserInputType.MouseButton1 or input.UserInputType == Enum.UserInputType.Touch
then flag19 = true v17 = input position = input.Position position2 = arg.Position
arg:SetAttribute("Blocked", true) arg:SetAttribute("Moved", false) local connection connection =
input.Changed:Connect(function() if input.UserInputState == Enum.UserInputState.End then
flag19 = false v17 = nil arg:SetAttribute("Blocked", false) connection:Disconnect() end end) end
end)
v9.InputChanged:Connect(function(input) if flag19 and input == v17 then fn4(input) end end)
end
-- Marco Principal de la Interfaz Rediseñado local frame = Instance.new("Frame")
frame.AnchorPoint = Vector2.new(0.5, 0.5) frame.Size = UDim2.new(0, 620, 0, 330)
frame.Position = UDim2.new(0.5, 0, 0.5, 0) frame.BackgroundColor3 = Color3.fromRGB(18, 18,
24) frame.Active = true frame.Visible = false frame.Parent = screenGui Corner(frame, 12)
Stroke(frame, 40, 40, 55, 1.5)
-- Botón Flotante Rediseñado local imageButton = Instance.new("ImageButton")
imageButton.Size = UDim2.new(0, 48, 0, 48) imageButton.AnchorPoint = Vector2.new(0.5, 0)
imageButton.Position = UDim2.new(0.5, 0, 0, 20) imageButton.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) imageButton.Image = "rbxassetid://83758613781843"
imageButton.Visible = false imageButton.Parent = screenGui Corner(imageButton, 24)
Stroke(imageButton, 255, 255, 255, 2) Draggable(imageButton, true) Draggable(frame)
ContadorJA = Instance.new("Frame") ContadorJA.Size = UDim2.new(0, 18, 0, 18)
ContadorJA.Position = UDim2.new(0, 32, 0, -2) ContadorJA.BackgroundColor3 =
Color3.fromRGB(255, 60, 60) ContadorJA.Visible = false ContadorJA.Parent = imageButton
Corner(ContadorJA, 9)
ContadorJANU = Instance.new("TextLabel") ContadorJANU.Size = UDim2.new(1, 0, 1, 0)
ContadorJANU.BackgroundTransparency = 1 ContadorJANU.Text = "0"
ContadorJANU.TextColor3 = Color3.fromRGB(255, 255, 255) ContadorJANU.Font =
Enum.Font.SourceSansBold ContadorJANU.TextSize = 12 ContadorJANU.Parent =
ContadorJA
Mutar = Instance.new("ImageButton") Mutar.Size = UDim2.new(0, 28, 0, 28) Mutar.Position =
UDim2.new(0, 10, 0, 10) Mutar.BackgroundColor3 = Color3.fromRGB(28, 28, 36) Mutar.Image =
"rbxassetid://109518972658686" Mutar.Parent = frame Corner(Mutar, 14) Stroke(Mutar, 50, 50,
65, 1)
BotaoFechar = Instance.new("ImageButton") BotaoFechar.Size = UDim2.new(0, 28, 0, 28)
BotaoFechar.Position = UDim2.new(1, -38, 0, 10) BotaoFechar.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) BotaoFechar.Parent = frame Corner(BotaoFechar, 14)
X = Instance.new("ImageLabel") X.AnchorPoint = Vector2.new(0.5, 0.5) X.Size = UDim2.new(0,
14, 0, 14) X.Position = UDim2.new(0.5, 0, 0.5, 0) X.BackgroundTransparency = 1 X.Image =
"rbxassetid://119026663645791" X.Parent = BotaoFechar
Titulo = Instance.new("Frame") Titulo.Size = UDim2.new(1, -100, 0, 28) Titulo.Position =
UDim2.new(0, 50, 0, 10) Titulo.BackgroundColor3 = Color3.fromRGB(25, 25, 34) Titulo.Parent =
frame Corner(Titulo, 8)
TextoTitulo = Instance.new("TextLabel") TextoTitulo.Size = UDim2.new(1, 0, 1, 0)
TextoTitulo.BackgroundTransparency = 1 TextoTitulo.Text = "YOUTUBE MUSIC PLAYER •
V8.5" TextoTitulo.TextColor3 = Color3.fromRGB(240, 240, 245) TextoTitulo.Font =
Enum.Font.SourceSansBold TextoTitulo.TextSize = 14 TextoTitulo.Parent = Titulo
Linha = Instance.new("Frame") Linha.Size = UDim2.new(1, -20, 0, 2) Linha.Position =
```

```
UDim2.new(0, 10, 0, 46) Linha.BackgroundColor3 = Color3.fromRGB(229, 9, 20)
Linha.BorderSizePixel = 0 Linha.Parent = frame
-- Menú Lateral de Navegación Navegacao = Instance.new("Frame") Navegacao.Size =
UDim2.new(0, 160, 1, -58) Navegacao.Position = UDim2.new(0, 10, 0, 52)
Navegacao.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Navegacao.Parent = frame
Corner(Navegacao, 10)
ScrollNave = Instance.new("ScrollingFrame") ScrollNave.Size = UDim2.new(1, -8, 1, -10)
ScrollNave.Position = UDim2.new(0, 4, 0, 5) ScrollNave.BackgroundTransparency = 1
ScrollNave.ScrollBarThickness = 2 ScrollNave.ScrollBarImageColor3 = Color3.fromRGB(229, 9,
20) ScrollNave.CanvasSize = UDim2.new(0, 0, 0, 275) ScrollNave.Parent = Navegacao
local navButtons = { {id = 1, name = "Home", icon = "rbxassetid://107770126918811"}, {id = 2,
name = Traducao.Player, icon = "rbxassetid://79505391139157"}, {id = 3, name =
Traducao.Equalizador, icon = "rbxassetid://116645068635461"}, {id = 4, name = Traducao.Add,
icon = "rbxassetid://71048917954785"}, {id = 5, name = "Global Chat", icon =
"rbxassetid://140320771062475"}, {id = 6, name = "Premium", icon =
"rbxassetid://75536888881661"} }
for _, item in ipairs(navButtons) do local btn = Instance.new("ImageButton") btn.Name = "Botao"
.. item.id btn.Size = UDim2.new(1, 0, 0, 38) btn.Position = UDim2.new(0, 0, 0, (item.id - 1) * 44)
btn.BackgroundColor3 = item.id == 1 and Color3.fromRGB(229, 9, 20) or Color3.fromRGB(30,
30, 40) btn.AutoButtonColor = false btn.Parent = ScrollNave Corner(btn, 8) Stroke(btn, 50, 50,
65, 1)
local icon = Instance.new("ImageLabel") icon.Size = UDim2.new(0, 22, 0, 22) icon.Position =
UDim2.new(0, 10, 0.5, -11) icon.BackgroundTransparency = 1 icon.Image = item.icon
icon.Parent = btn
local lbl = Instance.new("TextLabel") lbl.Size = UDim2.new(1, -42, 1, 0) lbl.Position =
UDim2.new(0, 38, 0, 0) lbl.BackgroundTransparency = 1 lbl.Text = item.name lbl.TextColor3 =
item.id == 6 and Color3.fromRGB(255, 215, 0) or Color3.fromRGB(240, 240, 245) lbl.Font =
Enum.Font.SourceSansBold lbl.TextSize = 13 lbl.TextXAlignment = Enum.TextXAlignment.Left
lbl.Parent = btn
if item.id == 5 then ContadorJABO = Instance.new("Frame") ContadorJABO.Size =
UDim2.new(0, 16, 0, 16) ContadorJABO.Position = UDim2.new(1, -22, 0.5, -8)
ContadorJABO.BackgroundColor3 = Color3.fromRGB(255, 60, 60) ContadorJABO.Visible =
false ContadorJABO.Parent = btn Corner(ContadorJABO, 8)
ContadorJANUBO = Instance.new("TextLabel") ContadorJANUBO.Size = UDim2.new(1, 0, 1, 0)
ContadorJANUBO.BackgroundTransparency = 1 ContadorJANUBO.Text = "0"
ContadorJANUBO.TextColor3 = Color3.fromRGB(255, 255, 255) ContadorJANUBO.Font =
Enum.Font.SourceSansBold ContadorJANUBO.TextSize = 10 ContadorJANUBO.Parent =
ContadorJABO end end
Botao1 = ScrollNave:WaitForChild("Botao1") Botao2 = ScrollNave:WaitForChild("Botao2")
Botao3 = ScrollNave:WaitForChild("Botao3") Botao4 = ScrollNave:WaitForChild("Botao4")
Botao5 = ScrollNave:WaitForChild("Botao5") Botao6 = ScrollNave:WaitForChild("Botao6")
-- Sección Playlist (Panel Derecho) Playlist = Instance.new("Frame") Playlist.Size =
UDim2.new(0, 170, 1, -58) Playlist.Position = UDim2.new(1, -180, 0, 52)
Playlist.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Playlist.Parent = frame
Corner(Playlist, 10)
TituloPlayL = Instance.new("Frame") TituloPlayL.Size = UDim2.new(1, -10, 0, 28)
TituloPlayL.Position = UDim2.new(0, 5, 0, 5) TituloPlayL.BackgroundColor3 =
Color3.fromRGB(32, 32, 44) TituloPlayL.Parent = Playlist Corner(TituloPlayL, 6)
```

NomePlayL = Instance.new("TextLabel") NomePlayL.Size = UDim2.new(1, 0, 1, 0) NomePlayL.BackgroundTransparency = 1 NomePlayL.Text = "PLAYLIST" NomePlayL.TextColor3 = Color3.fromRGB(229, 9, 20) NomePlayL.Font = Enum.Font.SourceSansBold NomePlayL.TextSize = 13 NomePlayL.Parent = TituloPlayL
EsquerdaPL = Instance.new("ImageButton") EsquerdaPL.Size = UDim2.new(0, 26, 0, 26) EsquerdaPL.Position = UDim2.new(0, 5, 1, -31) EsquerdaPL.BackgroundColor3 = Color3.fromRGB(229, 9, 20) EsquerdaPL.Image = "rbxassetid://121046797518772" EsquerdaPL.Parent = Playlist Corner(EsquerdaPL, 6)
DireitaPL = Instance.new("ImageButton") DireitaPL.Size = UDim2.new(0, 26, 0, 26) DireitaPL.Position = UDim2.new(1, -31, 1, -31) DireitaPL.BackgroundColor3 = Color3.fromRGB(229, 9, 20) DireitaPL.Image = "rbxassetid://132437763424488" DireitaPL.Parent = Playlist Corner(DireitaPL, 6)
FrameAbaPL = Instance.new("Frame") FrameAbaPL.Size = UDim2.new(1, -68, 0, 26) FrameAbaPL.Position = UDim2.new(0, 34, 1, -31) FrameAbaPL.BackgroundColor3 = Color3.fromRGB(32, 32, 44) FrameAbaPL.Parent = Playlist Corner(FrameAbaPL, 6)
AbaPL = Instance.new("TextLabel") AbaPL.Size = UDim2.new(1, 0, 1, 0) AbaPL.BackgroundTransparency = 1 AbaPL.Text = Traducao.Todos AbaPL.TextColor3 = Color3.fromRGB(240, 240, 245) AbaPL.Font = Enum.Font.SourceSansBold AbaPL.TextSize = 12 AbaPL.Parent = FrameAbaPL
PesquisaPL = Instance.new("TextBox") PesquisaPL.Size = UDim2.new(1, -6, 1, 0) PesquisaPL.Position = UDim2.new(0, 3, 0, 0) PesquisaPL.BackgroundTransparency = 1 PesquisaPL.Text = "" PesquisaPL.PlaceholderText = Traducao.Search PesquisaPL.TextColor3 = Color3.fromRGB(255, 255, 255) PesquisaPL.Font = Enum.Font.SourceSans PesquisaPL.TextSize = 12 PesquisaPL.Visible = false PesquisaPL.Parent = FrameAbaPL
Vazio = Instance.new("ImageLabel") Vazio.Size = UDim2.new(0, 50, 0, 50) Vazio.Position = UDim2.new(0.5, -25, 0.35, -25) Vazio.BackgroundTransparency = 1 Vazio.Image = "rbxassetid://123712679435265" Vazio.Visible = false Vazio.Parent = Playlist
VazioLocal = Instance.new("ImageLabel") VazioLocal.Size = UDim2.new(0, 50, 0, 50) VazioLocal.Position = UDim2.new(0.5, -25, 0.35, -25) VazioLocal.BackgroundTransparency = 1 VazioLocal.Image = "rbxassetid://103453753684654" VazioLocal.Visible = false VazioLocal.Parent = Playlist
AguardandoPL = Instance.new("ImageLabel") AguardandoPL.Size = UDim2.new(0, 50, 0, 50) AguardandoPL.Position = UDim2.new(0.5, -25, 0.35, -25) AguardandoPL.BackgroundTransparency = 1 AguardandoPL.Image = "rbxassetid://128559285276409" AguardandoPL.Visible = false AguardandoPL.Parent = Playlist
SemResultadoPL = Instance.new("ImageLabel") SemResultadoPL.Size = UDim2.new(0, 50, 0, 50) SemResultadoPL.Position = UDim2.new(0.5, -25, 0.35, -25) SemResultadoPL.BackgroundTransparency = 1 SemResultadoPL.Image = "rbxassetid://109542040841239" SemResultadoPL.Visible = false SemResultadoPL.Parent = Playlist
ErroPL = Instance.new("TextLabel") ErroPL.Size = UDim2.new(1, -10, 0, 40) ErroPL.Position = UDim2.new(0, 5, 0.6, 0) ErroPL.BackgroundTransparency = 1 ErroPL.RichText = true ErroPL.Text = "" .. Traducao.Vazio .. "\n" .. Traducao.VazioTexto .. "" ErroPL.Font = Enum.Font.SourceSansBold ErroPL.TextSize = 12 ErroPL.Visible = false ErroPL.Parent = Playlist
BaseSF = Instance.new("Frame") BaseSF.Size = UDim2.new(1, -10, 1, -75) BaseSF.Position = UDim2.new(0, 5, 0, 38) BaseSF.BackgroundTransparency = 1 BaseSF.ClipsDescendants = true

```
BaseSF.Parent = Playlist
local function createScroll(name) local scr = Instance.new("ScrollingFrame") scr.Name = name scr.Size = UDim2.new(1, 0, 1, 0) scr.BackgroundTransparency = 1 scr.ScrollBarThickness = 2 scr.ScrollBarImageColor3 = Color3.fromRGB(229, 9, 20) scr.CanvasSize = UDim2.new(0, 0, 0, 0) scr.Visible = false scr.Parent = BaseSF return scr end
ScrollTodos = createScroll("ScrollTodos") ScrollTodos.Visible = true ScrollMusicas = createScroll("ScrollMusicas") ScrollVideos = createScroll("ScrollVideos") ScrollRoblox = createScroll("ScrollRoblox") ScrollFav = createScroll("ScrollFav") ScrollLocal = createScroll("ScrollLocal") ScrollPesquisa = createScroll("ScrollPesquisa")
-- Páginas Principales (Zona Central) local function createTela() local t = Instance.new("Frame") t.Size = UDim2.new(0, 260, 0, 268) t.Position = UDim2.new(0, 175, 0, 52) t.BackgroundTransparency = 1 t.Visible = false t.Parent = frame return t end
Tela1 = createTela() Tela1.Visible = true Tela2 = createTela() Tela3 = createTela() Tela4 = createTela() Tela5 = createTela() Tela6 = createTela()
-- TELA 1: HOME Welcome = Instance.new("Frame") Welcome.Size = UDim2.new(1, 0, 0, 40) Welcome.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Welcome.Parent = Tela1 Corner(Welcome, 8)
NomeWelcome = Instance.new("TextLabel") NomeWelcome.Size = UDim2.new(1, 0, 1, 0) NomeWelcome.BackgroundTransparency = 1 NomeWelcome.Text = Traducao.Welcome NomeWelcome.TextColor3 = Color3.fromRGB(229, 9, 20) NomeWelcome.Font = Enum.Font.SourceSansBold NomeWelcome.TextSize = 16 NomeWelcome.Parent = Welcome Dev = Instance.new("Frame") Dev.Size = UDim2.new(1, 0, 0, 65) Dev.Position = UDim2.new(0, 0, 0, 48) Dev.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Dev.Parent = Tela1 Corner(Dev, 8)
FotoDev = Instance.new("ImageLabel") FotoDev.Size = UDim2.new(0, 48, 0, 48) FotoDev.Position = UDim2.new(0, 8, 0.5, -24) FotoDev.BackgroundColor3 = Color3.fromRGB(15, 15, 20) FotoDev.Image = "rbxassetid://86887253295141" FotoDev.Parent = Dev Corner(FotoDev, 24)
TextoDev = Instance.new("TextLabel") TextoDev.Size = UDim2.new(1, -70, 1, 0) TextoDev.Position = UDim2.new(0, 64, 0, 0) TextoDev.BackgroundTransparency = 1 TextoDev.TextColor3 = Color3.fromRGB(240, 240, 245) TextoDev.Font = Enum.Font.SourceSansBold TextoDev.TextSize = 14 TextoDev.RichText = true TextoDev.Text = "<font color="rgb(180,180,195)">" .. Traducao.Dev .. "</font>\n<font color="rgb(229,9,20)">Termux_404</font>" TextoDev.TextXAlignment = Enum.TextXAlignment.Left TextoDev.Parent = Dev
Social = Instance.new("Frame") Social.Size = UDim2.new(1, 0, 0, 145) Social.Position = UDim2.new(0, 0, 0, 120) Social.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Social.Parent = Tela1 Corner(Social, 8)
SocialTexto = Instance.new("TextLabel") SocialTexto.Size = UDim2.new(1, 0, 0, 30) SocialTexto.BackgroundTransparency = 1 SocialTexto.Text = "OFFICIAL LINKS" SocialTexto.TextColor3 = Color3.fromRGB(180, 180, 195) SocialTexto.Font = Enum.Font.SourceSansBold SocialTexto.TextSize = 13 SocialTexto.Parent = Social
Discord = Instance.new("ImageButton") Discord.Size = UDim2.new(1, -20, 0, 42) Discord.Position = UDim2.new(0, 10, 0, 40) Discord.BackgroundColor3 = Color3.fromRGB(88, 101, 242) Discord.Parent = Social Corner(Discord, 8)
UIScaleDis = Instance.new("UIScale") UIScaleDis.Parent = Discord
IconeDiscord = Instance.new("ImageLabel") IconeDiscord.Size = UDim2.new(0, 26, 0, 26) IconeDiscord.Position = UDim2.new(0, 10, 0.5, -13) IconeDiscord.BackgroundTransparency = 1
```

```
IconeDiscord.Image = "rbxassetid://90602349315916" IconeDiscord.Parent = Discord
TextoDiscord = Instance.new("TextLabel") TextoDiscord.Size = UDim2.new(1, -45, 1, 0)
TextoDiscord.Position = UDim2.new(0, 42, 0, 0) TextoDiscord.BackgroundTransparency = 1
TextoDiscord.Text = "Join Discord Community" TextoDiscord.TextColor3 = Color3.fromRGB(255,
255, 255) TextoDiscord.Font = Enum.Font.SourceSansBold TextoDiscord.TextSize = 13
TextoDiscord.TextXAlignment = Enum.TextXAlignment.Left TextoDiscord.Parent = Discord
You = Instance.new("ImageButton") You.Size = UDim2.new(1, -20, 0, 42) You.Position =
UDim2.new(0, 10, 0, 90) You.BackgroundColor3 = Color3.fromRGB(229, 9, 20) You.Parent =
Social Corner(You, 8)
UIScaleYou = Instance.new("UIScale") UIScaleYou.Parent = You
IconeYou = Instance.new("ImageLabel") IconeYou.Size = UDim2.new(0, 26, 0, 26)
IconeYou.Position = UDim2.new(0, 10, 0.5, -13) IconeYou.BackgroundTransparency = 1
IconeYou.Image = "rbxassetid://111196037573101" IconeYou.Parent = You
TextoYou = Instance.new("TextLabel") TextoYou.Size = UDim2.new(1, -45, 1, 0)
TextoYou.Position = UDim2.new(0, 42, 0, 0) TextoYou.BackgroundTransparency = 1
TextoYou.Text = "YouTube Channel" TextoYou.TextColor3 = Color3.fromRGB(255, 255, 255)
TextoYou.Font = Enum.Font.SourceSansBold TextoYou.TextSize = 13 TextoYou.TextXAlignment
= Enum.TextXAlignment.Left TextoYou.Parent = You
-- TELA 2: PLAYER CONTROLS Musica = Instance.new("ImageLabel") Musica.Size =
UDim2.new(1, 0, 0, 130) Musica.Position = UDim2.new(0, 0, 0, 0) Musica.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) Musica.Image = "rbxassetid://120329190202259" Musica.Parent =
Tela2 Corner(Musica, 10)
Video = Instance.new("VideoFrame") Video.Size = UDim2.new(1, 0, 0, 130) Video.Position =
UDim2.new(0, 0, 0, 0) Video.BackgroundColor3 = Color3.fromRGB(0, 0, 0) Video.Visible = false
Video.Parent = nil Corner(Video, 10)
BotaoTela = Instance.new("ImageButton") BotaoTela.Size = UDim2.new(1, 0, 0, 130)
BotaoTela.BackgroundTransparency = 1 BotaoTela.ClipsDescendants = true BotaoTela.ZIndex
= 2 BotaoTela.Parent = Tela2
TempoAtual = Instance.new("Frame") TempoAtual.Size = UDim2.new(0, 50, 0, 18)
TempoAtual.Position = UDim2.new(0, 6, 0, 6) TempoAtual.BackgroundColor3 =
Color3.fromRGB(0, 0, 0) TempoAtual.BackgroundTransparency = 0.4 TempoAtual.ZIndex = 2
TempoAtual.Parent = BotaoTela Corner(TempoAtual, 4)
TimerAtual = Instance.new("TextLabel") TimerAtual.Size = UDim2.new(1, 0, 1, 0)
TimerAtual.BackgroundTransparency = 1 TimerAtual.Text = "00:00" TimerAtual.TextColor3 =
Color3.fromRGB(255, 255, 255) TimerAtual.Font = Enum.Font.SourceSansBold
TimerAtual.TextSize = 11 TimerAtual.ZIndex = 2 TimerAtual.Parent = TempoAtual
TempoTotal = Instance.new("Frame") TempoTotal.Size = UDim2.new(0, 50, 0, 18)
TempoTotal.Position = UDim2.new(1, -56, 0, 6) TempoTotal.BackgroundColor3 =
Color3.fromRGB(0, 0, 0) TempoTotal.BackgroundTransparency = 0.4 TempoTotal.ZIndex = 2
TempoTotal.Parent = BotaoTela Corner(TempoTotal, 4)
TimerTotal = Instance.new("TextLabel") TimerTotal.Size = UDim2.new(1, 0, 1, 0)
TimerTotal.BackgroundTransparency = 1 TimerTotal.Text = "00:00" TimerTotal.TextColor3 =
Color3.fromRGB(255, 255, 255) TimerTotal.Font = Enum.Font.SourceSansBold
TimerTotal.TextSize = 11 TimerTotal.ZIndex = 2 TimerTotal.Parent = TempoTotal
Repetir = Instance.new("ImageButton") Repetir.Size = UDim2.new(0, 26, 0, 26) Repetir.Position
= UDim2.new(0.5, -30, 0.5, -50) Repetir.BackgroundColor3 = Color3.fromRGB(0, 0, 0)
Repetir.BackgroundTransparency = 0.4 Repetir.Image = "rbxassetid://72571947341676"
Repetir.ZIndex = 2 Repetir.Parent = BotaoTela Corner(Repetir, 13)
```

```
Miniplayer = Instance.new("ImageButton") Miniplayer.Size = UDim2.new(0, 26, 0, 26)
Miniplayer.Position = UDim2.new(0.5, 4, 0.5, -50) Miniplayer.BackgroundColor3 =
Color3.fromRGB(0, 0, 0) Miniplayer.BackgroundTransparency = 0.4 Miniplayer.Image =
"rbxassetid://102723588572082" Miniplayer.ZIndex = 2 Miniplayer.Parent = BotaoTela
Corner(Miniplayer, 13)
BarraProgresso = Instance.new("ImageButton") BarraProgresso.Size = UDim2.new(1, -16, 0, 6)
BarraProgresso.Position = UDim2.new(0, 8, 0, 114) BarraProgresso.BackgroundColor3 =
Color3.fromRGB(60, 60, 75) BarraProgresso.AutoButtonColor = false BarraProgresso.ZIndex =
2 BarraProgresso.Parent = BotaoTela Corner(BarraProgresso, 3)
Rastro = Instance.new("Frame") Rastro.Size = UDim2.new(0, 0, 1, 0) Rastro.BackgroundColor3
= Color3.fromRGB(229, 9, 20) Rastro.BorderSizePixel = 0 Rastro.ZIndex = 2 Rastro.Parent =
BarraProgresso Corner(Rastro, 3)
BolaProgresso = Instance.new("ImageButton") BolaProgresso.Size = UDim2.new(0, 14, 0, 14)
BolaProgresso.Position = UDim2.new(0, 0, 0.5, -7) BolaProgresso.BackgroundColor3 =
Color3.fromRGB(255, 255, 255) BolaProgresso.ZIndex = 3 BolaProgresso.Parent =
BarraProgresso Corner(BolaProgresso, 7)
PlayerInfo = Instance.new("Frame") PlayerInfo.Size = UDim2.new(1, 0, 0, 60)
PlayerInfo.Position = UDim2.new(0, 0, 0, 138) PlayerInfo.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) PlayerInfo.Parent = Tela2 Corner(PlayerInfo, 8)
FotoAutor = Instance.new("ImageLabel") FotoAutor.Size = UDim2.new(0, 44, 0, 44)
FotoAutor.Position = UDim2.new(0, 8, 0.5, -22) FotoAutor.BackgroundColor3 =
Color3.fromRGB(15, 15, 20) FotoAutor.Image = "rbxassetid://130243480255582"
FotoAutor.Parent = PlayerInfo Corner(FotoAutor, 8)
TituloMusica = Instance.new("TextLabel") TituloMusica.Size = UDim2.new(1, -115, 1, -10)
TituloMusica.Position = UDim2.new(0, 60, 0, 5) TituloMusica.BackgroundTransparency = 1
TituloMusica.TextColor3 = Color3.fromRGB(240, 240, 245) TituloMusica.Font =
Enum.Font.SourceSansBold TituloMusica.TextSize = 13 TituloMusica.RichText = true
TituloMusica.Text = "<font color="rgb(240,240,245)">" .. Traducao.Hey .. "</font>\n<font
color="rgb(160,160,175)">" .. Traducao.Play .. "</font>" TituloMusica.TextXAlignment =
Enum.TextXAlignment.Left TituloMusica.Parent = PlayerInfo
Disco = Instance.new("ImageLabel") Disco.Size = UDim2.new(0, 44, 0, 44) Disco.Position =
UDim2.new(1, -52, 0.5, -22) Disco.BackgroundColor3 = Color3.fromRGB(15, 15, 20)
Disco.Image = "rbxassetid://76801681748723" Disco.Parent = PlayerInfo Corner(Disco, 22)
Controles = Instance.new("Frame") Controles.Size = UDim2.new(1, 0, 0, 55) Controles.Position
= UDim2.new(0, 0, 0, 206) Controles.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
Controles.Parent = Tela2 Corner(Controles, 8)
local function makeControlBtn(pos, img, parent) local b = Instance.new("ImageButton") b.Size =
UDim2.new(0, 34, 0, 34) b.Position = pos b.BackgroundColor3 = Color3.fromRGB(229, 9, 20)
b.Image = img b.Parent = parent Corner(b, 17) return b end
Voltar = makeControlBtn(UDim2.new(0, 12, 0.5, -17), "rbxassetid://88757150664292",
Controles) Retroceder = makeControlBtn(UDim2.new(0, 58, 0.5, -17),
"rbxassetid://122950454234379", Controles) Play = makeControlBtn(UDim2.new(0.5, -17, 0.5,
-17), "rbxassetid://110560238983134", Controles) Adiantar = makeControlBtn(UDim2.new(1,
-92, 0.5, -17), "rbxassetid://102857578902137", Controles) Pular =
makeControlBtn(UDim2.new(1, -46, 0.5, -17), "rbxassetid://82401540450034", Controles)
-- Ventana MiniPlayer Flotante Rediseñada local imageButton2 = Instance.new("ImageButton")
imageButton2.Size = UDim2.new(0.27, 0, 0.37, 0) imageButton2.AnchorPoint = Vector2.new(1,
1) imageButton2.Position = UDim2.new(1, -20, 1, -20) imageButton2.BackgroundColor3 =
```

```
Color3.fromRGB(15, 15, 20) imageButton2.Visible = false imageButton2.ZIndex = 3
imageButton2.Parent = nil Corner(imageButton2, 10) Stroke(imageButton2, 229, 9, 20, 2)
Draggable(imageButton2, true)
MiniMusica = Instance.new("ImageLabel") MiniMusica.Size = UDim2.new(1, 0, 1, 0)
MiniMusica.BackgroundTransparency = 1 MiniMusica.Image = "rbxassetid://120329190202259"
MiniMusica.ZIndex = 3 MiniMusica.Parent = imageButton2 Corner(MiniMusica, 10)
MiniVideo = Instance.new("VideoFrame") MiniVideo.Size = UDim2.new(1, 0, 1, 0)
MiniVideo.BackgroundTransparency = 1 MiniVideo.Visible = false MiniVideo.ZIndex = 3
MiniVideo.Parent = imageButton2 Corner(MiniVideo, 10)
local function makeMiniCtrlBtn(pos, img) local b = Instance.new("ImageButton") b.Size =
UDim2.new(0, 24, 0, 24) b.Position = pos b.BackgroundColor3 = Color3.fromRGB(0, 0, 0)
b.BackgroundTransparency = 0.4 b.Image = img b.Visible = false b.ZIndex = 4 b.Parent =
imageButton2 Corner(b, 12) return b end
MiniBack = makeMiniCtrlBtn(UDim2.new(0, 6, 1, -30), "rbxassetid://122582556337724")
MiniRetroceder = makeMiniCtrlBtn(UDim2.new(0.2, 0, 1, -30), "rbxassetid://95993997488260")
MiniPlay = makeMiniCtrlBtn(UDim2.new(0.4, 0, 1, -30), "rbxassetid://119936293795425")
MiniAvancar = makeMiniCtrlBtn(UDim2.new(0.6, 0, 1, -30), "rbxassetid://95582496868769")
MiniSkip = makeMiniCtrlBtn(UDim2.new(0.8, 0, 1, -30), "rbxassetid://101914600863480")
TelaCheia = makeMiniCtrlBtn(UDim2.new(0, 6, 0, 6), "rbxassetid://73952228795506")
FecharMini = makeMiniCtrlBtn(UDim2.new(1, -30, 0, 6), "rbxassetid://71780293592221")
-- TELA 3: EQUALIZADOR TituloEqua = Instance.new("Frame") TituloEqua.Size =
UDim2.new(1, 0, 0, 36) TituloEqua.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
TituloEqua.Parent = Tela3 Corner(TituloEqua, 8)
NomeEqua = Instance.new("TextLabel") NomeEqua.Size = UDim2.new(1, 0, 1, 0)
NomeEqua.BackgroundTransparency = 1 NomeEqua.Text = "AUDIO EQUALIZER & FX"
NomeEqua.TextColor3 = Color3.fromRGB(229, 9, 20) NomeEqua.Font =
Enum.Font.SourceSansBold NomeEqua.TextSize = 14 NomeEqua.Parent = TituloEqua
EquaFrame = Instance.new("Frame") EquaFrame.Size = UDim2.new(1, 0, 1, -44)
EquaFrame.Position = UDim2.new(0, 0, 0, 44) EquaFrame.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) EquaFrame.Parent = Tela3 Corner(EquaFrame, 8)
ScrollEqua = Instance.new("ScrollingFrame") ScrollEqua.Size = UDim2.new(1, -8, 1, -10)
ScrollEqua.Position = UDim2.new(0, 4, 0, 5) ScrollEqua.BackgroundTransparency = 1
ScrollEqua.ScrollBarThickness = 2 ScrollEqua.ScrollBarImageColor3 = Color3.fromRGB(229, 9,
20) ScrollEqua.CanvasSize = UDim2.new(0, 0, 0, 680) ScrollEqua.Parent = EquaFrame
local function createEqInput(name, placeholder, pos, iconId, parent) local f =
Instance.new("Frame") f.Size = UDim2.new(1, 0, 0, 34) f.Position = pos f.BackgroundColor3 =
Color3.fromRGB(30, 30, 40) f.Parent = parent Corner(f, 6) Stroke(f, 50, 50, 65, 1)
local ico = Instance.new("ImageLabel") ico.Size = UDim2.new(0, 20, 0, 20) ico.Position =
UDim2.new(0, 8, 0.5, -10) ico.BackgroundTransparency = 1 ico.Image = iconId ico.Parent = f
local box = Instance.new("TextBox") box.Size = UDim2.new(1, -38, 1, 0) box.Position =
UDim2.new(0, 34, 0, 0) box.BackgroundTransparency = 1 box.Text = "1" box.PlaceholderText =
placeholder box.TextColor3 = Color3.fromRGB(255, 255, 255) box.Font =
Enum.Font.SourceSansBold box.TextSize = 13 box.TextXAlignment =
Enum.TextXAlignment.Left box.Parent = f
return box end
VolumeBox = createEqInput("Volume", Traducao.Volume, UDim2.new(0, 0, 0, 5),
"rbxassetid://89282663179812", ScrollEqua) PitchBox = createEqInput("Pitch", "Playback
Speed (Pitch)", UDim2.new(0, 0, 0, 44), "rbxassetid://102339134358611", ScrollEqua)
```

```
FrequenciaTitulo = Instance.new("TextLabel") FrequenciaTitulo.Size = UDim2.new(1, 0, 0, 22)
FrequenciaTitulo.Position = UDim2.new(0, 0, 0, 84) FrequenciaTitulo.BackgroundTransparency
= 1 FrequenciaTitulo.Text = "FREQUENCIES" FrequenciaTitulo.TextColor3 =
Color3.fromRGB(180, 180, 195) FrequenciaTitulo.Font = Enum.Font.SourceSansBold
FrequenciaTitulo.TextSize = 11 FrequenciaTitulo.TextXAlignment = Enum.TextXAlignment.Left
FrequenciaTitulo.Parent = ScrollEqua
GravesBox = createEqInput("Graves", Traducao.Graves, UDim2.new(0, 0, 0, 108),
"rbxassetid://91932971942355", ScrollEqua) MediosBox = createEqInput("Medios",
Traducao.Medios, UDim2.new(0, 0, 0, 147), "rbxassetid://91932971942355", ScrollEqua)
AgudosBox = createEqInput("Agudos", Traducao.Agudos, UDim2.new(0, 0, 0, 186),
"rbxassetid://91932971942355", ScrollEqua)
EfeitosTitulo = Instance.new("TextLabel") EfeitosTitulo.Size = UDim2.new(1, 0, 0, 22)
EfeitosTitulo.Position = UDim2.new(0, 0, 0, 226) EfeitosTitulo.BackgroundTransparency = 1
EfeitosTitulo.Text = "PRESET SOUND EFFECTS" EfeitosTitulo.TextColor3 =
Color3.fromRGB(180, 180, 195) EfeitosTitulo.Font = Enum.Font.SourceSansBold
EfeitosTitulo.TextSize = 11 EfeitosTitulo.TextXAlignment = Enum.TextXAlignment.Left
EfeitosTitulo.Parent = ScrollEqua
local fxList = {"Nenhum", "Reverb", "Echo", "Distortion", "Chorus", "Flanger", "Tremolo",
"Compressor", "Radio", "Cinema", "Underwater", "Kid", "Robot", "Slowed"} for idx, fx in
ipairs(fxList) do local b = Instance.new("ImageButton") b.Name = fx b.Size = UDim2.new(1, 0, 0,
30) b.Position = UDim2.new(0, 0, 0, 250 + (idx - 1) * 35) b.BackgroundColor3 = fx == "Nenhum"
and Color3.fromRGB(229, 9, 20) or Color3.fromRGB(30, 30, 40) b.AutoButtonColor = false
b.Parent = ScrollEqua Corner(b, 6) Stroke(b, 50, 50, 65, 1)
local lbl = Instance.new("TextLabel") lbl.Size = UDim2.new(1, -20, 1, 0) lbl.Position =
UDim2.new(0, 10, 0, 0) lbl.BackgroundTransparency = 1 lbl.Text = fx lbl.TextColor3 =
Color3.fromRGB(240, 240, 245) lbl.Font = Enum.Font.SourceSansBold lbl.TextSize = 12
lbl.TextXAlignment = Enum.TextXAlignment.Left lbl.Parent = b end
Nenhum = ScrollEqua:WaitForChild("Nenhum") Reverb = ScrollEqua:WaitForChild("Reverb")
Echo = ScrollEqua:WaitForChild("Echo") Distortion = ScrollEqua:WaitForChild("Distortion")
Chorus = ScrollEqua:WaitForChild("Chorus") Flanger = ScrollEqua:WaitForChild("Flanger")
Tremolo = ScrollEqua:WaitForChild("Tremolo") Compressor =
ScrollEqua:WaitForChild("Compressor") Radio = ScrollEqua:WaitForChild("Radio") Cinema =
ScrollEqua:WaitForChild("Cinema") Underwater = ScrollEqua:WaitForChild("Underwater") Kid =
ScrollEqua:WaitForChild("Kid") Robot = ScrollEqua:WaitForChild("Robot") Slowed =
ScrollEqua:WaitForChild("Slowed")
ResetarEqua = Instance.new("ImageButton") ResetarEqua.Name = "Resetar"
ResetarEqua.Size = UDim2.new(1, 0, 0, 32) ResetarEqua.Position = UDim2.new(0, 0, 0, 640)
ResetarEqua.BackgroundColor3 = Color3.fromRGB(45, 45, 60) ResetarEqua.Parent =
ScrollEqua Corner(ResetarEqua, 6)
ResetarTexto = Instance.new("TextLabel") ResetarTexto.Size = UDim2.new(1, 0, 1, 0)
ResetarTexto.BackgroundTransparency = 1 ResetarTexto.Text = "RESET ALL EFFECTS"
ResetarTexto.TextColor3 = Color3.fromRGB(255, 60, 60) ResetarTexto.Font =
Enum.Font.SourceSansBold ResetarTexto.TextSize = 12 ResetarTexto.Parent = ResetarEqua
NoEquaFrame = Instance.new("Frame") NoEquaFrame.Size = UDim2.new(1, 0, 1, -44)
NoEquaFrame.Position = UDim2.new(0, 0, 0, 44) NoEquaFrame.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) NoEquaFrame.Visible = false NoEquaFrame.Parent = Tela3
Corner(NoEquaFrame, 8)
Blockedicon = Instance.new("ImageLabel") Blockedicon.Size = UDim2.new(0, 48, 0, 48)
```

```
Blockedicon.Position = UDim2.new(0.5, -24, 0.3, -24) Blockedicon.BackgroundTransparency =
1 Blockedicon.Image = "rbxassetid://140149151607570" Blockedicon.Parent = NoEquaFrame
ErroEqua = Instance.new("TextLabel") ErroEqua.Size = UDim2.new(1, -20, 0, 40)
ErroEqua.Position = UDim2.new(0, 10, 0.5, 0) ErroEqua.BackgroundTransparency = 1
ErroEqua.RichText = true ErroEqua.Text = "<font color="rgb(255,255,255)">" ..
Traducao.RecursoTi .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.RecursoTe ..
"</font>" ErroEqua.Font = Enum.Font.SourceSansBold ErroEqua.TextSize = 13
ErroEqua.Parent = NoEquaFrame
-- TELA 4: BÚSQUEDA Y DESCARGAS Pesquisa = Instance.new("Frame") Pesquisa.Size =
UDim2.new(1, 0, 0, 36) Pesquisa.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
Pesquisa.Parent = Tela4 Corner(Pesquisa, 8)
Lupa = Instance.new("ImageButton") Lupa.Size = UDim2.new(0, 36, 0, 36)
Lupa.BackgroundColor3 = Color3.fromRGB(229, 9, 20) Lupa.Image =
"rbxassetid://78857002895466" Lupa.Parent = Pesquisa Corner(Lupa, 8)
PesquisarBox = Instance.new("TextBox") PesquisarBox.Size = UDim2.new(1, -80, 1, 0)
PesquisarBox.Position = UDim2.new(0, 42, 0, 0) PesquisarBox.BackgroundTransparency = 1
PesquisarBox.Text = "" PesquisarBox.PlaceholderText = Traducao.Pesquisar
PesquisarBox.TextColor3 = Color3.fromRGB(255, 255, 255) PesquisarBox.Font =
Enum.Font.SourceSans PesquisarBox.TextSize = 13 PesquisarBox.TextXAlignment =
Enum.TextXAlignment.Left PesquisarBox.ClearTextOnFocus = false PesquisarBox.Parent =
Pesquisa
Filtro = Instance.new("ImageButton") Filtro.Size = UDim2.new(0, 30, 0, 30) Filtro.Position =
UDim2.new(1, -33, 0.5, -15) Filtro.BackgroundColor3 = Color3.fromRGB(35, 35, 48)
Filtro.Image = "rbxassetid://128216827107080" Filtro.Parent = Pesquisa Corner(Filtro, 6)
DownloadFrame = Instance.new("Frame") DownloadFrame.Size = UDim2.new(1, 0, 1, -80)
DownloadFrame.Position = UDim2.new(0, 0, 0, 44) DownloadFrame.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) DownloadFrame.Parent = Tela4 Corner(DownloadFrame, 8)
DownloadFrameTexto = Instance.new("TextLabel") DownloadFrameTexto.Size = UDim2.new(1,
-20, 0, 50) DownloadFrameTexto.Position = UDim2.new(0, 10, 0.5, -25)
DownloadFrameTexto.BackgroundTransparency = 1 DownloadFrameTexto.RichText = true
DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" .. Traducao.PesquiseTitle ..
"</font>\n<font color="rgb(160,160,175)">" .. Traducao.PesquiseText .. "</font>"
DownloadFrameTexto.Font = Enum.Font.SourceSansBold DownloadFrameTexto.TextSize = 13
DownloadFrameTexto.Parent = DownloadFrame
PaginaFrame = Instance.new("Frame") PaginaFrame.Size = UDim2.new(1, 0, 0, 30)
PaginaFrame.Position = UDim2.new(0, 0, 1, -30) PaginaFrame.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) PaginaFrame.Visible = false PaginaFrame.Parent = Tela4
Corner(PaginaFrame, 6)
ScrollPagina = Instance.new("ScrollingFrame") ScrollPagina.Size = UDim2.new(1, -10, 1, 0)
ScrollPagina.Position = UDim2.new(0, 5, 0, 0) ScrollPagina.BackgroundTransparency = 1
ScrollPagina.ScrollBarThickness = 0 ScrollPagina.CanvasSize = UDim2.new(0, 300, 0, 0)
ScrollPagina.Parent = PaginaFrame
PaginaEsperandoFrame = Instance.new("Frame") PaginaEsperandoFrame.Size =
UDim2.new(1, 0, 0, 30) PaginaEsperandoFrame.Position = UDim2.new(0, 0, 1, -30)
PaginaEsperandoFrame.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
PaginaEsperandoFrame.Parent = Tela4 Corner(PaginaEsperandoFrame, 6)
PaginaEsperandoText = Instance.new("TextLabel") PaginaEsperandoText.Size = UDim2.new(1,
0, 1, 0) PaginaEsperandoText.BackgroundTransparency = 1 PaginaEsperandoText.Text =
```

"Multi-Page Search Disabled" PaginaEsperandoText.TextColor3 = Color3.fromRGB(150, 150, 165) PaginaEsperandoText.Font = Enum.Font.SourceSansBold PaginaEsperandoText.TextSize = 12 PaginaEsperandoText.Parent = PaginaEsperandoFrame
Aguardando = Instance.new("ImageLabel") Aguardando.Size = UDim2.new(0, 60, 0, 60) Aguardando.Position = UDim2.new(0.5, -30, 0.35, -30) Aguardando.BackgroundTransparency = 1 Aguardando.Image = "rbxassetid://130321829564804" Aguardando.Parent = DownloadFrame
Loading = Instance.new("ImageLabel") Loading.Size = UDim2.new(0, 50, 0, 50) Loading.Position = UDim2.new(0.5, -25, 0.35, -25) Loading.BackgroundTransparency = 1 Loading.Image = "rbxassetid://124877910068047" Loading.Visible = false Loading.Parent = DownloadFrame
SemResultado = Instance.new("ImageLabel") SemResultado.Size = UDim2.new(0, 60, 0, 60) SemResultado.Position = UDim2.new(0.5, -30, 0.35, -30) SemResultado.BackgroundTransparency = 1 SemResultado.Image = "rbxassetid://94766101394526" SemResultado.Visible = false SemResultado.Parent = DownloadFrame
Resultados = Instance.new("Frame") Resultados.Size = UDim2.new(1, 0, 1, 0) Resultados.BackgroundTransparency = 1 Resultados.Parent = DownloadFrame
FiltroFrame = Instance.new("Frame") FiltroFrame.Size = UDim2.new(1, 0, 1, 0) FiltroFrame.BackgroundColor3 = Color3.fromRGB(24, 24, 32) FiltroFrame.Visible = false FiltroFrame.Parent = Resultados Corner(FiltroFrame, 8)
ScrollFiltro = Instance.new("ScrollingFrame") ScrollFiltro.Size = UDim2.new(1, -8, 1, -10) ScrollFiltro.Position = UDim2.new(0, 4, 0, 5) ScrollFiltro.BackgroundTransparency = 1 ScrollFiltro.ScrollBarThickness = 2 ScrollFiltro.ScrollBarImageColor3 = Color3.fromRGB(229, 9, 20) ScrollFiltro.CanvasSize = UDim2.new(0, 0, 0, 200) ScrollFiltro.Parent = FiltroFrame
local function createFilterBtn(pos, textVal, parent) local b = Instance.new("ImageButton") b.Size = UDim2.new(1, 0, 0, 32) b.Position = pos b.BackgroundColor3 = Color3.fromRGB(32, 32, 44) b.AutoButtonColor = false b.Parent = parent Corner(b, 6) Stroke(b, 50, 50, 65, 1)
local lbl = Instance.new("TextLabel") lbl.Size = UDim2.new(1, -20, 1, 0) lbl.Position = UDim2.new(0, 10, 0, 0) lbl.BackgroundTransparency = 1 lbl.Text = textVal lbl.TextColor3 = Color3.fromRGB(240, 240, 245) lbl.Font = Enum.Font.SourceSansBold lbl.TextSize = 12 lbl.TextXAlignment = Enum.TextXAlignment.Left lbl.Parent = b
return b, lbl end
Relevancia, RelevanciaTexto = createFilterBtn(UDim2.new(0, 0, 0, 5), Traducao.Order .. " " .. Traducao.Relevance, ScrollFiltro) DataUpload, DataUploadTexto = createFilterBtn(UDim2.new(0, 0, 0, 42), Traducao.UploaDate .. " " .. Traducao.Any, ScrollFiltro) Duracao, DuracaoTexto = createFilterBtn(UDim2.new(0, 0, 0, 79), Traducao.Duration .. " " .. Traducao.Any, ScrollFiltro)
AplicarFiltro = Instance.new("ImageButton") AplicarFiltro.Size = UDim2.new(0.48, 0, 0, 32) AplicarFiltro.Position = UDim2.new(0, 0, 0, 125) AplicarFiltro.BackgroundColor3 = Color3.fromRGB(229, 9, 20) AplicarFiltro.Parent = ScrollFiltro Corner(AplicarFiltro, 6)
NomeAplicarFiltro = Instance.new("TextLabel") NomeAplicarFiltro.Size = UDim2.new(1, 0, 1, 0) NomeAplicarFiltro.BackgroundTransparency = 1 NomeAplicarFiltro.Text = Traducao.AplicarF NomeAplicarFiltro.TextColor3 = Color3.fromRGB(255, 255, 255) NomeAplicarFiltro.Font = Enum.Font.SourceSansBold NomeAplicarFiltro.TextSize = 12 NomeAplicarFiltro.Parent = AplicarFiltro
RemoverFiltro = Instance.new("ImageButton") RemoverFiltro.Size = UDim2.new(0.48, 0, 0, 32) RemoverFiltro.Position = UDim2.new(0.52, 0, 0, 125) RemoverFiltro.BackgroundColor3 = Color3.fromRGB(45, 45, 60) RemoverFiltro.Parent = ScrollFiltro Corner(RemoverFiltro, 6)

```
NomeRemoverFiltro = Instance.new("TextLabel") NomeRemoverFiltro.Size = UDim2.new(1, 0,
1, 0) NomeRemoverFiltro.BackgroundTransparency = 1 NomeRemoverFiltro.Text =
Traducao.RemoverF NomeRemoverFiltro.TextColor3 = Color3.fromRGB(255, 60, 60)
NomeRemoverFiltro.Font = Enum.Font.SourceSansBold NomeRemoverFiltro.TextSize = 12
NomeRemoverFiltro.Parent = RemoverFiltro
Formato = Instance.new("Frame") Formato.Size = UDim2.new(1, 0, 1, 0)
Formato.BackgroundColor3 = Color3.fromRGB(24, 24, 32) Formato.Visible = false
Formato.Parent = Resultados Corner(Formato, 8)
Thumbfor = Instance.new("ImageLabel") Thumbfor.Size = UDim2.new(0, 90, 0, 55)
Thumbfor.Position = UDim2.new(0, 10, 0, 10) Thumbfor.BackgroundColor3 =
Color3.fromRGB(15, 15, 20) Thumbfor.Parent = Formato Corner(Thumbfor, 6)
Titulofor = Instance.new("Frame") Titulofor.Size = UDim2.new(1, -120, 0, 55) Titulofor.Position =
UDim2.new(0, 110, 0, 10) Titulofor.BackgroundColor3 = Color3.fromRGB(30, 30, 40)
Titulofor.Parent = Formato Corner(Titulofor, 6)
TextoTituloFor = Instance.new("TextLabel") TextoTituloFor.Size = UDim2.new(1, -10, 1, -10)
TextoTituloFor.Position = UDim2.new(0, 5, 0, 5) TextoTituloFor.BackgroundTransparency = 1
TextoTituloFor.RichText = true TextoTituloFor.TextColor3 = Color3.fromRGB(240, 240, 245)
TextoTituloFor.Font = Enum.Font.SourceSansBold TextoTituloFor.TextSize = 12
TextoTituloFor.TextXAlignment = Enum.TextXAlignment.Left TextoTituloFor.Parent = Titulofor
BotaoMp3 = Instance.new("ImageButton") BotaoMp3.Size = UDim2.new(0.31, 0, 0, 32)
BotaoMp3.Position = UDim2.new(0, 10, 0, 80) BotaoMp3.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) BotaoMp3.Parent = Formato Corner(BotaoMp3, 6)
NomeMp3 = Instance.new("TextLabel") NomeMp3.Size = UDim2.new(1, 0, 1, 0)
NomeMp3.BackgroundTransparency = 1 NomeMp3.Text = Traducao.Musica
NomeMp3.TextColor3 = Color3.fromRGB(255, 255, 255) NomeMp3.Font =
Enum.Font.SourceSansBold NomeMp3.TextSize = 12 NomeMp3.Parent = BotaoMp3
BotaoMp4 = Instance.new("ImageButton") BotaoMp4.Size = UDim2.new(0.31, 0, 0, 32)
BotaoMp4.Position = UDim2.new(0.345, 0, 0, 80) BotaoMp4.BackgroundColor3 =
Color3.fromRGB(35, 35, 48) BotaoMp4.Parent = Formato Corner(BotaoMp4, 6)
NomeMp4 = Instance.new("TextLabel") NomeMp4.Size = UDim2.new(1, 0, 1, 0)
NomeMp4.BackgroundTransparency = 1 NomeMp4.Text = "Video" NomeMp4.TextColor3 =
Color3.fromRGB(150, 220, 150) NomeMp4.Font = Enum.Font.SourceSansBold
NomeMp4.TextSize = 12 NomeMp4.Parent = BotaoMp4
BotaoCancelar = Instance.new("ImageButton") BotaoCancelar.Size = UDim2.new(0.31, 0, 0, 32)
BotaoCancelar.Position = UDim2.new(0.69, 0, 0, 80) BotaoCancelar.BackgroundColor3 =
Color3.fromRGB(45, 45, 60) BotaoCancelar.Parent = Formato Corner(BotaoCancelar, 6)
NomeCancel = Instance.new("TextLabel") NomeCancel.Size = UDim2.new(1, 0, 1, 0)
NomeCancel.BackgroundTransparency = 1 NomeCancel.Text = Traducao.Cancelar
NomeCancel.TextColor3 = Color3.fromRGB(255, 60, 60) NomeCancel.Font =
Enum.Font.SourceSansBold NomeCancel.TextSize = 12 NomeCancel.Parent = BotaoCancelar
Erro = Instance.new("ImageLabel") Erro.Size = UDim2.new(0, 50, 0, 50) Erro.Position =
UDim2.new(0.5, -25, 0.35, -25) Erro.BackgroundTransparency = 1 Erro.Image =
"rbxassetid://80694922314021" Erro.Visible = false Erro.Parent = Resultados
Baixando = Instance.new("ImageLabel") Baixando.Size = UDim2.new(0, 50, 0, 50)
Baixando.Position = UDim2.new(0.5, -25, 0.35, -25) Baixando.BackgroundTransparency = 1
Baixando.Image = "rbxassetid://76931060119037" Baixando.Visible = false Baixando.Parent =
Resultados
Concluido = Instance.new("ImageLabel") Concluido.Size = UDim2.new(0, 50, 0, 50)
```

Concluido.Position = UDim2.new(0.5, -25, 0.35, -25) Concluido.BackgroundTransparency = 1 Concluido.Image = "rbxassetid://135264044346021" Concluido.Visible = false Concluido.Parent = Resultados
Tutorial = Instance.new("ImageButton") Tutorial.Size = UDim2.new(0, 24, 0, 24) Tutorial.Position = UDim2.new(0, 8, 0, 8) Tutorial.BackgroundColor3 = Color3.fromRGB(35, 35, 48) Tutorial.Visible = false Tutorial.Parent = Resultados Corner(Tutorial, 12)
TutoTexto = Instance.new("TextLabel") TutoTexto.Size = UDim2.new(1, 0, 1, 0) TutoTexto.BackgroundTransparency = 1 TutoTexto.Text = "?" TutoTexto.TextColor3 = Color3.fromRGB(229, 9, 20) TutoTexto.Font = Enum.Font.SourceSansBold TutoTexto.TextSize = 14 TutoTexto.Parent = Tutorial
Novamente = Instance.new("ImageButton") Novamente.Size = UDim2.new(0, 24, 0, 24) Novamente.Position = UDim2.new(1, -32, 0, 8) Novamente.BackgroundColor3 = Color3.fromRGB(35, 35, 48) Novamente.Visible = false Novamente.Parent = Resultados Corner(Novamente, 12)
FotoNova = Instance.new("ImageLabel") FotoNova.Size = UDim2.new(0, 14, 0, 14) FotoNova.Position = UDim2.new(0.5, -7, 0.5, -7) FotoNova.BackgroundTransparency = 1 FotoNova.Image = "rbxassetid://95528695645064" FotoNova.Parent = Novamente
ScrollDownload = Instance.new("ScrollingFrame") ScrollDownload.Size = UDim2.new(1, -8, 1, -10) ScrollDownload.Position = UDim2.new(0, 4, 0, 5) ScrollDownload.BackgroundTransparency = 1 ScrollDownload.ScrollBarThickness = 2 ScrollDownload.ScrollBarImageColor3 = Color3.fromRGB(229, 9, 20) ScrollDownload.Visible = false ScrollDownload.Parent = Resultados
-- TELA 5: GLOBAL CHAT TituloGC = Instance.new("Frame") TituloGC.Size = UDim2.new(1, 0, 0, 36) TituloGC.BackgroundColor3 = Color3.fromRGB(24, 24, 32) TituloGC.Parent = Tela5 Corner(TituloGC, 8)
NomeGC = Instance.new("TextLabel") NomeGC.Size = UDim2.new(1, 0, 1, 0) NomeGC.BackgroundTransparency = 1 NomeGC.Text = "GLOBAL CHAT" NomeGC.TextColor3 = Color3.fromRGB(229, 9, 20) NomeGC.Font = Enum.Font.SourceSansBold NomeGC.TextSize = 14 NomeGC.Parent = TituloGC
GCFrame = Instance.new("Frame") GCFrame.Size = UDim2.new(1, 0, 1, -44) GCFrame.Position = UDim2.new(0, 0, 0, 44) GCFrame.BackgroundColor3 = Color3.fromRGB(24, 24, 32) GCFrame.Parent = Tela5 Corner(GCFrame, 8)
Regras = Instance.new("TextButton") Regras.Size = UDim2.new(0, 20, 0, 20) Regras.Position = UDim2.new(0, 6, 0, 5) Regras.Text = "i" Regras.BackgroundColor3 = Color3.fromRGB(35, 35, 48) Regras.TextColor3 = Color3.fromRGB(255, 255, 255) Regras.Font = Enum.Font.SourceSansBold Regras.TextSize = 12 Regras.Parent = GCFrame Corner(Regras, 10)
AvisoGC = Instance.new("TextLabel") AvisoGC.Size = UDim2.new(1, -64, 0, 20) AvisoGC.Position = UDim2.new(0, 32, 0, 5) AvisoGC.BackgroundTransparency = 1 AvisoGC.Text = Traducao.Respeito AvisoGC.TextColor3 = Color3.fromRGB(180, 180, 195) AvisoGC.Font = Enum.Font.SourceSansBold AvisoGC.TextSize = 11 AvisoGC.TextXAlignment = Enum.TextXAlignment.Left AvisoGC.Parent = GCFrame
NotificarGC = Instance.new("ImageButton") NotificarGC.Size = UDim2.new(0, 20, 0, 20) NotificarGC.Position = UDim2.new(1, -26, 0, 5) NotificarGC.BackgroundColor3 = Color3.fromRGB(35, 35, 48) NotificarGC.Parent = GCFrame Corner(NotificarGC, 10)
Sino = Instance.new("ImageLabel") Sino.Size = UDim2.new(0, 12, 0, 12) Sino.Position = UDim2.new(0.5, -6, 0.5, -6) Sino.Image = "rbxassetid://115374069603142" Sino.BackgroundTransparency = 1 Sino.Parent = NotificarGC

```
EsperandoIMG = Instance.new("ImageLabel") EsperandoIMG.Size = UDim2.new(0, 60, 0, 60)
EsperandoIMG.Position = UDim2.new(0.5, -30, 0.4, -30)
EsperandoIMG.BackgroundTransparency = 1 EsperandoIMG.Image =
"rbxassetid://18836713445" EsperandoIMG.Parent = GCFrame
BaseFinalGC = Instance.new("Frame") BaseFinalGC.Size = UDim2.new(0, 30, 0, 30)
BaseFinalGC.Position = UDim2.new(1, -38, 1, -72) BaseFinalGC.BackgroundTransparency = 1
BaseFinalGC.ZIndex = 2 BaseFinalGC.Parent = GCFrame
FinalGC = Instance.new("ImageButton") FinalGC.Size = UDim2.new(1, 0, 1, 0) FinalGC.Image
= "rbxassetid://128357204583758" FinalGC.BackgroundColor3 = Color3.fromRGB(229, 9, 20)
FinalGC.ZIndex = 2 FinalGC.Parent = BaseFinalGC Corner(FinalGC, 15)
ScrollGC = Instance.new("ScrollingFrame") ScrollGC.Size = UDim2.new(1, -12, 1, -75)
ScrollGC.Position = UDim2.new(0, 6, 0, 30) ScrollGC.BackgroundTransparency = 1
ScrollGC.ScrollBarThickness = 2 ScrollGC.ScrollBarImageColor3 = Color3.fromRGB(229, 9, 20)
ScrollGC.Visible = false ScrollGC.AutomaticCanvasSize = Enum.AutomaticSize.Y
ScrollGC.Parent = GCFrame
layoutgc = Instance.new("UIListLayout") layoutgc.Parent = ScrollGC layoutgc.SortOrder =
Enum.SortOrder.LayoutOrder layoutgc.Padding = UDim.new(0, 6)
MsgFrame = Instance.new("Frame") MsgFrame.Size = UDim2.new(1, -12, 0, 34)
MsgFrame.Position = UDim2.new(0, 6, 1, -40) MsgFrame.BackgroundColor3 =
Color3.fromRGB(30, 30, 40) MsgFrame.Parent = GCFrame Corner(MsgFrame, 8)
MsgErroGC = Instance.new("TextLabel") MsgErroGC.Size = UDim2.new(1, -10, 1, 0)
MsgErroGC.Position = UDim2.new(0, 5, 0, 0) MsgErroGC.BackgroundTransparency = 1
MsgErroGC.Text = Traducao.GcKey MsgErroGC.TextColor3 = Color3.fromRGB(180, 180, 195)
MsgErroGC.Font = Enum.Font.SourceSansBold MsgErroGC.TextSize = 12 MsgErroGC.Parent
= MsgFrame
Traduzir = Instance.new("ImageButton") Traduzir.Size = UDim2.new(0, 24, 0, 24)
Traduzir.Position = UDim2.new(0, 5, 0.5, -12) Traduzir.BackgroundColor3 =
Color3.fromRGB(40, 40, 55) Traduzir.Visible = false Traduzir.Parent = MsgFrame
Corner(Traduzir, 6)
FotoTradu = Instance.new("ImageLabel") FotoTradu.Size = UDim2.new(0, 14, 0, 14)
FotoTradu.Position = UDim2.new(0.5, -7, 0.5, -7) FotoTradu.BackgroundTransparency = 1
FotoTradu.Image = "rbxassetid://84867288877251" FotoTradu.Parent = Traduzir
LinhaTraducao = Instance.new("Frame") LinhaTraducao.Size = UDim2.new(0, 1, 0, 20)
LinhaTraducao.Position = UDim2.new(0, 34, 0.5, -10) LinhaTraducao.BackgroundColor3 =
Color3.fromRGB(50, 50, 65) LinhaTraducao.Visible = false LinhaTraducao.Parent = MsgFrame
GCBox = Instance.new("TextBox") GCBox.Size = UDim2.new(1, -75, 1, 0) GCBox.Position =
UDim2.new(0, 40, 0, 0) GCBox.BackgroundTransparency = 1 GCBox.Text = ""
GCBox.PlaceholderText = Traducao.EnvieGc GCBox.TextColor3 = Color3.fromRGB(255, 255,
255) GCBox.Font = Enum.Font.SourceSans GCBox.TextSize = 13 GCBox.TextXAlignment =
Enum.TextXAlignment.Left GCBox.ClearTextOnFocus = false GCBox.Visible = false
GCBox.Parent = MsgFrame
SendGC = Instance.new("ImageButton") SendGC.Size = UDim2.new(0, 26, 0, 26)
SendGC.Position = UDim2.new(1, -30, 0.5, -13) SendGC.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) SendGC.Visible = false SendGC.Parent = MsgFrame
Corner(SendGC, 6)
Aviao = Instance.new("ImageLabel") Aviao.Size = UDim2.new(0, 14, 0, 14) Aviao.Position =
UDim2.new(0.5, -7, 0.5, -7) Aviao.BackgroundTransparency = 1 Aviao.Image =
"rbxassetid://111380412941011" Aviao.Parent = SendGC
```

```
-- TELA 6: PREMIUM & KEYS TituloPremium = Instance.new("Frame") TituloPremium.Size =
UDim2.new(1, 0, 0, 36) TituloPremium.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
TituloPremium.Parent = Tela6 Corner(TituloPremium, 8)
NomePremium = Instance.new("TextLabel") NomePremium.Size = UDim2.new(1, 0, 1, 0)
NomePremium.BackgroundTransparency = 1 NomePremium.Text = "PREMIUM PASS"
NomePremium.TextColor3 = Color3.fromRGB(255, 215, 0) NomePremium.Font =
Enum.Font.SourceSansBold NomePremium.TextSize = 14 NomePremium.Parent =
TituloPremium
Privilegios = Instance.new("Frame") Privilegios.Size = UDim2.new(1, 0, 0, 125)
Privilegios.Position = UDim2.new(0, 0, 0, 44) Privilegios.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) Privilegios.Parent = Tela6 Corner(Privilegios, 8)
ScrollPremium = Instance.new("ScrollingFrame") ScrollPremium.Size = UDim2.new(1, -8, 1,
-10) ScrollPremium.Position = UDim2.new(0, 4, 0, 5) ScrollPremium.BackgroundTransparency
= 1 ScrollPremium.ScrollBarThickness = 2 ScrollPremium.ScrollBarImageColor3 =
Color3.fromRGB(255, 215, 0) ScrollPremium.CanvasSize = UDim2.new(0, 0, 0, 210)
ScrollPremium.Parent = Privilegios
local privItems = { {text = Traducao.Priv1, col = Color3.fromRGB(46, 139, 87)}, {text =
Traducao.Priv2, col = Color3.fromRGB(70, 130, 180)}, {text = "MiniPlayer Controls", col =
Color3.fromRGB(130, 80, 180)}, {text = "Roblox Audio Assets", col = Color3.fromRGB(180, 60,
60)}, {text = "Global Real-time Chat", col = Color3.fromRGB(40, 140, 140)}, {text = "Stylized
Gold UI Theme", col = Color3.fromRGB(180, 140, 40)} }
for idx, pItem in ipairs(privItems) do local b = Instance.new("ImageButton") b.Name = "Priv" ..
idx b.Size = UDim2.new(1, 0, 0, 30) b.Position = UDim2.new(0, 0, 0, (idx - 1) * 34)
b.BackgroundColor3 = Color3.fromRGB(32, 32, 44) b.AutoButtonColor = false b.Parent =
ScrollPremium Corner(b, 6) Stroke(b, 50, 50, 65, 1)
local lbl = Instance.new("TextLabel") lbl.Size = UDim2.new(1, -20, 1, 0) lbl.Position =
UDim2.new(0, 10, 0, 0) lbl.BackgroundTransparency = 1 lbl.Text = "• " .. pItem.text
lbl.TextColor3 = pItem.col lbl.Font = Enum.Font.SourceSansBold lbl.TextSize = 12
lbl.TextXAlignment = Enum.TextXAlignment.Left lbl.Parent = b end
Priv1 = ScrollPremium:WaitForChild("Priv1") Priv2 = ScrollPremium:WaitForChild("Priv2") Priv3
= ScrollPremium:WaitForChild("Priv3") Priv4 = ScrollPremium:WaitForChild("Priv4") Priv5 =
ScrollPremium:WaitForChild("Priv5") Priv6 = ScrollPremium:WaitForChild("Priv6")
frame2 = Instance.new("Frame") frame2.Size = UDim2.new(1, 0, 0, 85) frame2.Position =
UDim2.new(0, 0, 0, 175) frame2.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
frame2.Visible = false frame2.Parent = Tela6 Corner(frame2, 8)
PremiumOkTexto = Instance.new("TextLabel") PremiumOkTexto.Size = UDim2.new(1, -20, 1,
-20) PremiumOkTexto.Position = UDim2.new(0, 10, 0, 10)
PremiumOkTexto.BackgroundTransparency = 1 PremiumOkTexto.RichText = true
PremiumOkTexto.Text = "<font color="rgb(255,215,0)">" .. Traducao.VocePremium ..
"</font>\n<font color="rgb(180,180,195)">" .. Traducao.VocePremiumTexto .. "</font>"
PremiumOkTexto.Font = Enum.Font.SourceSansBold PremiumOkTexto.TextSize = 13
PremiumOkTexto.Parent = frame2
KeyFrame = Instance.new("Frame") KeyFrame.Size = UDim2.new(1, 0, 0, 42)
KeyFrame.Position = UDim2.new(0, 0, 0, 175) KeyFrame.BackgroundColor3 =
Color3.fromRGB(24, 24, 32) KeyFrame.Parent = Tela6 Corner(KeyFrame, 8)
SendKey = Instance.new("ImageButton") SendKey.Size = UDim2.new(0, 42, 0, 42)
SendKey.BackgroundColor3 = Color3.fromRGB(255, 215, 0) SendKey.Parent = KeyFrame
Corner(SendKey, 8)
```

IconeKey = Instance.new("ImageLabel") IconeKey.Size = UDim2.new(0, 22, 0, 22)
IconeKey.Position = UDim2.new(0.5, -11, 0.5, -11) IconeKey.BackgroundTransparency = 1
IconeKey.Image = "rbxassetid://108124574887969" IconeKey.Parent = SendKey
KeyBox = Instance.new("TextBox") KeyBox.Size = UDim2.new(1, -52, 1, 0) KeyBox.Position =
UDim2.new(0, 48, 0, 0) KeyBox.BackgroundTransparency = 1 KeyBox.Text = ""
KeyBox.PlaceholderText = Traducao.Key KeyBox.TextColor3 = Color3.fromRGB(255, 255, 255)
KeyBox.Font = Enum.Font.SourceSans KeyBox.TextSize = 13 KeyBox.TextXAlignment =
Enum.TextXAlignment.Left KeyBox.ClearTextOnFocus = false KeyBox.Parent = KeyFrame
GetKey = Instance.new("ImageButton") GetKey.Size = UDim2.new(1, 0, 0, 36) GetKey.Position
= UDim2.new(0, 0, 0, 225) GetKey.BackgroundColor3 = Color3.fromRGB(35, 35, 48)
GetKey.Parent = Tela6 Corner(GetKey, 8)
SetaES = Instance.new("ImageButton") SetaES.Size = UDim2.new(0, 36, 0, 36)
SetaES.BackgroundTransparency = 1 SetaES.Parent = GetKey
Esquerda = Instance.new("TextLabel") Esquerda.Size = UDim2.new(1, 0, 1, 0)
Esquerda.BackgroundTransparency = 1 Esquerda.Text = "<" Esquerda.TextColor3 =
Color3.fromRGB(240, 240, 245) Esquerda.Font = Enum.Font.SourceSansBold
Esquerda.TextSize = 16 Esquerda.Parent = SetaES
SetaDI = Instance.new("ImageButton") SetaDI.Size = UDim2.new(0, 36, 0, 36) SetaDI.Position
= UDim2.new(1, -36, 0, 0) SetaDI.BackgroundTransparency = 1 SetaDI.Parent = GetKey
Direita = Instance.new("TextLabel") Direita.Size = UDim2.new(1, 0, 1, 0)
Direita.BackgroundTransparency = 1 Direita.Text = ">" Direita.TextColor3 =
Color3.fromRGB(240, 240, 245) Direita.Font = Enum.Font.SourceSansBold Direita.TextSize =
16 Direita.Parent = SetaDI
GetKeyTexto = Instance.new("TextLabel") GetKeyTexto.Size = UDim2.new(1, -72, 1, 0)
GetKeyTexto.Position = UDim2.new(0, 36, 0, 0) GetKeyTexto.BackgroundTransparency = 1
GetKeyTexto.Text = Traducao.Link GetKeyTexto.TextColor3 = Color3.fromRGB(255, 215, 0)
GetKeyTexto.Font = Enum.Font.SourceSansBold GetKeyTexto.TextSize = 13
GetKeyTexto.Parent = GetKey
-- VENTANAS MODALES (Report / Warn) ReportFrame = Instance.new("Frame")
ReportFrame.AnchorPoint = Vector2.new(0.5, 0.5) ReportFrame.Position = UDim2.new(0.5, 0,
0.5, 0) ReportFrame.Size = UDim2.new(0, 320, 0, 240) ReportFrame.BackgroundColor3 =
Color3.fromRGB(18, 18, 24) ReportFrame.Visible = false ReportFrame.Parent = screenGui
Corner(ReportFrame, 12) Stroke(ReportFrame, 229, 9, 20, 2)
TituloReportFrame = Instance.new("Frame") TituloReportFrame.Size = UDim2.new(1, -20, 0,
28) TituloReportFrame.Position = UDim2.new(0, 10, 0, 10)
TituloReportFrame.BackgroundColor3 = Color3.fromRGB(25, 25, 34) TituloReportFrame.Parent
= ReportFrame Corner(TituloReportFrame, 6)
TextoTituloReportFrame = Instance.new("TextLabel") TextoTituloReportFrame.Size =
UDim2.new(1, 0, 1, 0) TextoTituloReportFrame.BackgroundTransparency = 1
TextoTituloReportFrame.Text = "REPORT USER" TextoTituloReportFrame.TextColor3 =
Color3.fromRGB(255, 255, 255) TextoTituloReportFrame.Font = Enum.Font.SourceSansBold
TextoTituloReportFrame.TextSize = 13 TextoTituloReportFrame.Parent = TituloReportFrame
TextoReportFrameFrame = Instance.new("Frame") TextoReportFrameFrame.Size =
UDim2.new(1, -20, 0, 130) TextoReportFrameFrame.Position = UDim2.new(0, 10, 0, 46)
TextoReportFrameFrame.BackgroundColor3 = Color3.fromRGB(24, 24, 32)
TextoReportFrameFrame.Parent = ReportFrame Corner(TextoReportFrameFrame, 8)
TextoReportFrame = Instance.new("TextLabel") TextoReportFrame.Size = UDim2.new(1, -12, 0,
80) TextoReportFrame.Position = UDim2.new(0, 6, 0, 6)

TextoReportFrame.BackgroundTransparency = 1 TextoReportFrame.Text = ""
TextoReportFrame.TextColor3 = Color3.fromRGB(180, 180, 195) TextoReportFrame.Font =
Enum.Font.SourceSans TextoReportFrame.TextSize = 12 TextoReportFrame.TextWrapped =
true TextoReportFrame.TextXAlignment = Enum.TextXAlignment.Left
TextoReportFrame.TextYAlignment = Enum.TextYAlignment.Top TextoReportFrame.Parent =
TextoReportFrameFrame
Motivo = Instance.new("Frame") Motivo.Size = UDim2.new(1, -12, 0, 30) Motivo.Position =
UDim2.new(0, 6, 0, 92) Motivo.BackgroundColor3 = Color3.fromRGB(32, 32, 44) Motivo.Parent
= TextoReportFrameFrame Corner(Motivo, 6)
MotivoBox = Instance.new("TextBox") MotivoBox.Size = UDim2.new(1, -10, 1, 0)
MotivoBox.Position = UDim2.new(0, 5, 0, 0) MotivoBox.BackgroundTransparency = 1
MotivoBox.Text = "" MotivoBox.PlaceholderText = Traducao.MotivoReport MotivoBox.TextColor3
= Color3.fromRGB(255, 255, 255) MotivoBox.Font = Enum.Font.SourceSans
MotivoBox.TextSize = 12 MotivoBox.TextXAlignment = Enum.TextXAlignment.Left
MotivoBox.ClearTextOnFocus = false MotivoBox.Parent = Motivo
Denunciar = Instance.new("ImageButton") Denunciar.Size = UDim2.new(0.46, 0, 0, 32)
Denunciar.Position = UDim2.new(0.52, 0, 1, -40) Denunciar.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) Denunciar.Parent = ReportFrame Corner(Denunciar, 6)
DenunciarTexto = Instance.new("TextLabel") DenunciarTexto.Size = UDim2.new(1, 0, 1, 0)
DenunciarTexto.BackgroundTransparency = 1 DenunciarTexto.Text = "Submit Report"
DenunciarTexto.TextColor3 = Color3.fromRGB(255, 255, 255) DenunciarTexto.Font =
Enum.Font.SourceSansBold DenunciarTexto.TextSize = 12 DenunciarTexto.Parent = Denunciar
CancelarReport = Instance.new("ImageButton") CancelarReport.Size = UDim2.new(0.46, 0, 0,
32) CancelarReport.Position = UDim2.new(0, 10, 1, -40) CancelarReport.BackgroundColor3 =
Color3.fromRGB(45, 45, 60) CancelarReport.Parent = ReportFrame Corner(CancelarReport, 6)
CancelarReportTexto = Instance.new("TextLabel") CancelarReportTexto.Size = UDim2.new(1, 0,
1, 0) CancelarReportTexto.BackgroundTransparency = 1 CancelarReportTexto.Text =
Traducao.Cancelar CancelarReportTexto.TextColor3 = Color3.fromRGB(255, 255, 255)
CancelarReportTexto.Font = Enum.Font.SourceSansBold CancelarReportTexto.TextSize = 12
CancelarReportTexto.Parent = CancelarReport
FotoReport = Instance.new("ImageLabel") FotoReport.Size = UDim2.new(0, 30, 0, 30)
FotoReport.Position = UDim2.new(1, -40, 0, 10) FotoReport.BackgroundTransparency = 1
FotoReport.Parent = ReportFrame Corner(FotoReport, 15)
BlurEffect = Instance.new("BlurEffect") BlurEffect.Size = 0 BlurEffect.Parent = v3
Warn = Instance.new("Frame") Warn.AnchorPoint = Vector2.new(0.5, 0.5) Warn.Position =
UDim2.new(0.5, 0, 0.5, 0) Warn.Size = UDim2.new(0, 320, 0, 220) Warn.BackgroundColor3 =
Color3.fromRGB(18, 18, 24) Warn.Visible = false Warn.Parent = screenGui Corner(Warn, 12)
Stroke(Warn, 229, 9, 20, 2)
TituloWarn = Instance.new("Frame") TituloWarn.Size = UDim2.new(1, -20, 0, 28)
TituloWarn.Position = UDim2.new(0, 10, 0, 10) TituloWarn.BackgroundColor3 =
Color3.fromRGB(25, 25, 34) TituloWarn.Parent = Warn Corner(TituloWarn, 6)
TextoTituloWarn = Instance.new("TextLabel") TextoTituloWarn.Size = UDim2.new(1, 0, 1, 0)
TextoTituloWarn.BackgroundTransparency = 1 TextoTituloWarn.Text = Traducao.Aviso
TextoTituloWarn.TextColor3 = Color3.fromRGB(255, 60, 60) TextoTituloWarn.Font =
Enum.Font.SourceSansBold TextoTituloWarn.TextSize = 13 TextoTituloWarn.Parent =
TituloWarn
TextoWarnFrame = Instance.new("Frame") TextoWarnFrame.Size = UDim2.new(1, -20, 0, 120)
TextoWarnFrame.Position = UDim2.new(0, 10, 0, 46) TextoWarnFrame.BackgroundColor3 =

```
Color3.fromRGB(24, 24, 32) TextoWarnFrame.Parent = Warn Corner(TextoWarnFrame, 8)
TextoWarn = Instance.new("TextLabel") TextoWarn.Size = UDim2.new(1, -12, 1, -12)
TextoWarn.Position = UDim2.new(0, 6, 0, 6) TextoWarn.BackgroundTransparency = 1
TextoWarn.Text = "" TextoWarn.TextColor3 = Color3.fromRGB(240, 240, 245) TextoWarn.Font =
Enum.Font.SourceSans TextoWarn.TextSize = 13 TextoWarn.TextWrapped = true
TextoWarn.Parent = TextoWarnFrame
CloseWarn = Instance.new("ImageButton") CloseWarn.Size = UDim2.new(0.6, 0, 0, 32)
CloseWarn.Position = UDim2.new(0.2, 0, 1, -40) CloseWarn.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) CloseWarn.Parent = Warn Corner(CloseWarn, 6)
CloseWarnTexto = Instance.new("TextLabel") CloseWarnTexto.Size = UDim2.new(1, 0, 1, 0)
CloseWarnTexto.BackgroundTransparency = 1 CloseWarnTexto.Text = Traducao.FecharAviso
CloseWarnTexto.TextColor3 = Color3.fromRGB(255, 255, 255) CloseWarnTexto.Font =
Enum.Font.SourceSansBold CloseWarnTexto.TextSize = 12 CloseWarnTexto.Parent =
CloseWarn
YmpHwid = function() return v14 end
YmpClipboard = function(arg) if setclipboard_ then pcall(function() setclipboard_(arg) end) end
end
YmpRequest = function(...) return requestAsync(...) end
scrolls = { ScrollTodos, ScrollMusicas, ScrollVideos, ScrollRoblox, ScrollFav, ScrollLocal,
ScrollPesquisa }
ApiInfo = function(arg) local n4 = 0 while n4 < 8 do n4 += 1 local ok3, result3, result4, result5,
result6 = pcall(function() local response = game:HttpGet(str3 .. "/info?url=" .. "https://youtu.be/" ..
arg) local data2 = HttpService:JSONDecode(response) return data2.Name, data2.Author,
data2.Thumbnail, data2.AuthorUrl end) if ok3 and result3 then return result3, result4, result5,
result6 end task.wait(1.5) end return nil end
ApiRoblox = function(arg) local n4 = 0 while n4 < 8 do n4 += 1 local ok3, result3, result4,
result5, result6 = pcall(function() local response = game:HttpGet(str3 .. "/roblox?assetId=" ..
tostring(arg)) local data2 = HttpService:JSONDecode(response) return data2.Name,
data2.Creator.Id, data2.Creator.Name, data2.Public end) if ok3 and result3 then return result3,
result4, result5, result6 end task.wait(1.5) end return nil end
processQueue = function() if flag7 then return end flag7 = true while #tbl7 > 0 do
table.remove(tbl7, 1)() end flag7 = false end
FavoritarFile = function(arg) task.spawn(function() table.insert(tbl7, function() local ok3, result3 =
pcall(function() return HttpService:JSONDecode(readfile("YouTube Music
Player/Internal/Data.json")) end) local tbl12 = (ok3 and result3) or { { Key = "", Favorites = tbl6 or
{} } } tbl12[1] = tbl12[1] or { Key = "", Favorites = {} } tbl12[1].Favorites = tbl12[1].Favorites or {}
local favorites = tbl12[1].Favorites
for _, favorite in ipairs(favorites) do if favorite == arg then tbl6 = favorites; return end end
table.insert(favorites, arg) tbl6 = favorites pcall(function() writefile("YouTube Music
Player/Internal/Data.json", HttpService:JSONEncode(tbl12)) end) end) processQueue() end)
end
DesfavoritarFile = function(arg) task.spawn(function() table.insert(tbl7, function() local ok3,
result3 = pcall(function() return HttpService:JSONDecode(readfile("YouTube Music
Player/Internal/Data.json")) end) local tbl12 = (ok3 and result3) or { { Key = "", Favorites = tbl6 or
{} } } tbl12[1] = tbl12[1] or { Key = "", Favorites = {} } tbl12[1].Favorites = tbl12[1].Favorites or {}
local favorites = tbl12[1].Favorites
for i, favorite in ipairs(favorites) do if favorite == arg then table.remove(favorites, i); break end
end
```

```
tbl6 = favorites pcall(function() writefile("YouTube Music Player/Internal/Data.json", HttpService:JSONEncode(tbl12)) end) end) processQueue() end) end
pcall(function() local data2 = HttpService:JSONDecode(readfile("YouTube Music Player/Internal/Data.json")) if data2[1] and data2[1].Favorites then tbl6 = data2[1].Favorites end end)
local sound2 = Instance.new("Sound") sound2.Parent = v7 sound2.Looped = false sound2.Volume = 1 sound2.PlaybackSpeed = 1
Equalizer = Instance.new("EqualizerSoundEffect") Equalizer.LowGain = 1 Equalizer.MidGain = 1 Equalizer.HighGain = 1 Equalizer.Parent = sound2
VolumesOriginais = {} MuteCon = nil Mutado = false
GlobalMute = function(arg) pcall(function() if arg then if Mutado then return end Mutado = true local function fn4(arg2) pcall(function() if not arg2:IsA("Sound") or arg2 == sound2 or arg2 == sound then return end if VolumesOriginais[arg2] == nil then VolumesOriginais[arg2] = arg2.Volume end arg2.Volume = 0 end) end for _, descendant in ipairs(game:GetDescendants()) do fn4(descendant) end MuteCon = game.DescendantAdded:Connect(function(descendant) if Mutado then fn4(descendant) end end) else if not Mutado then return end Mutado = false if MuteCon then MuteCon:Disconnect(); MuteCon = nil end for k, v17 in pairs(VolumesOriginais) do pcall(function() if k and k.Parent and k ~= sound2 then k.Volume = v17 end end) end table.clear(VolumesOriginais) end end) end
Mutar.MouseButton1Click:Connect(function() if Mutar.Image == "rbxassetid://109518972658686" then Mutar.Image = "rbxassetid://139303337799549" fn3(Traducao.Mutado, Traducao.SobreMute, 5) GlobalMute(true) else Mutar.Image = "rbxassetid://109518972658686" fn3(Traducao.Desmutado, Traducao.SobreUnmute, 5) GlobalMute(false) end end)
BibliotecaMusicas, BilbliotecaVideos, BibliotecaRoblox, BibliotecaLocal = {}, {}, {}, {} Girando, Congelado = false, false GiroBackup, GiroSpeed = 1, 1
Girar = function(arg) if arg then Girando = true; Congelado = false else Girando = false; Disco.Rotation = 0; Congelado = false end end
SetFreeze = function(arg) Congelado = arg end
task.spawn(function() while true do if Girando and not Congelado and GiroSpeed > 0 then Disco.Rotation = (Disco.Rotation + GiroSpeed) % 360 end task.wait(0.02) end end)
formatar = function(arg) local n4 = math.floor(arg / 60) local n5 = math.floor(arg % 60) return string.format("%02d:%02d", n4, n5) end
Reset = function() Rastro.Size = UDim2.new(0, 0, 1, 0) BolaProgresso.AnchorPoint = Vector2.new(0, 0.5) BolaProgresso.Position = UDim2.new(0, 0, 0.5, 0) TimerAtual.Text = "00:00" end
setProgress = function(arg) local n4 = math.clamp(arg, 0, 1) Rastro.Size = UDim2.new(n4, 0, 1, 0) BolaProgresso.AnchorPoint = Vector2.new(n4, 0.5) BolaProgresso.Position = UDim2.new(n4, 0, 0.5, 0) end
getProgress = function(arg) local x = BarraProgresso.AbsolutePosition.X local x2 = BarraProgresso.AbsoluteSize.X if x2 <= 0 then return 0 end return math.clamp((arg - x) / x2, 0, 1) end
seek = function(arg) if v12 and v12.TimeLength > 0 then TimerAtual.Text = formatar(arg * v12.TimeLength) end end
BarraProgresso.InputBegan:Connect(function(input) if input.UserInputType == Enum.UserInputType.MouseButton1 or input.UserInputType == Enum.UserInputType.Touch then if v12 and v12.TimeLength > 0 and flag9 then flag8 = true local v18 = getProgress(input.Position.X) setProgress(v18) seek(v18) end end end)
```

```
BolaProgresso.InputBegan:Connect(function(input) if input.UserInputType ==
Enum.UserInputType.MouseButton1 or input.UserInputType == Enum.UserInputType.Touch
then if v12 and v12.TimeLength > 0 and flag9 then flag8 = true end end end)
v9.InputEnded:Connect(function(input) if input.UserInputType ==
Enum.UserInputType.MouseButton1 or input.UserInputType == Enum.UserInputType.Touch
then if flag8 then if v12 and v12.TimeLength > 0 and flag9 then v12.TimePosition =
math.clamp(getProgress(input.Position.X), 0, 0.999) * v12.TimeLength end flag8 = false end
end end)
v9.InputChanged:Connect(function(input) if flag8 and (input.UserInputType ==
Enum.UserInputType.MouseMovement or input.UserInputType == Enum.UserInputType.Touch)
then if v12 and v12.TimeLength > 0 and flag9 then local n4 =
math.clamp(getProgress(input.Position.X), 0, 0.999) setProgress(n4) seek(n4) end end end)
task.spawn(function() while true do task.wait(0.1) if v12 and v12.TimeLength > 0 and not flag8
then local timePosition = v12.TimePosition setProgress(timePosition / v12.TimeLength)
TimerAtual.Text = formatar(timePosition) end end end)
Equalizador = function(arg) if arg == true then EquaFrame.Size = UDim2.new(1, 0, 1, -44)
NoEquaFrame.Visible = false ScrollEqua.ScrollingEnabled = true else EquaFrame.Size =
UDim2.new(1, 0, 0, 40) NoEquaFrame.Visible = true ScrollEqua.CanvasPosition =
Vector2.new(0, 0) ScrollEqua.ScrollingEnabled = false end end
BotaoSelecionadoAtual = nil Selecionar = function(arg, arg2) local tbl12 = { ScrollTodos,
ScrollMusicas, ScrollVideos, ScrollRoblox, ScrollFav, ScrollLocal, ScrollPesquisa } local v17 =
nil
for _, v18 in ipairs(tbl12) do for _, child in ipairs(v18:GetChildren()) do if child:IsA("ImageButton")
then local v19 = string.split(child.Name, ":") if v19[1] == arg2 and v19[2] == arg then v17 = child
break end end end if v17 then break end end
if not v17 then return end
local function fn4(arg3) arg3.BackgroundColor3 = Color3.fromRGB(30, 30, 40) Stroke(arg3, 50,
50, 65, 1) end
for _, v18 in ipairs(tbl12) do for _, child in ipairs(v18:GetChildren()) do if child:IsA("ImageButton")
then fn4(child) end end end
if BotaoSelecionadoAtual == v17 then BotaoSelecionadoAtual = nil return end
v17.BackgroundColor3 = Color3.fromRGB(229, 9, 20) Stroke(v17, 255, 255, 255, 1.5)
BotaoSelecionadoAtual = v17 end
CurrentMediaId, thumbAtual, BloquearMidia = nil, nil, false
resetSound = function(arg) if arg then pcall(function() arg:Stop(); arg.SoundId = "";
arg.TimePosition = 0 end) end end
resetVideo = function(arg) if arg then pcall(function() arg:Pause(); arg.Video = "";
arg.TimePosition = 0 end) end end
local function fn4(arg, arg2) if not arg2 or not arg then return end if BloquearMidia then
fn3(Traducao.Aguarde, Traducao.DownloadFazendo, 5) return end
resetSound(sound2) resetVideo(Video) resetVideo(MiniVideo) BloquearMidia = true
local n4 = math.random() CurrentRequestId = n4 task.wait(0.05) CurrentMediaId = arg2
thumbAtual = nil
local currentPlaying = arg .. ":" .. arg2 Selecionar(arg, arg2) local visible = imageButton2.Visible
if _G.CurrentPlaying == currentPlaying then _G.CurrentPlaying = nil Reset() Play.Image =
"rbxassetid://110560238983134" MiniPlay.Image = "rbxassetid://119936293795425" flag9 =
false Girar(false) Equalizador(true) GiroSpeed = GiroBackup BloquearMidia = false
Musica.Image = visible and "rbxassetid://109021809317392" or
```

"rbxassetid://120329190202259" MiniMusica.Image = "rbxassetid://120329190202259" Musica.Visible = true MiniMusica.Visible = true Video.Visible = false MiniVideo.Visible = false TimerTotal.Text = "00:00" FotoAutor.Image = "rbxassetid://130243480255582" TituloMusica.Text = "" .. Traducao.Hey .. "\n" .. Traducao.Play .. "" return end
_G.CurrentPlaying = currentPlaying Play.Image = "rbxassetid://80704722265943" MiniPlay.Image = "rbxassetid://110232191351528" flag9 = true
local function fn5(arg3) v12 = arg3 and (visible and MiniVideo or Video) or sound2 Musica.Visible = true MiniMusica.Visible = true Video.Visible = arg3 and not visible MiniVideo.Visible = arg3 and visible end
local function fn6(arg3, arg4) return "" .. arg3 .. "\n" .. Traducao.De .. " " .. arg4 .. "" end
local function fn7(arg3) local n5 = math.floor(arg3 or 0) return string.format("%02d:%02d", math.floor(n5 / 60), n5 % 60) end
local function fn8(arg3) local ok3, result3 = pcall(function() return getcustomasset(arg3) end) return (ok3 and typeof(result3) == "string") and result3 or nil end
local function fn9(arg3, arg4) local str6 = "YouTube Music Player/Internal/Cache/" .. arg4 .. ".png" if isfile(str6) then return fn8(str6) end local ok3 = pcall(function() local response = game:HttpGet(arg3) if response and typeof(response) == "string" and #response >= 50 then writefile(str6, response) end end) task.wait(0.08) return (ok3 and isfile(str6)) and fn8(str6) or nil end
local function fn10() if arg == "Musica" then for _, v17 in ipairs(BibliotecaMusicas) do if v17.id == arg2 then return v17 end end elseif arg == "Video" then for _, v17 in ipairs(BilbliotecaVideos) do if v17.id == arg2 then return v17 end end elseif arg == "Roblox" then for _, v17 in ipairs(BibliotecaRoblox) do if v17.id == arg2 then return v17 end end elseif arg == "Local" then for _, v17 in ipairs(BibliotecaLocal) do if v17.name == arg2 then return v17 end end end end
local v17 = fn10() if not v17 then return end
TimerTotal.Text = "00:00" Girar(true)
if arg == "Musica" or arg == "Video" then fn5(arg == "Video") local v18 = visible and MiniMusica or Musica v18.Image = "rbxassetid://108154884074176" FotoAutor.Image = "rbxassetid://108154884074176" TituloMusica.Text = fn6(v17.name, v17.author) task.spawn(function() task.wait(0.05) if CurrentRequestId ~= n4 then return end local authorUrl = v17.authorUrl and fn9(v17.authorUrl, "author_" .. arg2) if CurrentRequestId ~= n4 then return end FotoAutor.Image = authorUrl or "rbxassetid://106804518898726"
if arg == "Musica" and v17.thumb then local v19 = fn9(v17.thumb, "thumb_" .. arg2) if CurrentRequestId ~= n4 then return end if v19 then v18.Image = v19 thumbAtual = v19 else v18.Image = "rbxassetid://110787075859454" end end BloquearMidia = false end)
if arg == "Musica" then pcall(function() sound2.SoundId = getcustomasset("YouTube Music Player/Musics/" .. arg2 .. ".mp3") sound2:Play() Equalizador(true) GiroSpeed = GiroBackup task.spawn(function() local n5 = 0 while sound2.TimeLength == 0 and n5 < 5 do n5 += task.wait(0.1) end if CurrentRequestId == n4 then TimerTotal.Text = fn7(sound2.TimeLength) end end) end) else pcall(function() local v19 = getcustomasset("YouTube Music Player/Videos/" .. arg2 .. ".webm") local v20 = visible and MiniVideo or Video v20.Video = v19 v20:Play() Equalizador(false) GiroSpeed = 1 task.spawn(function() local n5 = 0 while v20.TimeLength == 0 and n5 < 5 do n5 += task.wait(0.1) end if CurrentRequestId == n4 then TimerTotal.Text = fn7(v20.TimeLength) end end) end) end elseif arg == "Roblox" then fn5(false) local v18 = visible and MiniMusica or Musica v18.Image = "rbxassetid://100415102639682" TituloMusica.Text = "" .. v17.name .. "\n" ..

Traducao.De .. " " .. v17.creatorName .. "" FotoAutor.Image = "https://www.roblox.com/headshot-thumbnail/image?userId=" .. v17.creatorId .. "&width=420&height=420&format=png"
pcall(function() sound2.SoundId = "rbxassetid://" .. arg2 sound2:Play() Equalizador(true) GiroSpeed = GiroBackup task.spawn(function() local n5 = 0 while sound2.TimeLength == 0 and n5 < 5 do n5 += task.wait(0.1) end if CurrentRequestId == n4 then TimerTotal.Text = fn7(sound2.TimeLength) end end) end) BloquearMidia = false elseif arg == "Local" then fn5(false) local v18 = visible and MiniMusica or Musica v18.Image = "rbxassetid://84131152943912" TituloMusica.Text = "" .. arg2 .. "\n" .. Traducao.In .. " " .. Traducao.LocalTitle .. "" FotoAutor.Image = "rbxassetid://99316239950686"
pcall(function() sound2.SoundId = getcustomasset("YouTube Music Player/Local Audios/" .. arg2 .. ".mp3") sound2:Play() Equalizador(true) GiroSpeed = GiroBackup task.spawn(function() local n5 = 0 while sound2.TimeLength == 0 and n5 < 5 do n5 += task.wait(0.1) end if CurrentRequestId == n4 then TimerTotal.Text = fn7(sound2.TimeLength) end end) end) BloquearMidia = false end end
SetMiniPlayer = function(visible) imageButton2.Visible = visible local function fn5(arg) if arg then pcall(function() arg:Pause(); arg:Stop(); arg.Video = nil end) end end local function fn6(arg) local v17; pcall(function() v17 = getcustomasset(arg) end); return v17 end
if visible then if Musica then Musica.Visible = true Musica.Image = "rbxassetid://109021809317392" end if MiniMusica then MiniMusica.Visible = true if thumbAtual then MiniMusica.Image = thumbAtual end end if Video and Video.Visible then local timePosition = Video.TimePosition local v17 = fn6("YouTube Music Player/Videos/" .. CurrentMediaId .. ".webm") fn5(Video) if MiniVideo and v17 then fn5(MiniVideo) MiniVideo.Visible = true MiniVideo.Video = v17 MiniVideo.TimePosition = timePosition MiniVideo:Play() v12 = MiniVideo end Video.Visible = false end else if MiniVideo and MiniVideo.Visible then local timePosition = MiniVideo.TimePosition local v17 = fn6("YouTube Music Player/Videos/" .. CurrentMediaId .. ".webm") fn5(MiniVideo) if Video and v17 then fn5(Video) Video.Visible = true Video.Video = v17 Video.TimePosition = timePosition Video:Play() v12 = Video end end if Musica then Musica.Visible = true if thumbAtual then Musica.Image = thumbAtual end end end end
SortMedia = function(arg, arg2) local attribute = arg:GetAttribute("Build") local attribute2 = arg2:GetAttribute("Build") if attribute and not attribute2 then return true end if attribute2 and not attribute then return false end local tag = arg:FindFirstChild("tag") local tag2 = arg2:FindFirstChild("tag") local t1 = tag and tag.Text:match("^%s*(.-)%s*"):lower() or "" local t2 = tag2 and tag2.Text:match("^%s*(.-)%s*"):lower() or "" return t1 < t2 end
GetScrollAtual = function() for _, v17 in ipairs(scrolls) do if v17.Visible then return v17 end end end
GetLista = function(arg) local tbl12 = {} for _, child in ipairs(arg:GetChildren()) do if child:IsA("ImageButton") and not child:GetAttribute("Privado") then local match, v17 = child.Name:match("(.+):(.+)") if match and v17 and not ((v17 == "Video" or v17 == "Roblox") and not flag19) then table.insert(tbl12, child) end end end table.sort(tbl12, SortMedia) return tbl12 end
GetSelecionado = function(arg) for _, v17 in ipairs(arg) do if v17.BackgroundColor3 == Color3.fromRGB(229, 9, 20) then return v17 end end end
PlayBtn = function(arg) local match, v17 = arg.Name:match("(.+):(.+)") if match and v17 then fn4(v17, match) end end
Pause = function() if not v12 or not flag9 then return end if v12:IsA("Sound") then if v12.Playing then v12:Pause() Play.Image = "rbxassetid://110560238983134" MiniPlay.Image =

"rbxassetid://119936293795425" SetFreeze(true) else v12:Resume() Play.Image = "rbxassetid://80704722265943" MiniPlay.Image = "rbxassetid://110232191351528" SetFreeze(false) end elseif v12:IsA("VideoFrame") then if v12.Playing then v12:Pause() Play.Image = "rbxassetid://110560238983134" MiniPlay.Image = "rbxassetid://119936293795425" SetFreeze(true) else v12:Play() Play.Image = "rbxassetid://80704722265943" MiniPlay.Image = "rbxassetid://110232191351528" SetFreeze(false) end end end
Avancar10s = function() if not v12 or not flag9 or v12.TimeLength <= 0 then return end v12.TimePosition = math.min(v12.TimePosition + 10, v12.TimeLength) end
Retroceder10s = function() if not v12 or not flag9 or v12.TimeLength <= 0 then return end v12.TimePosition = math.max(v12.TimePosition - 10, 0) end
Skip = function() local v17 = GetScrollAtual() if not v17 then fn3(Traducao.Erro, Traducao.NenhumaMidia, 5); return end local v18 = GetLista(v17) if #v18 == 0 then fn3(Traducao.Erro, Traducao.NenhumaMidia, 5); return end
local v19 = GetSelecionado(v18) if not v19 then PlayBtn(v18[1]); return end local v20 = table.find(v18, v19) or 1 local n4 = (v20 % #v18) + 1 PlayBtn(v18[n4]) end
Back = function() local v17 = GetScrollAtual() if not v17 then fn3(Traducao.Erro, Traducao.NenhumaMidia, 5); return end local v18 = GetLista(v17) if #v18 == 0 then fn3(Traducao.Erro, Traducao.NenhumaMidia, 5); return end
local v19 = GetSelecionado(v18) if not v19 then PlayBtn(v18[1]); return end local v20 = table.find(v18, v19) or 1 local n4 = v20 - 1 if n4 < 1 then n4 = #v18 end PlayBtn(v18[n4]) end
EscolherRandom = function(arg) local tbl12 = {} local v17 = GetSelecionado(arg) for _, v18 in ipairs(arg) do if v18 ~= v17 and not tbl5[v18] then table.insert(tbl12, v18) end end if #tbl12 == 0 then tbl5 = {} for _, v18 in ipairs(arg) do if v18 ~= v17 then table.insert(tbl12, v18) end end end if #tbl12 == 0 then return v17 end local v18 = tbl12[math.random(1, #tbl12)] tbl5[v18] = true return v18 end
HandleEnded = function(arg) if str4 == "nill" then return end task.wait() arg.Looped = false local v17 = GetScrollAtual() if v17 ~= v11 then tbl5 = {}; v11 = v17 end if not v17 then fn3(Traducao.PlayMode, Traducao.PlayModeRepetir, 5); v12.TimePosition = 0; v12:Play(); return end local v18 = GetLista(v17) if #v18 == 0 then fn3(Traducao.PlayMode, Traducao.PlayModeRepetir, 5); v12.TimePosition = 0; v12:Play(); return end
local v19 = GetSelecionado(v18) if v19 then tbl5[v19] = true end if str4 == "Random" then local v20 = EscolherRandom(v18) if v20 then PlayBtn(v20) end return end Skip() end
sound2.Ended:Connect(function() HandleEnded(sound2) end) Video.Ended:Connect(function() if Video and Video.Visible then HandleEnded(Video) end end)
MiniVideo.Ended:Connect(function() if MiniVideo and MiniVideo.Visible then HandleEnded(MiniVideo) end end)
Deletar = function(arg, arg2) if BloquearMidia then fn3(Traducao.Aguarde, Traducao.DownloadFazendo, 5); return end if _G.CurrentPlaying then local match, v17 = _G.CurrentPlaying:match("^(.-)%:(.+)$") if v17 == arg then fn4(match, v17) end end
local filesToDelete = { "YouTube Music Player/Internal/Cache/author_" .. arg .. ".png", "YouTube Music Player/Internal/Cache/thumb_" .. arg .. ".png", "YouTube Music Player/Musics/" .. arg .. ".mp3", "YouTube Music Player/Videos/" .. arg .. ".webm", "YouTube Music Player/Roblox IDS/" .. arg .. ".rbx", "YouTube Music Player/Local Audios/" .. arg .. ".mp3" } for _, v17 in ipairs(filesToDelete) do if isfile(v17) then delfile(v17) end end
for i = #BibliotecaMusicas, 1, -1 do if BibliotecaMusicas[i].id == arg then table.remove(BibliotecaMusicas, i) end end for i = #BilbliotecaVideos, 1, -1 do if BilbliotecaVideos[i].id == arg then table.remove(BilbliotecaVideos, i) end end for i =

```
#BibliotecaRoblox, 1, -1 do if BibliotecaRoblox[i].id == arg then table.remove(BibliotecaRoblox, i) end end for i = #BibliotecaLocal, 1, -1 do if BibliotecaLocal[i].name == arg then table.remove(BibliotecaLocal, i) end end
DesfavoritarFile(arg) fn3(Traducao.Excluido, arg2, 8)
local function fn5(arg3) for _, child in ipairs(arg3:GetChildren()) do if child:IsA("ImageButton") and child.Name:sub(1, #arg + 1) == arg .. ":" then child:Destroy() end end end
task.wait(0.1) for _, scr in ipairs(scrolls) do fn5(scr) end end
-- Creación de Elemento de Lista en Playlist (Rediseño Visual) local function fn5(text2, arg, arg2, arg3) local tbl12 = {} local imageButton3 = Instance.new("ImageButton") imageButton3.Name = arg2 .. ":" .. arg imageButton3.Size = UDim2.new(1, -6, 0, 36) imageButton3.Position = UDim2.new(0, 3, 0, 5) imageButton3.BackgroundColor3 = Color3.fromRGB(30, 30, 40) imageButton3.AutoButtonColor = false Corner(imageButton3, 6) Stroke(imageButton3, 50, 50, 65, 1)
local imageLabel = Instance.new("ImageLabel") imageLabel.Size = UDim2.new(0, 24, 0, 24) imageLabel.Position = UDim2.new(0, 6, 0.5, -12) imageLabel.BackgroundTransparency = 1 local targetScroll = ScrollTodos if arg == "Musica" then imageLabel.Image = "rbxassetid://136933987460149" if str2 == "Musicas" then targetScroll = ScrollMusicas end elseif arg == "Video" then imageLabel.Image = "rbxassetid://105308603886068" if str2 == "Videos" then targetScroll = ScrollVideos end elseif arg == "Roblox" then imageLabel.Image = "rbxassetid://118724747640040" if str2 == "Roblox" then targetScroll = ScrollRoblox end elseif arg == "Local" then imageLabel.Image = "rbxassetid://93635917640466" if str2 == "Local" then targetScroll = ScrollLocal end end
imageButton3.Parent = targetScroll imageLabel.Parent = imageButton3
local textLabel = Instance.new("TextLabel") textLabel.Size = UDim2.new(1, -85, 1, 0) textLabel.Position = UDim2.new(0, 34, 0, 0) textLabel.BackgroundTransparency = 1 textLabel.TextTruncate = Enum.TextTruncate.AtEnd textLabel.Name = "tag" textLabel.Text = text2 textLabel.TextColor3 = Color3.fromRGB(240, 240, 245) textLabel.Font = Enum.Font.SourceSansBold textLabel.TextSize = 12 textLabel.TextXAlignment = Enum.TextXAlignment.Left textLabel.Parent = imageButton3
local imageButton4 = Instance.new("ImageButton") imageButton4.Size = UDim2.new(0, 20, 0, 20) imageButton4.Position = UDim2.new(1, -46, 0.5, -10) imageButton4.BackgroundTransparency = 1 imageButton4.Parent = imageButton3
local isFav = table.find(tbl6 or {}, arg2) ~= nil imageButton4.Image = isFav and "rbxassetid://122765197997575" or "rbxassetid://102097543764342"
local imageButton5 = Instance.new("ImageButton") imageButton5.Size = UDim2.new(0, 20, 0, 20) imageButton5.Position = UDim2.new(1, -22, 0.5, -10) imageButton5.BackgroundTransparency = 1 imageButton5.Image = "rbxassetid://125370105968945" imageButton5.Parent = imageButton3
if arg2 == "LvvrO6JifEA" then imageButton5.ImageTransparency = 0.7 imageButton5.Active = false imageButton3:SetAttribute("Build", true) end
tbl12[#tbl12 + 1] = imageButton3.MouseButton1Click:Connect(function() if arg == "Roblox" and arg3 == false then fn3(Traducao.Erro, Traducao.Privado, 10); return end if (arg == "Video" or arg == "Roblox") and not flag19 then fn3(Traducao.OpcaoBloqueadaTitle, Traducao.OpcaoBloqueadaText, 10) else fn4(arg, arg2) end end)
tbl12[#tbl12 + 1] = imageButton4.MouseButton1Click:Connect(function() if imageButton4.Image == "rbxassetid://122765197997575" then imageButton4.Image = "rbxassetid://102097543764342" fn3(Traducao.Desfavoritado, text2, 8) DesfavoritarFile(arg2) else imageButton4.Image = "rbxassetid://122765197997575" fn3(Traducao.Favoritado, text2, 8)
```

```
FavoritarFile(arg2) end end)
tbl12[#tbl12 + 1] = imageButton5.MouseButton1Click:Connect(function() if imageButton5.Active then Deletar(arg2, textLabel.Text) end end)
imageButton3.Destroying:Connect(function() for _, v21 in ipairs(tbl12) do pcall(function() v21:Disconnect() end) end tbl12 = {} end) end
Parent = function(arg) local tbl12 = {} local targetScroll = ({ Musica = ScrollMusicas, Video = ScrollVideos, Roblox = ScrollRoblox, Local = ScrollLocal, Todos = ScrollTodos, Favoritos = ScrollFav })[arg] if not targetScroll then return end
for i = 1, #scrolls do for _, v18 in ipairs(scrolls[i]:GetChildren()) do if v18:IsA("GuiObject") then table.insert(tbl12, v18) end end end
if arg == "Todos" then for _, item in ipairs(tbl12) do item.Parent = targetScroll end elseif arg == "Favoritos" then for _, item in ipairs(tbl12) do local match = item.Name:match("^(.-):") if table.find(tbl6 or {}, match) then item.Parent = targetScroll end end else for _, item in ipairs(tbl12) do local match, v19 = item.Name:match("^(.-):(.+)$") if v19 == arg then item.Parent = targetScroll end end end targetScroll.CanvasPosition = Vector2.zero end
AtualizarScroll = function(arg) local hasItems = #arg:GetChildren() > 0 arg.Visible = hasItems Vazio.Visible = not hasItems and arg ~= ScrollLocal VazioLocal.Visible = not hasItems and arg == ScrollLocal ErroPL.Visible = not hasItems if not hasItems then ErroPL.Text = arg == ScrollLocal and "<font color="rgb(255,255,255)">" .. Traducao.LocalTitle .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.LocalText .. "</font>" or "<font color="rgb(255,255,255)">" .. Traducao.Vazio .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.VazioTexto .. "</font>" end end
Abas = { Todos = {parent = "Todos", text = function() return Traducao.Todos end, scroll = ScrollTodos}, Musicas = {parent = "Musica", text = function() return Traducao.Musicas end, scroll = ScrollMusicas}, Videos = {parent = "Video", text = function() return "Videos" end, scroll = ScrollVideos}, Roblox = {parent = "Roblox", text = function() return "Roblox IDS" end, scroll = ScrollRoblox}, Favoritos = {parent = "Favoritos", text = function() return Traducao.Favoritos end, scroll = ScrollFav}, Local = {parent = "Local", text = function() return Traducao.LocalTitle end, scroll = ScrollLocal}, } Ordem = {"Todos", "Musicas", "Videos", "Roblox", "Favoritos", "Local", "Pesquisar"}
OcultarScrolls = function() for _, scr in ipairs(scrolls) do scr.Visible = false end end
ToTab = function(arg) str2 = arg OcultarScrolls()
if arg == "Pesquisar" then AbaPL.Visible = false PesquisaPL.Visible = true AguardandoPL.Visible = true ErroPL.Visible = true PesquisaPL.Text = "" ErroPL.Text = "<font color="rgb(255,255,255)">" .. Traducao.PesquiseTitle .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.PesquiseTextPL .. "</font>" return end
local v17 = Abas[arg] if not v17 then return end Parent(v17.parent) AbaPL.Text = v17.text() AbaPL.Visible = true PesquisaPL.Visible = false AtualizarScroll(v17.scroll) end
ProximaAba = function(arg) local idx = table.find(Ordem, str2) or 1 local n4 = idx + arg if n4 > #Ordem then n4 = 1 end if n4 < 1 then n4 = #Ordem end return Ordem[n4] end
DireitaPL.MouseButton1Click:Connect(function() fn2("88442833509532"); ToTab(ProximaAba(1)) end) EsquerdaPL.MouseButton1Click:Connect(function() fn2("88442833509532"); ToTab(ProximaAba(-1)) end)
OrganizarSF = function(arg) task.wait() local tbl12 = {} for _, child in ipairs(arg:GetChildren()) do if child:IsA("GuiObject") then table.insert(tbl12, child) end end table.sort(tbl12, SortMedia) local n4 = 5 for _, v17 in ipairs(tbl12) do v17.Position = UDim2.new(0, 3, 0, n4) n4 = n4 + v17.Size.Y.Offset + 6 end arg.CanvasSize = UDim2.new(0, 0, 0, math.max(n4, 0)) end
Pesquisando = false PesquisarPL = function(arg) local tbl12 = { ScrollTodos, ScrollMusicas,
```

ScrollVideos, ScrollRoblox, ScrollFav, ScrollLocal } ScrollPesquisa.CanvasPosition = Vector2.new(0, 0) Pesquisando = true
for _, child in ipairs(ScrollPesquisa:GetChildren()) do if child:IsA("ImageButton") then child.Parent = ScrollTodos end end Pesquisando = false
if not arg or arg:match("^%s*$") then ScrollPesquisa.Visible = false SemResultadoPL.Visible = false AguardandoPL.Visible = true ErroPL.Visible = true ErroPL.Text = "" .. Traducao.PesquiseTitle .. "\n" .. Traducao.PesquiseTextPL .. "" return end
local str6 = arg:lower() local visible = false
for _, v17 in ipairs(tbl12) do for _, child in ipairs(v17:GetChildren()) do if child:IsA("GuiObject") then local tag = child:FindFirstChild("tag") if tag and tag.Text and string.find(tag.Text:lower(), str6, 1, true) then child.Parent = ScrollPesquisa visible = true end end end end
ScrollPesquisa.Visible = visible AguardandoPL.Visible = false SemResultadoPL.Visible = not visible ErroPL.Visible = not visible if not visible then ErroPL.Text = "" .. Traducao.SemResutadoTitle .. "\n" .. Traducao.SemResutadoTextPL .. "" end end
Scrolls = {Todos = ScrollTodos, Musicas = ScrollMusicas, Videos = ScrollVideos, Roblox = ScrollRoblox, Favoritos = ScrollFav, Local = ScrollLocal}
ConectarScroll = function(arg, arg2) arg2.ChildAdded:Connect(function() OrganizarSF(arg2); if str2 == arg then AtualizarScroll(arg2) end end) arg2.ChildRemoved:Connect(function() OrganizarSF(arg2); if str2 == arg then AtualizarScroll(arg2) end end) end
for k, v17 in pairs(Scrolls) do ConectarScroll(k, v17) end
ScrollPesquisa.ChildAdded:Connect(function() OrganizarSF(ScrollPesquisa) end)
ScrollPesquisa.ChildRemoved:Connect(function() if ScrollPesquisa.Visible and not Pesquisando then PesquisarPL(PesquisaPL.Text) end end)
PesquisaPL.Focused:Connect(function() PesquisarPL() end)
PesquisaPL.FocusLost:Connect(function() local match = PesquisaPL.Text:match("^%s*(.-)%s*$") PesquisaPL.Text = match if match ~= "" then PesquisarPL(match) end end)
FixNome = function() local str6 = "YouTube Music Player/Local Audios" for *, v17 in ipairs(listfiles(str6)) do pcall(function() local match = v17:match("[^\]+$") if match and match:sub(-4) == ".mp3" then local str7 = match:sub(1, -5) if #str7 > 90 then local str8 = str6 .. "/" .. str7:sub(1, 80) .. "* .. tostring(math.random(10000, 99999)) .. ".mp3" if not isfile(str8) then writefile(str8, readfile(v17)) delfile(v17) end end end end) end end
UpdatePlaylist = function() task.spawn(function() local tbl12 = { Musics = "YouTube Music Player/Musics", Videos = "YouTube Music Player/Videos", Roblox = "YouTube Music Player/Roblox IDS", Local = "YouTube Music Player/Local Audios" } FixNome() for _, path in pairs(tbl12) do if not isfolder(path) then makefolder(path) end end
local function fn6(arg) local ok3, result3 = pcall(listfiles, arg); return ok3 and result3 or {} end
local function fn7(arg) return arg:match("[^\]+$") end local function fn8(arg, arg2) return arg:gsub(arg2:gsub("%.", "%%."), "") end
local tbl13 = { Musics = {}, Videos = {}, Roblox = {}, Local = {} } for _, v17 in pairs(BibliotecaMusicas) do tbl13.Musics[v17.id] = true end for _, v17 in pairs(BilbliotecaVideos) do tbl13.Videos[v17.id] = true end for _, v17 in pairs(BibliotecaRoblox) do tbl13.Roblox[v17.id] = true end for _, v17 in pairs(BibliotecaLocal) do tbl13.Local[v17.name] = true end
local tbl14 = { Musics = {}, Videos = {}, Roblox = {}, Local = {} }
for _, v19 in ipairs(fn6(tbl12.Musics)) do local v20 = fn8(fn7(v19), ".mp3") tbl14.Musics[v20] = true if not tbl13.Musics[v20] then task.spawn(function() local v21, v22, v23, v24 = ApiInfo(v20) if

```
v21 and v22 and v23 then table.insert(BibliotecaMusicas, { id = v20, name = v21, author = v22, thumb = v23, authorUrl = v24 }) fn5(v21, "Musica", v20) end end) end end
for _, v21 in ipairs(fn6(tbl12.Videos)) do local v22 = fn8(fn7(v21), ".webm") tbl14.Videos[v22] = true if not tbl13.Videos[v22] then task.spawn(function() local v23, v24, v25, v26 = ApiInfo(v22) if v23 and v24 and v25 then table.insert(BilbliotecaVideos, { id = v22, name = v23, author = v24, thumb = v25, authorUrl = v26 }) fn5(v23, "Video", v22) end end) end end
for _, v23 in ipairs(fn6(tbl12.Roblox)) do local v24 = fn8(fn7(v23), ".rbx") tbl14.Roblox[v24] = true if not tbl13.Roblox[v24] then task.spawn(function() local v25, v26, v27, v28 = ApiRoblox(v24) if v25 and v26 and v27 then table.insert(BibliotecaRoblox, { id = v24, name = v25, creatorId = v26, creatorName = v27 }) fn5(v25, "Roblox", v24, v28) end end) end end
for _, v25 in ipairs(fn6(tbl12.Local)) do local match = fn7(v25):match("^(.*)%.mp3$") if match then tbl14.Local[match] = true if not tbl13.Local[match] then table.insert(BibliotecaLocal, { name = match }) fn5(match, "Local", match) end end end
for i = #BibliotecaMusicas, 1, -1 do if not tbl14.Musics[BibliotecaMusicas[i].id] then Deletar(BibliotecaMusicas[i].id); table.remove(BibliotecaMusicas, i) end end for i = #BilbliotecaVideos, 1, -1 do if not tbl14.Videos[BilbliotecaVideos[i].id] then Deletar(BilbliotecaVideos[i].id); table.remove(BilbliotecaVideos, i) end end for i = #BibliotecaRoblox, 1, -1 do if not tbl14.Roblox[BibliotecaRoblox[i].id] then Deletar(BibliotecaRoblox[i].id); table.remove(BibliotecaRoblox, i) end end for i = #BibliotecaLocal, 1, -1 do if not tbl14.Local[BibliotecaLocal[i].name] then Deletar(BibliotecaLocal[i].name); table.remove(BibliotecaLocal, i) end end end) end
UpdatePlaylist()
ApiSearchFree = function(arg) local str6 = str3 .. "/search/youtube/free/" .. HttpService:UrlEncode(arg) if not CheckRequest() then return "error" end local ok3, result3 = pcall(function() return game:HttpGet(str6) end) if not ok3 or not result3 then return "error" end local v17 = string.lower(result3) if string.find(v17, "too many requests") then return "rate" end if string.find(v17, "no results") then return "sem" end
local ok4, result4 = pcall(function() return HttpService:JSONDecode(result3) end) return (ok4 and result4 and result4.results) and result4.results or "error" end
ApiSearchPremium = function(arg, arg2, arg3, arg4, arg5, arg6, arg7) local str6 = str3 .. "/search/youtube/premium/" .. tostring(arg) .. "/" .. tostring(arg2) .. "/" .. tostring(arg3) .. "/" .. tostring(arg4) .. "/" .. tostring(arg5) .. "/" .. tostring(YmpHwid()) .. "/" .. HttpService:UrlEncode(arg7) if not CheckRequest() then return "error" end local ok3, result3 = pcall(function() return game:HttpGet(str6) end) if not ok3 or not result3 then return "error" end local v18 = string.lower(result3) if string.find(v18, "no results") then return "sem" end if string.find(v18, "request denied") then return "denied" end if string.find(v18, "too many requests") then return "rate" end
local ok4, result4 = pcall(function() return HttpService:JSONDecode(result3) end) return (ok4 and result4 and result4.results) and result4.results or "error" end
DownloadLog = function(arg, arg2) if not CheckRequest() then return end task.spawn(function() pcall(function() YmpRequest({ Url = str3 .. "/dl", Method = "POST", Headers = { ["Content-Type"] = "application/json" }, Body = HttpService:JSONEncode({ tipo = arg2, link = arg }), }) end) end)
end
local tbl12 = { 1116352408, 1899447441, 3049323471, 3921009573, 961987163, 1508970993, 2453635748, 2870763221, 3624381080, 310598401, 607225278, 1426881987, 1925078388, 2162078206, 2614888103, 3248222580 }
local str6 = "https://p.savenow.to" local str7 = "https://en.loader.to/" local str8 = "dfcb6d76f2f6a9894gjkege8a4ab232222" local n4 = 200
```

```
local str9 = str:gsub("^(%a+)%-(%a+)$", function(arg, arg2) return arg .. "-" .. arg2:upper() end) .. ",en;q=0.7" local v17 = nil
local function fn6(arg, arg2) return bit32.rrotate(arg, arg2) end local function fn7(...) local v18 = table.pack(...) local n8 = 0 for i = 1, select("#", ...) do n8 = bit32.band(n8 + select(i, table.unpack(v18, 1, v18.n)), 4294967295) end return n8 end
local function fn8(arg) local n8 = #arg local tbl13 = { string.byte(arg, 1, n8) } local n9 = n8 * 8 tbl13[#tbl13 + 1] = 128 while #tbl13 % 64 ~= 56 do tbl13[#tbl13 + 1] = 0 end
for i = 24, 0, -8 do tbl13[#tbl13 + 1] = bit32.band(bit32.rshift(math.floor(n9 / 4294967296), i), 255) end for i = 24, 0, -8 do tbl13[#tbl13 + 1] = bit32.band(bit32.rshift(n9 % 4294967296, i), 255) end
local n12, n13, n14, n15 = 1779033703, 3144134277, 1013904242, 2773480762 local n16, n17, n18, n19 = 1359893119, 2600822924, 528734635, 1541459225
for i = 1, #tbl13, 64 do local tbl14 = {} for i2 = 0, 15 do local n20 = i + i2 * 4 tbl14[i2 + 1] = bit32.bor(bit32.lshift(tbl13[n20], 24), bit32.lshift(tbl13[n20 + 1], 16), bit32.lshift(tbl13[n20 + 2], 8), tbl13[n20 + 3]) end for i2 = 17, 64 do local v18 = tbl14[i2 - 15] local v19 = tbl14[i2 - 2] local v20 = bit32.bxor(fn6(v18, 7), fn6(v18, 18), bit32.rshift(v18, 3)) local v21 = bit32.bxor(fn6(v19, 17), fn6(v19, 19), bit32.rshift(v19, 10)) tbl14[i2] = fn7(tbl14[i2 - 16], v20, tbl14[i2 - 7], v21) end local v18, v19, v20, v21 = n16, n17, n18, n19 local v22, v23, v24, v25 = n12, n13, n14, n15
for i2 = 1, 64 do local v28 = fn7(v21, bit32.bxor(fn6(v18, 6), fn6(v18, 11), fn6(v18, 25)), bit32.bxor(bit32.band(v18, v19), bit32.band(bit32.bnot(v18), v20)), tbl12[i2] or 0, tbl14[i2]) local v29 = bit32.bxor(fn6(v22, 2), fn6(v22, 13), fn6(v22, 22)) local v30 = bit32.bxor(bit32.band(v22, v23), bit32.band(v22, v24), bit32.band(v23, v24)) local v31 = fn7(v29, v30) local v32 = fn7(v25, v28) v21, v25, v20, v24 = v20, v24, v19, v23 v19, v23, v18 = v18, v22, v32 v22 = fn7(v28, v31) end n12, n13, n14, n15 = fn7(n12, v22), fn7(n13, v23), fn7(n14, v24), fn7(n15, v25) n16, n17, n18, n19 = fn7(n16, v18), fn7(n17, v19), fn7(n18, v20), fn7(n19, v21) end return string.format("%08x%08x%08x%08x%08x%08x%08x%08x", n12, n13, n14, n15, n16, n17, n18, n19) end
local function fn9(arg, arg2) local num = tonumber(arg2) if not num then return nil end local str10 = string.rep("0", num) local str11 = tostring(arg) .. ":" local n9 = 0 while true do local now = os.clock() local exitTo = nil while fn8(str11 .. tostring(n9)):sub(1, #str10) ~= str10 do n9 += 1 if 0.003 <= os.clock() - now then exitTo = 1; break end end if exitTo == 1 then task.wait(); continue end break end return tostring(n9) end
local function fn10(arg, arg2) local tbl13 = { accept = "/", ["accept-language"] = str9, referer = str7, ["sec-ch-ua-mobile"] = "?1", ["sec-fetch-dest"] = "empty", ["sec-fetch-mode"] = "cors" } if arg2 then tbl13["content-type"] = "application/json" end if arg then tbl13.authorization = "Bearer " .. arg end return tbl13 end
local function fn11(arg) if not arg then return nil end local body = arg.Body or arg.body if type(body) ~= "string" then return nil end local ok3, result3 = pcall(HttpService.JSONDecode, HttpService, body) return (ok3 and type(result3) == "table") and result3 or nil end
local function fn12() if v17 then return v17 end local ok3, result3 = pcall(function() local v18 = YmpRequest({ Url = str6 .. "/api/pow/challenge", Method = "GET", Headers = fn10() }) local v19 = fn11(v18) if not v19 or not v19.salt then return nil end local v20 = fn9(v19.salt, v19.difficulty) if not v20 then return nil end
local v21 = YmpRequest({ Url = str6 .. "/api/pow/verify", Method = "POST", Headers = fn10(nil, true), Body = HttpService:JSONEncode({ salt = v19.salt, difficulty = v19.difficulty, expires_at = v19.expires_at, signature = v19.signature, nonce = v20 }), }) local v22 = fn11(v21) return (v22 and v22.success == true) and v22.token or nil end) if ok3 and type(result3) == "string" then v17 = result3 end return v17 end
```

```
local function fn13(arg, arg2, arg3) local now = os.clock() local v18 = fn12() local str11 = str6 .. "/api/v2/download?format=" .. HttpService:UrlEncode(arg2) .. "&url=" .. HttpService:UrlEncode(arg) .. "&apikey=" .. str8 local v20 = fn10(v18)
local ok3, result3 = pcall(function() return YmpRequest({ Url = str11, Method = "GET", Headers = v20 }) end) if not ok3 then return "error" end local v21 = fn11(result3) if not v21 or v21.success == false or type(v21.progress_url) ~= "string" then return "error" end local progressUrl = v21.progress_url task.wait(2) local v22
while os.clock() - now <= n4 do local ok4, result4 = pcall(function() return YmpRequest({ Url = progressUrl, Method = "GET", Headers = v20 }) end) if ok4 then local v23 = fn11(result4) if v23 and v23.progress == 1000 and type(v23.download_url) == "string" then v22 = v23 break end end task.wait(2) end
if not v22 then return "error" end DownloadLog(arg, arg3) return "Download1: " .. v22.download_url end
DownloadMusic = function(arg) return fn13(arg, "mp3", "music") end DownloadVideo = function(arg) return fn13(arg, "360", "video") end
DesativarBusca = function(arg) if arg then PesquisarBox.Text = Traducao.Processando PesquisarBox.Active = false PaginaFrame.Visible = false PaginaEsperandoFrame.Visible = true else PesquisarBox.Text = text or "" PesquisarBox.Active = true PaginaFrame.Visible = true PaginaEsperandoFrame.Visible = false end end
CancelarBusca = function() ScrollDownload.Visible = false ScrollDownload.CanvasPosition = Vector2.new(0, 0) Aguardando.Visible = true DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" .. Traducao.PesquiseTitle .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.PesquiseText .. "</font>" DownloadFrameTexto.Visible = true Concluido.Visible = false PaginaFrame.Visible = false PaginaEsperandoFrame.Visible = true SemResultado.Visible = false Erro.Visible = false Tutorial.Visible = false Novamente.Visible = false FiltroFrame.Visible = false Formato.Visible = false TextoTituloFor.Text = "" Thumbfor.Image = "rbxassetid://0" DownloadAtual = nil
for _, child in ipairs(ScrollDownload:GetChildren()) do if child:IsA("Frame") then child:Destroy() end end end
Carregando = function(arg) if arg then flag12 = true Loading.Visible = true ScrollDownload.Visible = false Aguardando.Visible = false task.spawn(function() while flag12 do Loading.Rotation = (Loading.Rotation + 6) % 360 task.wait(0.03) end end) else flag12 = false Loading.Visible = false end end
CarregandoRoblox = function(arg) if arg then if flag13 then return end flag13 = true Baixando.Visible = true task.spawn(function() while flag13 do local tween_ = v6:Create(Baixando, TweenInfo.new(0.8, Enum.EasingStyle.Quad, Enum.EasingDirection.InOut), { Rotation = Baixando.Rotation + 360 }) tween_:Play() tween_.Completed:Wait() end end) else flag13 = false Baixando.Visible = false Baixando.Rotation = 0 end end
AddRoblox = function(arg) local str10 = "YouTube Music Player/Roblox IDS/" .. tostring(arg) .. ".rbx" pcall(function() writefile(str10, "") end) CancelarBusca() UpdatePlaylist() end
TelaDownload = function(arg, arg2, arg3) VIDEO_ATUAL = arg ScrollDownload.Visible = false Formato.Visible = true local str10 = "YouTube Music Player/Internal/Cache/Search_" .. tostring(arg) .. ".jpg" if isfile(str10) then Thumbfor.Image = getcustomasset(str10) else Thumbfor.Image = "rbxassetid://110787075859454" end
local v18 = isfile("YouTube Music Player/Musics/" .. tostring(arg) .. ".mp3") local v19 = flag19 and isfile("YouTube Music Player/Videos/" .. tostring(arg) .. ".webm")
BotaoMp3.BackgroundTransparency = v18 and 0.8 or 0 NomeMp3.TextColor3 = v18 and
```

```
Color3.fromRGB(150, 150, 160) or Color3.fromRGB(255, 255, 255)
if flag19 then BotaoMp4.BackgroundTransparency = v19 and 0.8 or 0 NomeMp4.TextColor3 =
v19 and Color3.fromRGB(150, 150, 160) or Color3.fromRGB(150, 220, 150) end
TextoTituloFor.Text = "<font color="rgb(240,240,245)">" .. arg2 .. "</font>\n<font
color="rgb(160,160,175)">" .. arg3 .. "</font>" end
CriarResultado = function(arg, arg2, arg3, arg4, arg5, arg6) local tbl13 = {} local flag22 = false
local str10 = "YouTube Music Player/Internal/Cache/Search_" .. arg2 .. ".jpg"
local frame3 = Instance.new("Frame") frame3.Size = UDim2.new(1, 0, 0, 42)
frame3.BackgroundColor3 = Color3.fromRGB(30, 30, 40) frame3.Parent = ScrollDownload
Corner(frame3, 6) Stroke(frame3, 50, 50, 65, 1)
local imageLabel = Instance.new("ImageLabel") imageLabel.Size = UDim2.new(0, 56, 0, 34)
imageLabel.Position = UDim2.new(0, 4, 0.5, -17) imageLabel.BackgroundColor3 =
Color3.fromRGB(15, 15, 20) imageLabel.Parent = frame3 Corner(imageLabel, 4)
local textLabel2 = Instance.new("TextLabel") textLabel2.Size = UDim2.new(1, -95, 1, -6)
textLabel2.Position = UDim2.new(0, 65, 0, 3) textLabel2.BackgroundTransparency = 1
textLabel2.RichText = true textLabel2.Font = Enum.Font.SourceSansBold textLabel2.TextSize =
12 textLabel2.TextTruncate = Enum.TextTruncate.AtEnd textLabel2.Text = string.format("<font
color="rgb(240,240,245)">%s</font>\n<font color="rgb(160,160,175)">%s %s</font>", arg3,
Traducao.De, arg4) textLabel2.TextXAlignment = Enum.TextXAlignment.Left textLabel2.Parent
= frame3
local imageButton3 = Instance.new("ImageButton") imageButton3.Size = UDim2.new(0, 24, 0,
24) imageButton3.Position = UDim2.new(1, -28, 0.5, -12) imageButton3.BackgroundColor3 =
Color3.fromRGB(229, 9, 20) imageButton3.Parent = frame3 Corner(imageButton3, 12)
if arg == "Roblox" then imageButton3.Image = "rbxassetid://125446601626694"
imageLabel.Image = "rbxassetid://112075012925512" else imageButton3.Image =
"rbxassetid://126311565377599" task.spawn(function() pcall(function() local response =
game:HttpGet(arg5) writefile(str10, response) imageLabel.Image = getcustomasset(str10) end)
end) end
table.insert(tbl13, imageButton3.MouseButton1Click:Connect(function() if arg == "Roblox" then if
flag19 then AddRoblox(arg2) end else TelaDownload(arg2, arg3, arg4) end end)) end
organizarItens = function() n3 = 0 for _, child in ipairs(ScrollDownload:GetChildren()) do if
child:IsA("Frame") then child.Position = UDim2.new(0, 0, 0, n3) n3 += 48 end end
ScrollDownload.CanvasSize = UDim2.new(0, 0, 0, n3) end
Buscar = function(arg) for _, child in ipairs(ScrollDownload:GetChildren()) do if
child:IsA("Frame") then child:Destroy() end end DesativarBusca(true) Carregando(true)
DownloadFrameTexto.Visible = false FiltroFrame.Visible = false
local function fn14() DesativarBusca(false); Carregando(false) end local function fn15(arg2,
arg3, arg4) ScrollDownload.Visible = false SemResultado.Visible = arg4 or false Erro.Visible =
not arg4 Tutorial.Visible = not arg4 DownloadFrameTexto.Text = string.format("<font
color="rgb(255,255,255)">%s</font>\n<font color="rgb(160,160,175)">%s</font>", arg2, arg3)
DownloadFrameTexto.Visible = true fn14() end
if not CheckRequest() then fn15(Traducao.ErroTitle, Traducao.ErroText); return end local v18 =
nil local flag22 = false
task.spawn(function() v18 = flag19 and ApiSearchPremium(tbl.Ordem or "relevance", tbl.Data or
"any", tbl.Duracao or "any", tbl.Pagina or 1, KEY_ATUAL, YmpHwid(), arg) or
ApiSearchFree(arg) flag22 = true end)
local now = tick() while not (flag22 or tick() - now > 15) do task.wait(0.1) end
if not flag22 or v18 == "error" or not v18 then fn15(Traducao.ErroTitle, Traducao.ErroText);
```

```
return end if v18 == "denied" then fn15(Traducao.ErroCrackTitle, Traducao.ErroCrackText);
return end if v18 == "rate" then fn15(Traducao.TooMany, Traducao.RateLi); return end if v18 ==
"sem" then fn15(Traducao.SemResutadoTitle, Traducao.SemResutadoText, true); return end
for _, v19 in ipairs(v18) do if flag19 and v19.type == "roblox" then CriarResultado("Roblox",
v19.id, v19.Name, v19.CreatorName, nil, nil) else CriarResultado("YouTube", v19.id, v19.name,
v19.author, v19.thumbnail, v19.duration) end end
fn14() ScrollDownload.Visible = true end
SetPag = function(pagina) if not flag19 or tbl.Pagina == pagina then return end tbl.Pagina =
pagina ScrollDownload.CanvasPosition = Vector2.new(0, 0) for _, child in
ipairs(ScrollPagina:GetChildren()) do if child:IsA("ImageButton") then child.BackgroundColor3 =
child.Name == tostring(pagina) and Color3.fromRGB(229, 9, 20) or Color3.fromRGB(30, 30, 40)
end end end
Baixar = function(arg) Formato.Visible = false FiltroFrame.Visible = false Erro.Visible = false
Tutorial.Visible = false Novamente.Visible = false DesativarBusca(true) CarregandoRoblox(true)
DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" .. Traducao.Aguarde ..
"</font>\n<font color="rgb(160,160,175)">" .. Traducao.Dados .. "</font>"
DownloadFrameTexto.Visible = true
local str10 = "https://youtu.be/" .. tostring(VIDEO_ATUAL) local v19 = arg == "Musica" and
DownloadMusic(str10) or DownloadVideo(str10)
if v19 == "error" or v19 == "rate" or v19 == "denied" or not CheckRequest() then
CarregandoRoblox(false) DesativarBusca(false) Erro.Visible = true Tutorial.Visible = true
Novamente.Visible = true DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" ..
Traducao.ErroTitle .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.ErroText .. "</font>"
return end
DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" .. Traducao.MaisUmPauco ..
"</font>\n<font color="rgb(160,160,175)">" .. Traducao.Baixando .. "</font>" local dlUrl =
v19:match("Download1:%s*(.+)") local v21 = nil
if dlUrl then pcall(function() v21 = game:HttpGet(dlUrl) end) end
if not v21 then CarregandoRoblox(false) DesativarBusca(false) Erro.Visible = true
Tutorial.Visible = true Novamente.Visible = true DownloadFrameTexto.Text = "<font
color="rgb(255,255,255)">" .. Traducao.ErroTitle .. "</font>\n<font color="rgb(160,160,175)">" ..
Traducao.ErroText .. "</font>" return end
local folderName = arg == "Video" and "YouTube Music Player/Videos" or "YouTube Music
Player/Musics" local ext = arg == "Video" and ".webm" or ".mp3" writefile(folderName .. "/" ..
tostring(VIDEO_ATUAL) .. ext, v21)
task.wait(0.5) UpdatePlaylist() CarregandoRoblox(false) DesativarBusca(false)
Concluido.Visible = true DownloadFrameTexto.Text = "<font color="rgb(255,255,255)">" ..
Traducao.Baixado .. "</font>\n<font color="rgb(160,160,175)">" .. Traducao.Terminou ..
"</font>" end
for i = 1, 10 do local imageButton3 = Instance.new("ImageButton") imageButton3.Size =
UDim2.new(0, 24, 0, 24) imageButton3.Position = UDim2.new(0, (i - 1) * 28, 0, 3)
imageButton3.BackgroundColor3 = i == 1 and Color3.fromRGB(229, 9, 20) or
Color3.fromRGB(30, 30, 40) imageButton3.Name = tostring(i) imageButton3.Parent =
ScrollPagina Corner(imageButton3, 6)
local textLabel = Instance.new("TextLabel") textLabel.Size = UDim2.new(1, 0, 1, 0)
textLabel.BackgroundTransparency = 1 textLabel.Text = tostring(i) textLabel.TextColor3 =
Color3.fromRGB(255, 255, 255) textLabel.Font = Enum.Font.SourceSansBold
textLabel.TextSize = 11 textLabel.Parent = imageButton3
```

```
imageButton3.MouseButton1Click:Connect(function() if i == tbl.Pagina or not flag19 or Loading.Visible or Baixando.Visible then return end SetPag(i) Buscar(text) end) end
AplicarFiltro.MouseButton1Click:Connect(function() if not flag19 then fn3(Traducao.OpcaoBloqueadaTitle, Traducao.OpcaoBloqueadaText, 10); return end tbl.Ordem, tbl.Data, tbl.Duracao = ordem, data, duracao Formato.Visible = false ScrollDownload.Visible = true SetPag(1) Buscar(text) end)
RemoverFiltro.MouseButton1Click:Connect(function() if not flag19 then fn3(Traducao.OpcaoBloqueadaTitle, Traducao.OpcaoBloqueadaText, 10); return end ordem, data, duracao = "relevance", "any", "any" tbl.Ordem, tbl.Data, tbl.Duracao = ordem, data, duracao RelevanciaTexto.Text = Traducao.Order .. " " .. Traducao.Relevance DataUploadTexto.Text = Traducao.UploaDate .. " " .. Traducao.Any DuracaoTexto.Text = Traducao.Duration .. " " .. Traducao.Any fn3(Traducao.Sucesso, Traducao.FiltrosRemovidos, 5) end)
Relevancia.MouseButton1Click:Connect(function() local idx = table.find(tbl2, ordem) or 1 ordem = tbl2[idx % #tbl2 + 1] RelevanciaTexto.Text = Traducao.Order .. " " .. Traducao[ordem:gsub("^%l", string.upper)] end)
DataUpload.MouseButton1Click:Connect(function() local idx = table.find(tbl3, data) or 1 data = tbl3[idx % #tbl3 + 1] DataUploadTexto.Text = Traducao.UploaDate .. " " .. Traducao[data:gsub("^%l", string.upper)] end)
Duracao.MouseButton1Click:Connect(function() local idx = table.find(tbl4, duracao) or 1 duracao = tbl4[idx % #tbl4 + 1] DuracaoTexto.Text = Traducao.Duration .. " " .. Traducao[duracao:gsub("^%l", string.upper)] end)
Filtro.MouseButton1Click:Connect(function() if Loading.Visible or Baixando.Visible then return end FiltroFrame.Visible = not FiltroFrame.Visible end)
PesquisarBox.FocusLost:Connect(function() local match = PesquisarBox.Text:match("^%s*(.-)%s*$") if match == "" then return end text = tostring(match) SetPag(1) Buscar(text) end)
PesquisarBox.Focused:Connect(function() CancelarBusca() end)
BotaoMp3.MouseButton1Click:Connect(function() if isfile("YouTube Music Player/Musics/" .. tostring(VIDEO_ATUAL) .. ".mp3") then fn3(Traducao.Erro, Traducao.JaTemMusica, 5) return end Baixar("Musica") DownloadAtual = "M" end)
BotaoMp4.MouseButton1Click:Connect(function() if not flag19 then fn3(Traducao.OpcaoBloqueadaTitle, Traducao.OpcaoBloqueadaText, 10); return end if isfile("YouTube Music Player/Videos/" .. tostring(VIDEO_ATUAL) .. ".webm") then fn3(Traducao.Erro, Traducao.JaTemVideo, 5) return end Baixar("Video") DownloadAtual = "V" end)
BotaoCancelar.MouseButton1Click:Connect(function() Formato.Visible = false ScrollDownload.Visible = true end)
Novamente.MouseButton1Click:Connect(function() if DownloadAtual == "M" then Baixar("Musica") elseif DownloadAtual == "V" then Baixar("Video") end end)
Tutorial.MouseButton1Click:Connect(function() fn3(Traducao.LinkCopiado, Traducao.Tutorial, 8) YmpClipboard("https://raw.githubusercontent.com/Dan41/Roblox-Scripts/refs/heads/main/Youtube%20Music%20Player/Tutorial.txt") end)
ScrollDownload.ChildAdded:Connect(function(child) if child:IsA("Frame") then organizarItens() end end) ScrollDownload.ChildRemoved:Connect(function(child) if child:IsA("Frame") then organizarItens() end end)
SetVolume = function(volume) sound2.Volume = volume Video.Volume = volume MiniVideo.Volume = volume VolumeBox.Text = tostring(volume) end
```

```
SetPitch = function(playbackSpeed) sound2.PlaybackSpeed = playbackSpeed GiroSpeed = playbackSpeed GiroBackup = playbackSpeed PitchBox.Text = tostring(playbackSpeed) end SetEqualizer = function(lowGain, midGain, highGain) Equalizer.LowGain = lowGain Equalizer.MidGain = midGain Equalizer.HighGain = highGain GravesBox.Text = tostring(lowGain) MediosBox.Text = tostring(midGain) AgudosBox.Text = tostring(highGain) end EquaValue = function(arg, arg2) local v18 = string.match(string.gsub(arg or "", "%s+", ""), "-?%d+%.?%d*") local num = tonumber(v18) return num and math.clamp(num, -1000, 1000) or arg2 end
SetEffect = function(arg) for _, child in pairs(sound2:GetChildren()) do if child:IsA("SoundEffect") then child:Destroy() end end SetPitch(1) SetEqualizer(1, 1, 1)
if arg == "Reverb" then local reverb = Instance.new("ReverbSoundEffect", sound2) reverb.DecayTime = 2.6 SetEqualizer(-1, 0, -3) elseif arg == "Echo" then local echo = Instance.new("EchoSoundEffect", sound2) echo.Delay = 0.7; echo.Feedback = 0.5 elseif arg == "Distortion" then Instance.new("DistortionSoundEffect", sound2).Level = 0.4 SetEqualizer(-4, 2, -2) elseif arg == "Slowed" then SetPitch(0.72) local reverb = Instance.new("ReverbSoundEffect", sound2) reverb.DecayTime = 4 SetEqualizer(8, -2, -12) end end
SelecionarEqua = function(arg) for _, child in ipairs(ScrollEqua:GetChildren()) do if child:IsA("ImageButton") and child.Name ~= "Resetar" then child.BackgroundColor3 = Color3.fromRGB(30, 30, 40) end end arg.BackgroundColor3 = Color3.fromRGB(229, 9, 20) SetEffect(arg.Name) end
VolumeBox.FocusLost:Connect(function() SetVolume(EquaValue(VolumeBox.Text, 1)) end)
PitchBox.FocusLost:Connect(function() SetPitch(EquaValue(PitchBox.Text, 1)) end)
GravesBox.FocusLost:Connect(function() SetEqualizer(EquaValue(GravesBox.Text, 1), EquaValue(MediosBox.Text, 1), EquaValue(AgudosBox.Text, 1)) end)
MediosBox.FocusLost:Connect(function() SetEqualizer(EquaValue(GravesBox.Text, 1), EquaValue(MediosBox.Text, 1), EquaValue(AgudosBox.Text, 1)) end)
AgudosBox.FocusLost:Connect(function() SetEqualizer(EquaValue(GravesBox.Text, 1), EquaValue(MediosBox.Text, 1), EquaValue(AgudosBox.Text, 1)) end)
for _, child in ipairs(ScrollEqua:GetChildren()) do if child:IsA("ImageButton") and child.Name ~= "Resetar" then child.MouseButton1Click:Connect(function() SelecionarEqua(child) end) end end
ResetarEqua.MouseButton1Click:Connect(function() SetVolume(1) SetPitch(1) SelecionarEqua(Nenhum) fn3(Traducao.Sucesso, Traducao.RsetadoEqua, 5) end)
NumeroGC = function(arg) if arg == false then ContadorJA.Visible = false ContadorJABO.Visible = false ContadorJANU.Text = "0" ContadorJANUBO.Text = "0" return end ContadorJA.Visible = not flag17 ContadorJABO.Visible = true local n8 = (tonumber(ContadorJANUBO.Text) or 0) + 1 local val = n8 > 9 and "9+" or tostring(n8) ContadorJANU.Text = val ContadorJANUBO.Text = val end
-- Gestión de Cambio de Pantallas (Navegación UI) Tela = function(arg) if arg == n then return end local tbl13 = { Tela1, Tela2, Tela3, Tela4, Tela5, Tela6 } n = arg
if arg == 5 then NumeroGC(false) end for i = 1, #tbl13 do tbl13[i].Visible = (i == arg) end fn2("102702078778790")
for _, child in ipairs(ScrollNave:GetChildren()) do if child:IsA("ImageButton") then child.BackgroundColor3 = Color3.fromRGB(30, 30, 40) Stroke(child, 50, 50, 65, 1) end end local activeBtn = ScrollNave:FindFirstChild("Botao" .. arg) if activeBtn then local col = arg == 6 and Color3.fromRGB(255, 215, 0) or Color3.fromRGB(229, 9, 20) activeBtn.BackgroundColor3 = col Stroke(activeBtn, 255, 255, 255, 1.5) end end
Botao1.MouseButton1Click:Connect(function() Tela(1) end)
Botao2.MouseButton1Click:Connect(function() Tela(2) end)
```

```
Botao3.MouseButton1Click:Connect(function() Tela(3) end)
Botao4.MouseButton1Click:Connect(function() Tela(4) end)
Botao5.MouseButton1Click:Connect(function() Tela(5) end)
Botao6.MouseButton1Click:Connect(function() Tela(6) end)
Discord.MouseButton1Click:Connect(function() fn3(Traducao.LinkCopiado,
"https://discord.gg/kbh2dEdnYP", 10) YmpClipboard("https://discord.gg/kbh2dEdnYP") end)
You.MouseButton1Click:Connect(function() fn3("YouTube", "@Termux_404", 10) end)
Exibir = function() if flag6 then return end flag6 = true fn2("123430321654900") flag5 = not flag5
flag6 = false end
BotaoTela.MouseButton1Click:Connect(function() Exibir() end)
Repetir.MouseButton1Click:Connect(function() if Repetir.Image ==
"rbxassetid://72571947341676" then Repetir.Image = "rbxassetid://133261841375114"
fn3(Traducao.PlayMode, Traducao.Repetir, 8) str4 = "nill" sound2.Looped, Video.Looped,
MiniVideo.Looped = true, true, true elseif Repetir.Image == "rbxassetid://133261841375114"
then Repetir.Image = "rbxassetid://70388482182322" fn3(Traducao.PlayMode,
Traducao.Random, 8) str4 = "Random" sound2.Looped, Video.Looped, MiniVideo.Looped =
false, false, false else Repetir.Image = "rbxassetid://72571947341676" fn3(Traducao.PlayMode,
Traducao.Auto, 8) str4 = "Auto" sound2.Looped, Video.Looped, MiniVideo.Looped = false, false,
false end end)
Miniplayer.MouseButton1Click:Connect(function() if not flag19 then
fn3(Traducao.OpcaoBloqueadaTitle, Traducao.OpcaoBloqueadaText, 10); return end if
BloquearMidia then fn3(Traducao.Aguarde, Traducao.DownloadFazendo, 5); return end
local isMini = Miniplayer.Image == "rbxassetid://102723588572082" Miniplayer.Image = isMini
and "rbxassetid://84519235983477" or "rbxassetid://102723588572082" fn2("85730811347567")
SetMiniPlayer(isMini) end)
imageButton.MouseButton1Click:Connect(function() if imageButton:GetAttribute("Moved") then
imageButton:SetAttribute("Moved", false); return end imageButton.Visible = false frame.Visible =
true if Tela5.Visible then NumeroGC(false) end fn2("122954374321453") end)
BotaoFechar.MouseButton1Click:Connect(function() frame.Visible = false task.wait(0.2)
imageButton.Visible = true end)
FecharMini.MouseButton1Click:Connect(function() fn2("85730811347567") Miniplayer.Image =
"rbxassetid://102723588572082" SetMiniPlayer(false) end)
Voltar.MouseButton1Click:Connect(function() Back() end)
Retroceder.MouseButton1Click:Connect(function() Retroceder10s() end)
Play.MouseButton1Click:Connect(function() Pause() end)
Adiantar.MouseButton1Click:Connect(function() Avancar10s() end)
Pular.MouseButton1Click:Connect(function() Skip() end)
MiniBack.MouseButton1Click:Connect(function() Back() end)
MiniRetroceder.MouseButton1Click:Connect(function() Retroceder10s() end)
MiniPlay.MouseButton1Click:Connect(function() Pause() end)
MiniAvancar.MouseButton1Click:Connect(function() Avancar10s() end)
MiniSkip.MouseButton1Click:Connect(function() Skip() end)
TelaCheia.MouseButton1Click:Connect(function() flag10 = not flag10 local udim24 = flag10 and
UDim2.new(udim2.X.Scale * 1.4, 0, udim2.Y.Scale * 1.4, 0) or udim2 v6:Create(imageButton2,
tweenBounce, { Size = udim24 }):Play() end)
-- Sistema WebSocket & Global Chat local function fn16(arg, text2, arg2, arg3) layoutOrder += 1
task.wait() if not Tela5.Visible or imageButton.Visible == true then NumeroGC() end
local frame3 = Instance.new("Frame") frame3.Size = UDim2.new(1, -10, 0, 0)
```

```
frame3.AutomaticSize = Enum.AutomaticSize.Y frame3.BackgroundTransparency = 1
frame3.LayoutOrder = layoutOrder frame3.Parent = ScrollGC
local fBox = Instance.new("Frame") fBox.Size = UDim2.new(1, 0, 0, 0) fBox.AutomaticSize =
Enum.AutomaticSize.Y fBox.BackgroundColor3 = Color3.fromRGB(30, 30, 40) fBox.Parent =
frame3 Corner(fBox, 6) Stroke(fBox, 50, 50, 65, 1)
local txt = Instance.new("TextLabel") txt.Size = UDim2.new(1, -16, 0, 0) txt.Position =
UDim2.new(0, 8, 0, 6) txt.AutomaticSize = Enum.AutomaticSize.Y txt.BackgroundTransparency
= 1 txt.TextColor3 = Color3.fromRGB(240, 240, 245) txt.Font = Enum.Font.SourceSans
txt.TextSize = 13 txt.TextWrapped = true txt.TextXAlignment = Enum.TextXAlignment.Left
txt.RichText = true txt.Text = string.format("<font color="rgb(229,9,20)"><b>%s:</b></font> %s",
text2 or "User", arg2 or "") txt.Parent = fBox end
hwidUrl = "wss://ymp-api.ddns.net/gc?hwid=" .. tostring(YmpHwid())
task.spawn(function() if not websocket_ then return end local connect = websocket_.connect or
websocket_.Connect or websocket_.new or websocket_.New if not connect then return end
local ok3, ws = pcall(connect, hwidUrl) if not ok3 or not ws then return end
local onMessage = ws.OnMessage or ws.onmessage or ws.MessageReceived if onMessage
then onMessage:Connect(function(arg) if not arg then return end local match =
arg:match("UserId:%s*(%d+)") local match2 = arg:match("id:%s*(%S+)") local match3 =
arg:match("message:%s*(.+)") if match and match2 and match3 then fn16(match, match2,
match3, nil) end end) end end)
SendGC.MouseButton1Click:Connect(function() local text2 = GCBox.Text if text2 and text2 ~= ""
then GCBox.Text = "" YmpRequest({ Url = str3 .. "/sendgc", Method = "POST", Headers = {
["Content-Type"] = "application/json" }, Body = HttpService:JSONEncode({ key = KEY_ATUAL,
hwid = YmpHwid(), Userid = userId, msg = text2 }), }) end end)
Regras.MouseButton1Click:Connect(function() fn3(Traducao.RegrasTi, Traducao.Regras, 10)
end)
NotificarGC.MouseButton1Click:Connect(function() flag17 = not flag17 Sino.Image = flag17 and
"rbxassetid://89973491623305" or "rbxassetid://115374069603142" fn3(flag17 and
Traducao.GCmudo or Traducao.GCunmudo, flag17 and Traducao.GCmudoTexto or
Traducao.GCunmudoTexto, 6) end)
CancelarReport.MouseButton1Click:Connect(function() ReportFrame.Visible = false
frame.Visible = true end)
CloseWarn.MouseButton1Click:Connect(function() Warn.Visible = false BlurEffect.Size = 0
imageButton.Visible = true end)
Traduzir.MouseButton1Click:Connect(function() local isTradu = FotoTradu.Image ==
"rbxassetid://84867288877251" FotoTradu.Image = isTradu and "rbxassetid://72657045512999"
or "rbxassetid://84867288877251" fn3(Traducao.TraducaoSystem, isTradu and
Traducao.TraduOn or Traducao.TraduOff, 5) end)
Priv1.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri1, 8) end)
Priv2.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri2, 8) end)
Priv3.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri3, 8) end)
Priv4.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri4, 8) end)
Priv5.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri5, 8) end)
Priv6.MouseButton1Click:Connect(function() fn3(Traducao.PP, Traducao.SobrePri6, 8) end)
SetKey = function(key) task.spawn(function() table.insert(tbl7, function() local ok3, result3 =
pcall(function() return HttpService:JSONDecode(readfile("YouTube Music
Player/Internal/Data.json")) end) local tbl17 = (ok3 and result3) or { { Key = "", Favorites = tbl6 or
{} } } tbl17[1] = tbl17[1] or { Key = "", Favorites = {} } tbl17[1].Key = key or "" pcall(function()
```

```
writefile("YouTube Music Player/Internal/Data.json", HttpService:JSONEncode(tbl17)) end) end)
processQueue() end) end
local function fn23() if flag19 then return end flag19 = true KeyFrame.Visible = false
GetKey.Visible = false frame2.Visible = true imageButton2.Parent = screenGui Video.Parent =
Tela2 fn3(Traducao.VocePremium, Traducao.VocePremiumTexto, 15) imageButton.Image =
"rbxassetid://76673896881913" Stroke(imageButton, 255, 215, 0, 3) end
KeyBox.FocusLost:Connect(function() if KeyBox.Active and KeyBox.Text then local match =
KeyBox.Text:match("^%s*(.-)%s*$") if match ~= "" then KEY_ATUAL = match fn23()
SetKey(KEY_ATUAL) end end end)
GetKey.MouseButton1Click:Connect(function() fn3(Traducao.LinkCopiado,
Traducao.Navegador, 10) YmpClipboard("https://discord.gg/kbh2dEdnYP") end)
uiScale = frame:FindFirstChildOfClass("UIScale") or Instance.new("UIScale", frame)
Resize = function() local viewportSize = currentCamera.ViewportSize uiScale.Scale =
math.min(viewportSize.X * 0.85 / frame.AbsoluteSize.X, viewportSize.Y * 0.85 /
frame.AbsoluteSize.Y, 1) frame.Position = UDim2.new(0.5, 0, 0.5, 0) end
currentCamera:GetPropertyChangedSignal("ViewportSize"):Connect(Resize) Resize()
pcall(function() local data2 = HttpService:JSONDecode(readfile("YouTube Music
Player/Internal/Data.json")) if data2[1] and data2[1].Key and data2[1].Key ~= "" then
KEY_ATUAL = data2[1].Key KeyBox.Text = KEY_ATUAL fn23() end end)
Carregar() task.wait(0.5) frame.Visible = true
```