

Desenvolvimento WEB I

Prof. Ernani Gottardo

Design Responsivo

Parte 2 -Bootstrap 5

Formulários

- Classes: **form-label**, **form-control** e **form-text**

```
<div class="mb-3">  
  <label for="exampleInputEmail1" class="form-label">Email</label>  
  <input type="email" class="form-control" id="exampleInputEmail1">  
</div>
```

Formulários -checkbox

- Classes: **form-check**, **form-check-input**, **form-check-label**

```
<div class="mb-3 form-check">  
  <input type="checkbox" class="form-check-input" id="exampleCheck1">  
  <label class="form-check-label" for="exampleCheck1">Check me  
out</label>  
</div>
```

Formulários -radio

- **Classes: form-check, form-check-input, form-check-label**

```
<div class="form-check">  
  <input class="form-check-input" type="radio" name="flexRadioDefault"  
id="flexRadioDefault1">  
  <label class="form-check-label" for="flexRadioDefault1"> Default radio  
</label>  
</div>  
  
<div class="form-check">  
  <input class="form-check-input" type="radio" name="flexRadioDefault"  
id="flexRadioDefault2" checked>  
  <label class="form-check-label" for="flexRadioDefault2"> Default checked  
radio </label>  
</div>
```

- **Formatar fieldset**

```
<fieldset class="border ps-3 rounded-3">  
  <legend class="float-none w-auto px-3">Sexo</legend>
```

Formulários -switches

- Classes: **form-check**, **form-switch**, **form-check-input**

```
<div class="form-check form-switch">  
  <input class="form-check-input" type="checkbox" id="flexSwitchCheckDefault">  
  <label class="form-check-label" for="flexSwitchCheckDefault">Default switch checkbox  
input</label>  
</div>
```

Formulários -select

- Classes: **form-select**

```
<select class="form-select" >  
  <option selected>Open this select menu</option>  
  <option value="1">One</option>  
  <option value="2">Two</option>  
  <option value="3">Three</option>  
</select>
```

Formulários -floating labels

- Classes: **form-floating**

```
<div class="form-floating mb-3">  
  <input type="email" class="form-control" id="floatingInput" placeholder="name@example.com">  
  <label for="floatingInput">Email address</label>  
</div>
```

Imagens

- Classes: **img-fluid**, **img-thumbnail**, **rounded**

``

Bootstrap Images



Responsive Image

`.img-fluid` class



Round Corner

`.rounded` class



Circular Image

`.rounded-circle` class



Image Thumbnail

`.img-thumbnail` class

Tabelas


- Classes: **table**, **table-striped**

```
<table class="table table-striped">
```

#	First	Last	Handle
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry the Bird		@twitter

Outras opções Bootstrap5

- Card
- Navbar
- Modal
- Carousel



End