

TITLE: Constipation and Bowel Regimens in the ICU

PROTOCOL: Prevention and Treatment of Constipation

PURPOSE: To provide evidence-based practice guidelines for optimal utilization of bowel regimen in the ICU.

APPROVED:




Liza Laquain, MD
Co-Chair ICU Protocol Committee



Lindsey Kranson, PA-C
Co-Chair ICU Protocol Committee

CORE PROCEDURE:



REFERENCES:

- Crockett, S.D. *et al.* (2019) 'American Gastroenterological Association Institute guideline on the Medical Management of opioid-induced constipation', *Gastroenterology*, 156(1), pp. 218–226. doi:10.1053/j.gastro.2018.07.016.
- Dionne, J.C. *et al.* (2020) 'Content analysis of bowel protocols for the management of constipation in adult critically ill patients', *Journal of Critical Care*, 58, pp. 98–104. doi:10.1016/j.jcrc.2020.04.006.
- Fakheri, R.J. and Volpicelli, F.M. (2019) 'Things we do for no reason: Prescribing docusate for constipation in hospitalized adults', *Journal of Hospital Medicine*, 14(2), pp. 110–113. doi:10.12788/jhm.3124.
- Gaertner, J. *et al.* (2015) 'Definitions and outcome measures of clinical trials regarding opioid-induced constipation', *Journal of Clinical Gastroenterology*, 49(1), pp. 9–16. doi:10.1097/mcg.0000000000000246.
- Hay, T. *et al.* (2019) 'Constipation, diarrhea, and prophylactic laxative bowel regimens in the critically ill: A systematic review and meta-analysis', *Journal of Critical Care*, 52, pp. 242–250. doi:10.1016/j.jcrc.2019.01.004.
- Sayuk, G.S., Yu, Q.T. and Shy, C. (2023) 'Management of constipation in hospitalized patients', *Journal of Clinical Medicine*, 12(19), p. 6148. doi:10.3390/jcm12196148.
- Tania Gregorian, P.A.P. of P.P.J.L. (2017) *Opioid-induced constipation: Clinical guidance and approved therapies*, *U.S. Pharmacist – The Leading Journal in Pharmacy*. Available at: <https://www.uspharmacist.com/article/opioidinduced-constipation-clinical-guidance-and-approved-therapies> (Accessed: 22 November 2025).
- Yimer, B.B. *et al.* (2025) 'Comparative risk of severe constipation in patients treated with opioids for non-cancer pain: A retrospective cohort study in Northwest England', *BMC Medicine*, 23(1). doi:10.1186/s12916-025-04118-7.