




<http://algs4.cs.princeton.edu>

Dijkstra's Algorithm Demo

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




an edge-weighted digraph

| | |
|-----|------|
| 0→1 | 5.0 |
| 0→4 | 9.0 |
| 0→7 | 8.0 |
| 1→2 | 12.0 |
| 1→3 | 15.0 |
| 1→7 | 4.0 |
| 2→3 | 3.0 |
| 2→6 | 11.0 |
| 3→6 | 9.0 |
| 4→5 | 4.0 |
| 4→6 | 20.0 |
| 4→7 | 5.0 |
| 5→2 | 1.0 |
| 5→6 | 13.0 |
| 7→5 | 6.0 |
| 7→2 | 7.0 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |

choose source vertex 0

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 0

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | | |
| 3 | | |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 0

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | | |
| 3 | | |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | | |
| 3 | | |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

choose vertex 1

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | | |
| 3 | | |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 1

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.




relax all edges pointing from 1

| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 17.0 | 1→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 17.0 | 1→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 17.0 | 1→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | | |
| 6 | | |
| 7 | 8.0 | 0→7 |

choose vertex 7

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 7

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 7

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 14.0 | 7→5 |
| 6 | | |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 14.0 | 7→5 |
| 6 | | |
| 7 | 8.0 | 0→7 |

select vertex 4

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 14.0 | 7→5 |
| 6 | | |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 4


Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.



Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 29.0 | 4→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 29.0 | 4→6 |
| 7 | 8.0 | 0→7 |

select vertex 5

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 15.0 | 7→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 29.0 | 4→6 |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 5

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 5

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 26.0 | 5→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 26.0 | 5→6 |
| 7 | 8.0 | 0→7 |

select vertex 2

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 20.0 | 1→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 26.0 | 5→6 |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 2

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 2

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




select vertex 3

| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 3

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest $\text{distTo}[]$ value).
- Add vertex to tree and relax all edges pointing from that vertex.



relax all edges pointing from 3

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

select vertex 6

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.




| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

relax all edges pointing from 6

Dijkstra's algorithm demo


- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from s (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges pointing from that vertex.



| v | distTo[] | edgeTo[] |
|---|----------|----------|
| 0 | 0.0 | - |
| 1 | 5.0 | 0→1 |
| 2 | 14.0 | 5→2 |
| 3 | 17.0 | 2→3 |
| 4 | 9.0 | 0→4 |
| 5 | 13.0 | 4→5 |
| 6 | 25.0 | 2→6 |
| 7 | 8.0 | 0→7 |

shortest-paths tree from vertex s