

Creating a Web App

with

Node Webpack React

What you will need

Google Chrome

google.com/chrome/


Chrome Dev Tools

Top right

Ctrl+Shift+I

or

Cmd+Opt+I



Node and NPM



Node and NPM

```
node -v
```

~6

```
npm -v
```

~3

nodejs.org/en/download/

Git

```
git --version
```

git-scm.com/book/en/v2/Getting-Started-Installing-Git

Who has used

git

node

node package manager (npm)

chrome developer tools

es6 / es2015

babel

webpack

react

Checking out repo

```
git clone
```

```
http://github.com/danield9tqh/node-demo.git
```


Running App

```
cd node-demo
```


```
npm start
```

localhost:8080

Git commits




Git commits



```
git reset --hard <commit_id>
```

Git commits



```
git reset --hard b
```

```
git reset --hard 95b0a414
```

Creating node project

```
cd node-demo
```

```
npm init
```

```
Go through the setup
```

Directory Structure

/node-demo

package.json

Directory Structure

/node-demo

package.json

/src

/static

index.html

/js

bundle.js

```
git reset --hard 79a11bd6
```

node-demo/src/static/index.html

```
<html>
  <head></head>
  <body>
    <div id="root"></div>

    <script type="text/javascript"
            src="js/bundle.js">
    </script>

  </body>
</html>
```

```
git reset --hard 4215b230
```

node-demo/src/static/js/bundle.js

```
console.log("Hello, World!");
```

Installing Dependencies

```
npm install http-server
```

```
--save
```

```
npm install http-server --save
```

Directory Structure

/node-demo

package.json

/node_modules

/src

/static

index.html

/js

bundle.js

```
git reset --hard 79a11bd6
```


Running Server

```
node_modules/.bin/http-server
```

```
src/static/
```

```
localhost:8080
```

Webpack



Webpack



```
<script type="text/javascript" src="js/bundle.js">
```

```
<link rel="stylesheet" href="style.css">
```


Installing Dev Dependencies

```
npm install
```

```
webpack
```

```
--save-dev
```

Directory Structure

/node-demo

package.json

/node_modules

/src

/static ...

Directory Structure

/node-demo

webpack.config.js

package.json

/node_modules

/src

app.js

/static ...

```
git reset --hard bc1467f9
```

```
git reset --hard e9148454
```

node-demo/src/app.js

```
console.log("Hello, World!");
```

node-demo/webpack.config.js

```
const path = require('path');

module.exports = {
  entry: './src/app.js',
  output: {
    path: path.join(__dirname,
      'src', 'static', 'js'),
    publicPath: 'js',
    filename: 'bundle.js'
  }
};
```

```
git reset --hard e9148454
```

Running Webpack

```
node_modules/.bin/webpack
```

Directory Structure

/src

 /static

 index.html

 /js

 bundle.js

```
git reset --hard e9148454
```

Run the Server

```
node_modules/.bin/http-server
```

```
src/static/
```

```
localhost:8080
```



```
git reset --hard bc1467f9
```

Webpack Dev Server

```
npm install
```

```
webpack-dev-server
```

```
--save-dev
```

```
git reset --hard bc1467f9
```

Running Dev Server

```
node_modules/.bin/webpack-dev-server
```

```
--content-base src/static
```

```
--inline
```

```
--hot
```

```
localhost:8080
```

node-demo/package.json

```
...
```

```
"scripts": {  
  "start": "node_modules/.bin/webpack-dev-server  
    --content-base src/static  
    --inline --hot"  
}
```

```
...
```

```
git reset --hard ee07d8fd
```


Running Dev Server

```
npm run start
```

```
npm start
```

localhost:8080

Babel



Installing Babel

```
npm install
```

```
babel-core
```

```
babel-loader
```

```
babel-preset-es2015
```

```
babel-preset-react
```

```
--save-dev
```

node-demo/webpack.config.js

```
...
    filename: "bundle.js"
  },
  module: {
    loaders: [
      {
        test: /\.js$/,
        exclude: /(node_modules)/,
        loader: 'babel-loader',
        query: {
          presets: ['es2015', 'react']
        }
      }
    ]
  }
};
```

```
git reset --hard 603067da
```


node-demo/webpack.config.js

```
...
    filename: "bundle.js"
  },
  module: {
    loaders: [
      {
        test: /\.js$/,
        exclude: /(node_modules)/,
        loader: 'babel-loader',
        query: {
          presets: ['es2015', 'react']
        }
      }
    ]
  }
};
```

Installing React

```
npm install
```

```
react
```

```
react-dom
```

```
--save
```

```
git reset --hard 603067da
```

React

```
git reset --hard 603067da
```


<UserProfile />

image

name

age

gender



```
<UserProfile  
    image="www.got.com/arya.jpg"  
    name="Arya Stark"  
    age=15  
    gender="Female"  
/>
```

```
git reset --hard 603067da
```



Name: Arya Stark

Age: 15

Gender: Female

```
<UserProfile  
    image="www.got.com/john.jpg"  
    name="John Snow"  
    age=25  
    gender="Male"  
/>
```

```
git reset --hard 603067da
```



Name: John Snow

Age: 25

Gender: Male

Spotify Web API

<https://developer.spotify.com/web-api/>

```
git reset --hard aef4db44
```

<UserProfile />

CSS Stylesheets

Installing CSS Loader

```
npm install
```

```
css-loader
```

```
style-loader
```

```
--save-dev
```

node-demo/webpack.config.js

```
...
    filename: "bundle.js"
  },
  module: {
    loaders: [
      {
        test: /\.js$/,
        exclude: /(node_modules)/,
        loader: 'babel-loader',
        query: {
          presets: ['es2015', 'react']
        }
      }
    ]
  }
};
```

```
git reset --hard b8016b73
```

Coding

git go –hard tomorrow

Thank You