

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.
ACURA					
SLX	96-99	6X139,7 to 6x139,7	12x1,5	38,1mm(1.5") 31,75 mm(1.25")	6U008
			12x1,5		6U009
MDX	01 -->	5X114,3 to 5x114,3	12x1,5	31,75 mm(1.25")	5W047
ASIA					
Rocsta	ALL	5X139,7 to 5X139,7	12x1,5	38,1mm(1,5")	5U003
CADILAC					
Escalade EXT & ESV	98 -->	6X139,7 to 6X139,7	14x1,5	38,1mm(1.5")	6W050
CHEVROLET/GMC					
Cyclone, Typhoon	ALL				
El Camino, Caballero	82-87				
S10 (USA)4x2/4x4 & Blazer(USA) 4x2/4x4	82-05				
S10(Brazil) 4x2/4x4 & Blazer(Brazil) 4x2/4x4	95 -->	5x120,65 to 5x120,65	12x1,5	38,1mm(1.5")	5W005
Sonoma 4x2&4x4 mid size	82-04				
Pickup 4x2&4x4	82-91				
GMC S-15 Jimmy	83-05				
Suburban 4x2, Fullsize 1/2 Ton Trucks 4x2	71-91 67-87				
Astro, Safari	85-02	5x127 to 5x127	1/2"	38,1mm(1.5")	5H028
Van-g series 1/2 ton	71-02				
Jimmy 4x2, 1/2 Ton, Blazer 4x2	71-91				
XL, Denali, Blazer,Tahoe, Escalade 4x2&4x4	92-04				
K-1500 Pick up 4x4	88-04				
C-2500 & K-2500 Pick up 4x2(6 lugs)	88-00				
Sierra 1500 4x2&4x4	99 -->				
Safari RWD/AWD	03-05				
Grand Blazer	92-06				
Sonora	00-06	6X139,7 to 6x139,7	14x1,5	38,1mm(1.5")	6W050
Trail Blazer	02 -->				
GMC Yukon, Silverado	92-99				
Van Express Van 1500 Savana	03-08				
Van G séries 3/4 Ton	96-97				
Suburban 1500 HD 4x2&4x4	00 -->				
1/2 Ton truck(all models) 4x4	88-98				
1/2 Ton truck(all models) 4x2&4x4	99 -->				
Avalanche 1500 4x2&4x4	02-06				
Astro, Safari	03-05				
Colorado, Canyon	04 -->	6X139,7 to 6x139,7	12x1,5	31,75mm(1.25")	6W045
3/4 Ton & 1 Ton C20&C30 4x2 K20& K30 4x4	65-87	8x165,1 to 8x165,1	9/16"	51mm(2")	8U011
Suburban 4X2&4X4					
Suburban Fullsize 4x4, Jimmy 4x4	71-91	6X139,7 to 6x139,7	7/16"	38,1mm(1.5")	6H058
1/2 Ton truck ALL models 4x4	67-87				
Censor SLE, Canyon SL, SLE, SLT	04 -->	6X139,7 to 6x139,7	12x1,5	31,75mm(1.25")	6W010
C2500, K2500 3/4 Ton & HD 4x2&4x4	88-04				
C3500/ K3500 1 Ton & HD 4x2&4x4	88-04	8x165,1 to 8x165,1	14x1,5	51mm(2")	8W057
Sierra 2500/3500 4x2&4x4	99 -->				
Yukon XL 2500 3/4 Ton 4x2&4x4	00-06				
2500/3500 Trucks & Van (non-dually)	ALL				
Van Express, Van 2500/3500 Savana	97 -->	8x165,1 to 8x165,1	14x1,5	51mm(2")	8H013
Suburban K2500 4x4	88-99				
Avalanche 2500 4x4	02 -->	8x165,1 to 8x165,1	14x1,5	51mm(2")	8W056

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.	
3/4 Ton Truck 4x2&4x4 2500K series	88-00	6X139,7 to 6x139,7	14x1,5	38,1mm(1,5")	6H006	
Tracker (Argentino)	07 -->	5X139,7 to 5X139,7	12x1,25	38,1mm(1.5")	5U022	
GM Tracker	01-04			30mm(1.1/6")	5U023	
Opala	All	5X114,3 to 5x114,3	12x1,5	31,75mm(1.25")	5U066	
Montana, Pick Up Corsa, Corsa, Celta, Meriva, Prisma	ALL	4x100 to 4x100	12x1,5	30mm(1.1/6")	4S067 (available in July 2010)	
CHRYSLER						
Town & Country Van, Voyager	88-07	5X114,3 to 5x114,3	12x1,5	38,1mm(1.5")	5W014	
Aspen Limited 4x2/4x4 WD	07 -->	5X139,7 to 5X139,7	9/16"	38,1mm(1.5")	5W038	
DAIHATSU						
Feroza	ALL					
Rocky 4x4	89 -->	5X139,7 to 5X139,7	12x1,5	38,1mm(1,5")	5U003	
Pick up 4x4 (All)	84-02					
Terios	ALL	5X114,3 to 5x114,3	12x1,5	31,75mm(1.25")	5W046	
DODGE						
Grand Caravan, Caravan LE	87 -->	5X114,3 to 5x114,3	12x1,5	38,1mm(1.5")	5W014	
Dakota 4x2/4x4	87-90					
Ram 1500 4x2	74-84	5X114,3 to 5x114,3	1/2"	or	38,1mmm(1.5")	5U015
Ramcharger 4x4	74-79	5x114,3 to 5x139,7	1/2"		38,1mmm(1.5")	5UAD1
1/2 Ton Truck/Vans	49-85					
Ramcharger 4x4 with CAD	80-93					
Ram 1500 4x2	85-01	5x139,7 to 5x139,7	1/2"	or	38,1mm(1.5")	5U018
Ram Van	85-03	5x139,7 to 6x139,7	1/2"		50mm	5UAD3
1/2 Ton Trucks/Van	94-01					
Dakota 4x2/4x4 WD	05 -->					
Durango 4x2/4x4 WD	04 -->	5X139,7 to 5X139,7	9/16"	38,1mm(1.5")	5W038	
Ram 1500 4x2&4x4	02 -->					
D50/Ram 50 Turbo Diesel	79-93	6X139,7 to 6x139,7	12x1,5	38,1mm (1.5")	6U008	
Raider 4x4	86-89					
Ram 2500/3500 4x2/4x4	94 -->	8x165,1 to 8x165,1	9/16"	51mm(2")	8U011	
3/4/1 Ton Truck 4x2/4x4	46-93	8x165,1 to 8x165,1	1/2"	51mm(2")	8U020	
Dakota Sport (Brazil)	98-02					
Dakota 4x2/4x4	91-04	6X114,3 to 6x114,3	1/2"	38,1mm (1.5")	6W055	
Durango 4x2/4x4	98-03					
FIAT						
Adventure locker, pick-up Strada, Fiorino, Adventure	ALL	4x98 to 4x98	12x1,25	30mm (1.1/6")	4S068 (available in July 2010)	
FORD						
Aerostar	85-97					
Bronco II	84-90					
Explorer & Explorer Sport	90-02	5x114,3 to 5x114,3	1/2"	or	38,1mm (1.5")	5U015
Ranchero	65-84					
1/2 Ton E-100 Van	68-84	5x114,3 to 5x139,7	1/2"	38,1mm (1.5")	5UAD1	
1/2 Ton F-100 4x2 w/o Power Brakes	80-85					
Ranger 4x2&4x4 (USA models)	81-02					
Maverick (5 lugs)	64-73					
Troller (5 lugs)	-->02	5X114,3 to 5x114,3	1/2"	38,1mm (1.5")	5U017	
Bronco	66-96	5X139,7 to 5X139,7	1/2"	38,1mm (1.5")	5U018	
1/2 Ton E/F, 100/150 Truck, Van	49-96					
Econoline E-150	02 -->	5x139,7 to 6x 139,7	1/2'	50mm	5UAD3	
F1000	ALL					
F250/350 4x2/4x4	55-79	8x165,1 to 8x165,1	1/2"	51mm(2")	8U020	
F-250/F-350 dually 4x2&4x4	88-98	8x165,1 to 8x165,1	9/16"	51mm(2")	8U011	
F250/350 4x2/4x4 Old Body	80-98					
F250/F350 dually 4x2/4x4	99-05	8x170 to 8x170	14x2.0	51mm(2")	8U019	

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.
F250/350, Excursion 4x2/4x4	98-04	8x170 to 8x170	14x2,5	51mm(2")	8W019
F250/350 4x2/4x4,F4000, F 350 Harley Davidson	04 -->	8x170 to 8x170	14x1,5	51mm(2")	8W032
Courier Pick UP	71-84	6X139,7 to 6x139,7	12x1,5	38,1mm(1.5")	6U008
Troller	03 -->			31,75mm (1.25")	6U009
Ranger 4x4 (international model)	ALL	6X139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6W053
Maverick (old models)		6X139,7 to 6x139,7	12x1,25	38,1mm (1.5")	6H040
				30mm (1.1/6")	6H041
Maverick (new models) & Escape	01 -->	5X114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034
F-150 Trucks 4x2	97-03				5W060
F-150 Trucks 4x4	01-03	5x135 to 5x135	14x2	38,1mm (1.5")	(available in July 2010)
F-150 Heritage lightining	99-04				
F-150 Trucks 4x4	97-00	5x135 to 5x135	12x1,75	38,1mm (1.5")	5W061 (available in July 2010)
F-150 Trucks 4x4,Lariat 4x2/4x4	04 -->	6x135 to 6x135	14x2	38,1mm (1.5")	6W062 (available in July 2010)
F-150 Harley Davidson	06 -->				
Ranger(USA models) & Explorer 4x2/4x4	03 -->				
Explorer Sport,Sport Track		5X114,3 to 5x114,3	1/2"	38,1mm (1.5")	5W054
Edge	07 -->				
Eco Sport, Courier, Ford-K, Focus	ALL	4x108 to 4x108	12x1,5	30mm(1.1/6")	4W069 (available in July 2010)
GEO					
Tracker 2/4 Doors	89-98	5X139,7 to 5X139,7	12x1,25	38,1mm(1.5")	5U022
				30mm(1.1/6")	5U023
HONDA					
CRV, Pilot, Element	ALL	5X114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W047
Odyssey	95-04	5X114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W051
Passport	94-03	6X139,7 to 6x139,7	12x1,5	38.1mm (1.5")	6U008
				31,75mm (1.25")	6U009
Odyssey LX, EX, Touring, Ridgeline	05 -->	5x120 to 5x120	14x1,5	31,75mm (1.25")	5W049
HUMMER					
H1	ALL				
H2	03 -->	8x165,1 to 8x165,1	14x1,5	51mm(2")	8W057
H3, H3X, H3 Alpha	06 -->	6X139,7 to 6x139,7	12x1,5	38,1mm(1.5")	6W048
HYUNDAI					
Santa Fe, Tucson, Vera Cruz	ALL	5X114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034
Galopper, Terracan	ALL	6X139,7 to 6x139,7	12x1,5	38,1 mm (1.5")	6U008
				31,75mm (1.25")	6U009
INFINITI					
FX 35/45	04-08				
EX 35	08 -->	5X114,3 TO 5X114,3	12X1,25	31,75mm (1.25")	5W033
ISUZU					
Oasis	97-02	5X114,3 TO 5X114,3	12X1,5	31,75mm (1.25")	5W051
Hombre, Monterrey, Tropper II	83-03	5x120,65 to 5x120,65	12X1,5	38,1mm(1.5")	5W005
280,290,350,370 i-Series 4x2/4x4	06 -->	6X139,7 to 6x139,7	12X1,5	38,1mm(1.5")	6W048
Amigo	89-00				
Axiom	02 -->				
Pick up	80-96	6X139,7 to 6x139,7	12X1,5	38,1 mm (1.5")	6U008
Rodeo, Rodeo Sport	91 -->				
Trooper, Monterrev, Trooper II	83-03			31,75mm (1.25")	6U009
Vehicross	99 -->				
D-Max 4x4	-->03				
INTERNATIONAL HARVESTER (SCOUT)					
1/2 Ton. Scout I & II	ALL	5x139,7 to 5x139,7	1/2"	38,1mm(1.5")	5U030
		5X139,7 to 6X139,7	1/2"	50mm	5UAD3
3/4 Ton Scout	69-84	8x165,1 to 8x165,1	1/2"	51mm(2")	8U020

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.
JEEP					
Wrangler YJ & TJ	87-06				
Cherokee XJ, Sport (USA &Europe)	84-01				
Cherokee XJ, Sport (China)	-->05	5X114,3 to 5x114,3	1/2"	31,75mm (1.25")	5W016
Grand Cherokee ZJ & ZG	92-98				
Liberty KJ & Cherokee KJ	02-07	5X114,3 to 5x127	1/2"	or 31,75mm (1.25")	5WAD2
Wrangler Renegade	91-94				
Commanche, Chief	80-93				
Grand Cherokee WJ ,WG,WH,WK	99 -->				
Jeep Commander	06--->	5x127 to 5x127	1/2"	31,75mm (1.25")	5W031
Wrangler Jk	07 -->				
Sahara, Rubicon	03-06				
CJ'S - Willys (all series)	46-86	5x139,7 to 5x139,7 5x139,7 to 6x139,7	1/2" 1/2'	or 38,1 (1.5")mm 50mm	5U030 5UAD3
J-20 Serie	ALL	8x165,1	9/16"	51mm(2")	8W011
Compass 4x2/4x4	07 -->	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034
Liberty KK, Prospector, Patriot	08 -->				
F/S Cherokee	74-83	6x139,7 to 6x139,7	7/16"	38,1mm (1.5")	6H058
Grand Cherokee	--->91				
KIA					
Sportage, Gran Sportage	95-04	5x139,7 to 5x139,7	12x1,5	38,1mm (1.5")	5U003
Bongo K2500/2700 4x2 &K2700 4x4	ALL	5x160 to 5x160	14x1,5	31,75mm (1.25")	5W065 (available in April 2010)
Sorrento 4x2/4x4	03 -->	5x139,7 to 5x139,7	12x1,5	38,1mm (1.5")	5W036
Sedona LX, EX	08 -->				
Carnival	ALL				
Sportage, Gran Sportage	05 -->	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034
Sedona	02-05				
Rondo LX/EX, Sentry	07 -->				
LADA					
Niva	ALL	5x139,7 to 5x139,7	12x1,25	38,1mm (1.5")	5U022
LAND ROVER					
Series I, II, III, 90, 110	48-85	5X165,1 TO 5X165,1	16X1,5	31,75mm (1.25")	5U024
Defender with AVM Locking hubs	ALL				
Defender	90-06				
Land Rover Séries 127	85-89				
New Defender	07 -->	5X165,1 TO 5X165,1	16X1,5	30mm (1.1/6")	5W025
Range Rover Classic	--->95				
Discovery 1	89-98				
Range Rover II (P38)	95-02				
Discovery 2	ALL	5x120 to 5x120	14x1,5	31,75mm (1.25")	5W052
Discovery 1 (C.B. 70mm)	99 -->				
New Ranger Rover	96 -->				
Range Rover Super Charger	03 -->				
Range Rover Sport	06 -->	5x120 to 5x120	14x1,5	31,75mm (1.25")	5W001
Discovery 3 (LR3)	05 -->				
Freelander I	96-05	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W047
Freelander II (LR2)	06-->	5x108 to 5x108	14x1,5	31,75mm (1.25")	5W004 (available in July 2010)
LEXUS					
RX 300, RX 330, RX 350, RX 400	98 -->	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W059
LX 470, LX 570	98 -->	5x150 to 5x150	14x1,5	31,75mm (1.1/6")	5W027
L 450	96-97	6x139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6W010
GX 470	03 -->				
LINCON					
Aviator, MKX	03 -->	5x114,3 to 5x114,3	1/2"	38,1mm (1.5")	5W054

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.	
MAHINDRA						
CJ 340	89-95	5x139,7 to 5x139,7	12x1,5	38,1mm (1.5")	5U003	
CL 340, Marindra Classic	96 -->					
Bolero, Skorpio,Pick up (new models)	ALL	5x160 to 5x160	14x1,5	38,1mm (1.5")	5H063 (available in June 2010)	
MAZDA						
B 2300/2500/2600 Pick Up	77-93	6x139,7 to 6x139,7	12x1,5	38,1mm (1.5")	6U008	
B séries (Type UF)				31,75mm (1.25")	6U009	
B 2500/2600, BT50, Pick Up	93 -->	6x139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6W053	
B séries (Type UN)						
B 3000/4000, Navajo 4x2 & 4x4	ALL	5x114,3 to 5x114,3	1/2"	38,1mm (1.5")	5W054	
Tribute, MPV	ALL	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034	
CX-7, CX-9	07 -->					
MERCEDES						
G Wagon	ALL	5X130 to 5x130	14x1,5	30mm (1.1/6")	5S070 (available in July 2010)	
MERCURY						
Mountaineer	96 -->	5x114,3 to 5x114,3	1/2"	38,1mm (1.5")	5W054	
Villager	93 -->	5x114,3 to 5x114,3	12x1,25	31,75mm (1.25")	5W033	
Mariner 4x2/4x4	05 -->	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034	
MITSUBISHI						
Air Trec	01-05	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034	
Montero iO	98 -->					
Outlander	03 -->					
Endeavor	04 -->					
Shogun/Pajero Pinin	98 -->					
Pajero TR4	01 -->					
Pajero Full	01 -->	6x139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6W044	
Shogun/Pajero V60	00 -->					
Shogun/Pajero V80	06 -->					
L200 KAOT, Strakar	06 -->					
Montero	01 -->					
Pajero Dakar	06-->					
L200Triton (new models)	ALL	6x139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6U064	
Pajero Sport	05 -->					
Montero/Pajero/Shogun	83-00					
Shogun/Pajero L040,K90,K60T,V20	82-00					
L300	ALL					
Pajero 4x4	92-98					
L200 (all models)	92-05	6x139,7 to 6x139,7	12x1,5	38,1mm (1.5")	6U008	
Triton (old models)	ALL					
Montero Sport	97-04					
Nativa, Challenger	ALL			31,75mm (1.25")	6U009	
L200 GL,L200 Outdoor,L200 Sport	06-->					
Mitsubishi Forte	78-86			6x139,7 to 6x139,7	12x1,25	38,1mm (1.5")
Mitsubishi Strada	86-96					
Mitsubishi Strakar	99-05					
NISSAN						
Frontier/ Pathfinder 4x2&4x4 w/locking hubs	87-04	6x139,7 to 6x139,7	12x1,5	31,75mm (1.25")	6H043	
Pick Up 4x2&4x4	73-86					
X-Terra	00-04	6x139,7 to 6x139,7	12x1,25	38,1mm (1.5")	6H040	
Terrano I&II	86 -->					
Pick Up MD21 & MD22	-->05					
Mistral	ALL					
Patrol G60	61-79					
Patrol MK, MQ, K160, K260,W160,W260	ALL					
				30mm (1.1/6")	6H041	

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.
ALL					
Patrol GRY 60	-->02/99				
Patrol GRY 61	03/99-->	6x139,7 to 6x139,7	12x1,25	31,75mm (1.25") 31,75mm (1.25")	6W042D 6W042
Murano	03 -->				
Quest	93 -->	5x114,3 to 5x114,3	12x1,25	31,75mm (1.25")	5W033
Rogue	08 -->				
Qasqay, X-Trail 30&31	ALL				
Navara D40	06 -->				
Frontier 4x2&4x4	05 -->	6x114,3 to 6x114,3	12x1,25	31,75mm (1.25")	6W029
Pathfinder, X-Terra, Nismo 4x2 &4x4	05 -->				
OLDSMOBILE					
Bravada	91-01	5x120,65 to 5x120,65	12x1,5	38,1mm (1.5")	5W005
OPEL					
Frontera, Campo	ALL	6x139,7 to 6x139,7	12x1,5 12x1,5	or 38,1mm (1.5") 31,75mm (1.25")	6U008 6U009
Insignia	ALL	5x120 to 5x120	14x1,5	31,75mm (1.25")	5W002
PLYMOUTH					
Grand Voyager	88 -->	5x114,3 to 5x114,3	12x1,5	38,1mm (1.5")	5W014
Trail Duster	79-82	5x114,3 to 5x114,3 5x114,3 to 5x139,7	1/2" 1/2"	or 38,1mm(1.5") 38,1mm(1.5")	5U015 5UAD1
Arrow	79-82	6x139,7 to 6x139,7	12x1,5	38,1mm (1.5")	6U008
SSANGYONG					
Korando, Musso	ALL	6x139,7 to 6x139,7	12x1,5	or 38,1mm (1.5")	6U008
Rexton	-->05		12x1,5	31,75mm (1.25")	6U009
Actyon, Kyron, Rexton II	05-->	5X130 to 5x130	14x1,5	31,75mm (1.25")	5W039
SUZUKI					
Sidekik 4x2/4x4	95-99	5x139,7 to 5x139,7	12x1,5	38,1mm (1.5")	5U003
Samurai 4x2/4x4	86-94				
Sidekik 4x2/4x4	89-95				
X-90	96-98	5x139,7 to 5x139,7	12x1,25	38,1mm (1.5")	5U022
XL 7	02-06				
XL 75	99-05			30mm (1/1.6")	5U23
Vitara	88-00				
Gran Vitara	98-05				
Sierra,Santana,Carribean,Holden Drover	ALL				
Jimny, SJ-Séries	ALL				
Gran Vitara	06 -->	5x114,3 to 5x114,3	12x1,25	31,75mm (1.25")	5W021
Sx4	07 -->				
TATA					
Pick Up	ALL	5x160 to 5x160	14x1,5	38,1mm (1.5")	5H063 (available in June 2010)
TOYOTA					
FJ Cruiser	06 -->	6x139,7 to 6x139,7	12x1,5	30mm (1.1/6")	6W010
Sequoia	01-07				
Hi-Lux N8 (5 lugs)	ALL	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W034
Rav 4	96 -->				
Previa	ALL				
Sienna	97 -->				
Tacoma 4x2 except Prerunner	95-04	5x114,3 to 5x114,3	12x1,5	31,75mm (1.25")	5W059
Tacoma 4x2, W, OE 15"	05 -->				
Tacoma X-Runner, W, OE 18"					
Pick up 4x2	80-95				
Hi-Lux (6 lugs) all, Hi-Ace, SW4	-->05				
Land Cruiser Series 40,60,70,80	64-97				
Land Cruiser Bundera	84-90				
Land Cruiser Series 70 Prado/LC70/LC3	90-96				

APPLICATION CHART

APPLICATION	YEAR	PATTERN BOLTS	STUD THREAD	THICKNESS	AVM REF.
Land Cruiser II	ALL				
Land Cruiser Séries 90, Colorado	96-02				
Land Cruiser 90 Prado/LC90/ LC4		6x139,7 to 6x139,7	12x1,5	38,1mm(1.5")	6U008
Toyota Machito, Autana	84 -->				
Toyota Burbuja	90-97			31,75mm (1.25")	6U009
Toyota Samurai	80-90				
4 Runner	84-02				
T100 4x2/4x4	93-99				
Tacoma Prerunner 4x2, Tacoma 4x4	95-04				
Bandeirantes	ALL				
Pick Up 4x4 with locking hubs	80-95				
Land Cruiser Prado 120/LC120/LC5	03 -->				
Land Cruiser J9/J12	ALL				
Land Cruiser Amazon	98-03				
4 Runner V6 & V8	03 -->				
Hi-Lux N25, Hi-Lux Surf,		6x139 to 6x139	12x1,5	31,75mm (1.25")	6W037
Hi-Lux Vigo	05 -->				
Hi-Lux Turbo, Sw4, Tacoma 4x2-W-OE 16"					
Tundra 4x2/4x4	99-06				
Land Cruiser Series 100	98-07				
Sequoia	08 -->				
Tundra 4x2/4x4		5x150 to 5x150	14x1,5	31,75mm (1.25")	5W027
Land Cruiser Roraima	07 -->				
Land Cruiser Séries 200					
Land Cruiser HZJ 71,78,79,105		5x150 to 5x150	14x1,5	31,75mm (1.25")	5H026
UAZ/VAZ					
All	ALL	5x139,7 to 5x139,7	14x1,5	38,1mm (1.5")	5H035
VOLKSWAGEN					
Cross Fox	ALL	5x100 to 5x100	14x1,5	30mm (1.1/6")	5S071 (available in July 2010)
Parati, Parati Tracks & Field	ALL	4x100 to 4x100	12x1,5	30mm (1.1/6")	4S072 (available in July 2010)
Saveiro					
Taro 4x4	ALL	6x139,7 to 6x139,7	12x1,5	38,1mm (1.5")	6U008
				31,75mm (1.25")	6U009