

VOCARI

# Profile DNA Prototype Build Plan

A presentation-ready classroom prototype that can become the foundation of the future product

**Scope decision:** Build the smallest honest version of Profile DNA that demonstrates Vocari’s core value. Use existing onboarding evidence and deterministic logic. Do not build continuous AI learning, production safety systems, or camera/emotion research into the prototype.

Prepared for the Rutgers class prototype · August 2026

## The decision in one page

| Build now                                     | Prepare to scale                                      | Defer                                                            |
|-----------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------|
| Initial Profile DNA generated from onboarding | Stable Profile DNA template and TypeScript interfaces | Continuous AI learning and open-ended conversation               |
| Evidence-backed pattern cards                 | Derivation logic separated from presentation          | Full evidence ledger and profile version history                 |
| One simple feedback demo                      | Event names and extension points                      | Public-release privacy, retention, export, and AI safety systems |
| Career connections from existing matcher      | Consistent recommendation result contract             | Camera, emotion survey, and MorphCast research                   |

**Presentation promise:** “Vocari turns a user’s own answers into an explainable Profile DNA snapshot and uses that snapshot to make career exploration feel personally relevant.” Do not claim that the prototype continuously learns from every interaction.

# 1. Prototype outcome and boundaries

The classroom prototype should prove a single product loop without requiring production infrastructure:

| User action            | What Vocari demonstrates | What the audience sees                                                       |
|------------------------|--------------------------|------------------------------------------------------------------------------|
| Complete onboarding    | Evidence collection      | Answers about interests, energizers, drainers, values, and work preferences  |
| Open Profile DNA       | Interpretation           | A clear summary, four to five patterns, supporting evidence, and preferences |
| Inspect a pattern      | Transparency             | The answer or answers that support the insight                               |
| Respond to one insight | Adaptability             | A visible refinement or confirmation within the demo session                 |
| Explore careers        | Application              | Career recommendations and fit explanations connected to the profile         |

## Prototype boundaries

- No camera access, emotion recognition, affective survey, or MorphCast dependency.
- No claim that Profile DNA is a diagnosis, fixed identity, or validated psychological assessment.
- No production-grade AI memory, autonomous profile rewriting, or full conversation history.
- No need to build subscriptions, payments, public moderation, enterprise controls, or complete compliance workflows.
- Use ordinary or seeded demonstration data. Do not enter private health, legal, financial, or other sensitive information during the presentation.

**Important distinction:** Production guardrails can wait. Prototype honesty cannot. Label simulated or session-only changes clearly so evaluators understand what works and what represents the future direction.

## What already exists and should be reused

| Existing asset   | Use in Profile DNA prototype                                 |
|------------------|--------------------------------------------------------------|
| profile-store.ts | Reuse the onboarding profile and existing local persistence. |

| Existing asset                                               | Use in Profile DNA prototype                                                      |
|--------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <code>user-signals.ts</code>                                 | Reuse the 20 normalized user dimensions and source-aware evidence.                |
| <code>patterns.ts</code> and <code>insights.ts</code>        | Reuse and consolidate pattern language; do not create a competing insight engine. |
| <code>matching.ts</code> and <code>recommendations.ts</code> | Use the existing deterministic matcher for career connections.                    |
| <code>dashboard.tsx</code> and <code>results.tsx</code>      | Refactor shared Profile DNA presentation rather than duplicating calculations.    |

## 2. Universal Profile DNA template

Every initial Profile DNA should follow the same structure. Sections may be empty when the user has not supplied enough evidence; the interface should never invent content to fill space.

| Section                      | Required prototype content                                          | Presentation behavior                              |
|------------------------------|---------------------------------------------------------------------|----------------------------------------------------|
| <b>Header</b>                | Name, 'Initial Profile DNA,' completion state                       | Makes the prototype status explicit                |
| <b>Profile summary</b>       | Two to three sentences synthesized from strongest supported signals | A readable opening, not a personality label        |
| <b>Core patterns</b>         | Four to five named patterns with short explanations                 | Expandable cards                                   |
| <b>Work preferences</b>      | Structure, pace, autonomy, collaboration, ambiguity                 | Show as plain-language tendencies                  |
| <b>Energizers</b>            | Selected energizers and related evidence                            | Directly traceable to onboarding                   |
| <b>Drainers</b>              | Selected drainers and related evidence                              | Frame as context, not limitations                  |
| <b>Values and motivators</b> | User-selected values plus supporting reflection                     | Keep stated values separate from inferred patterns |
| <b>Strength signals</b>      | Strongest evidence-backed capabilities                              | Use 'signal' language, not certified skill claims  |
| <b>Career connections</b>    | Three career families or roles with one reason each                 | Use existing recommendation output                 |
| <b>Still learning</b>        | One or two low-evidence areas                                       | Shows humility and future progression              |
| <b>Feedback</b>              | Resonates / Not quite                                               | One session-only demo interaction                  |

Canonical prototype data shape

**Design contract:** The screen can evolve, but all Profile DNA views should read from one shared ProfileDNA object. Career profiles must continue to use Career Characteristic Vector, never Profile DNA.

| Field group        | Minimum fields                                                  |
|--------------------|-----------------------------------------------------------------|
| Identity           | profileId, userId or demoId, status, generatedAt, schemaVersion |
| Narrative          | summary, stillLearning[]                                        |
| Patterns           | id, label, explanation, strengthBand, evidenceRefs[]            |
| Preferences        | dimensionKey, plainLanguageLabel, value, evidenceRefs[]         |
| Direct statements  | energizers[], drainers[], values[]                              |
| Career connections | careerId, title, fitReasons[], tradeoff                         |
| Demo feedback      | insightId, response, createdAt, persistence: session            |

Suggested prototype statuses: empty → forming → initial. Reserve evolving, reviewed, and versioned for later releases.

3. Interaction and change model

For the prototype, most actions should not change Profile DNA. This keeps behavior predictable and makes the presentation easy to explain.

| Interaction               | Prototype behavior                                               | Future scalable behavior                                         |
|---------------------------|------------------------------------------------------------------|------------------------------------------------------------------|
| Edit an onboarding answer | Recalculate the initial profile immediately                      | Create new evidence and a profile version                        |
| Open evidence             | No profile change                                                | Record an optional analytics event                               |
| Resonates                 | Show confirmation and retain for the current session             | Add user-confirmed evidence after review                         |
| Not quite                 | Reveal one short clarification choice; update wording in session | Create a challenge/clarification record and proposed update      |
| Save a career             | No Profile DNA change                                            | Possible exploration signal only after explicit product decision |
| Write a reflection        | Save as a private note; no automatic analysis                    | May become evidence only with clear user permission              |

| Interaction     | Prototype behavior    | Future scalable behavior                             |
|-----------------|-----------------------|------------------------------------------------------|
| Browse or click | No Profile DNA change | Behavioral signals remain a governed future decision |

The one feedback interaction to demonstrate

1. User opens a pattern

Vocari shows the pattern explanation and two supporting onboarding answers.

2. User selects ‘Resonates’ or ‘Not quite’

Resonates shows a confirmation. Not quite opens a maximum of three clarification choices, such as ‘only in small teams,’ ‘depends on the task,’ or ‘this does not describe me.’

3. Vocari shows the visible effect

The pattern card gains a small ‘confirmed’ label or its explanation changes to include the selected context. Recommendations do not need to reorder for the classroom demo.

4. Reset for presentation

Provide a simple demo reset control or use a seeded profile so the presentation can be repeated reliably.

**Why this is enough:** It demonstrates that Profile DNA can respond to the user without requiring an AI conversation, database event ledger, version comparison screen, or complex scoring update.

Deterministic change rule

In the prototype, editing onboarding answers is the only action that recalculates the underlying Profile DNA. Feedback changes presentation context only. This rule is simple to implement, easy to test, and replaceable later because the derivation function remains separate from the display component.

4. Build sequence for Lovable

| Phase               | Deliverable                                                                                       | Complexity | Done when                                                     |
|---------------------|---------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------|
| 0. Remove research  | Delete/disable camera, emotion capture, research admin, MorphCast loading, and research-only copy | Low–medium | No route requests camera access; no emotion data is collected |
| 1. Unify vocabulary | Profile DNA = user; Career Characteristic                                                         | Medium     | Search finds no career-side use of Profile DNA or             |

| Phase                | Deliverable                                                            | Complexity | Done when                                                       |
|----------------------|------------------------------------------------------------------------|------------|-----------------------------------------------------------------|
|                      | Vector = career; rename career-dna internals                           |            | Career DNA                                                      |
| 2. Create model      | ProfileDNA TypeScript interface and deriveProfileDNA(profile) selector | Medium     | One object supplies every Profile DNA view                      |
| 3. Build page        | Dedicated /profile route using the universal template                  | Medium     | A completed onboarding produces a full, evidence-backed page    |
| 4. Add feedback demo | Resonates / Not quite with session-only contextual update              | Low-medium | Interaction visibly changes one card and can be reset           |
| 5. Connect careers   | Shared career fit reasons from existing recommendation result          | Medium     | Results, dashboard, profile, and career detail agree            |
| 6. Presentation QA   | Seeded profile, empty/forming states, reset, script and error check    | Low        | A repeatable five-minute walkthrough works without manual fixes |

## Recommended component structure

- src/lib/profile-dna.ts: types, labels, deriveProfileDNA(profile), and session feedback reducer
- src/components/profile-dna/profile-dna-header.tsx
- src/components/profile-dna/profile-summary.tsx
- src/components/profile-dna/pattern-card.tsx
- src/components/profile-dna/evidence-drawer.tsx
- src/components/profile-dna/work-preferences.tsx
- src/components/profile-dna/career-connections.tsx
- src/routes/profile.tsx

**Scaling principle:** Create stable interfaces and pure derivation functions now. Do not create empty production tables or mock services merely to appear scalable. Add persistence when a real later capability needs it.

## Research removal checklist

- Remove the MorphCast loader and any root-level initialization.
- Remove emotion-capture modules and server functions from the build.
- Remove or archive /admin/research from the product routes.

- Stop new writes to emotion\_sessions and emotion\_events; preserve or delete prior study data according to the class research agreement.
- Revise the privacy page so it describes the prototype's actual behavior and does not mention ongoing facial analytics.
- Remove camera consent, face-detection, and attention-tracking UI copy.
- Keep research findings in the academic report, not in the product's Profile DNA model.

## 5. Presentation walkthrough

Target length: four to six minutes. Use one seeded participant profile so the same story appears every time.

### 1. Set the problem

Career tools often give a result without showing how they arrived there. Vocari instead builds a transparent picture from the user's experiences and preferences.

### 2. Show the inputs

Open a completed onboarding section and point to interests, energizers, drainers, values, and work preferences.

### 3. Reveal Profile DNA

Show the summary and four core patterns. Explain that it is an initial, evolving representation, not a personality diagnosis.

### 4. Open the evidence

Expand one pattern and show the answers that support it. This is the clearest proof of Vocari's trust and transparency principle.

### 5. Demonstrate feedback

Choose 'Not quite,' add a context such as 'only in small teams,' and show the explanation update.

### 6. Connect to careers

Show how the same profile produces personally relevant career connections and transparent fit reasons.

### 7. Close with the future

Explain that future versions can save evidence, version changes, and support guided Discovery Sessions. Those are the next architecture layer, not claims about the current prototype.

## Capability language for the presentation

| Say                                                      | Avoid saying                |
|----------------------------------------------------------|-----------------------------|
| 'Profile DNA is generated from your onboarding answers.' | 'The AI knows who you are.' |

| Say                                                             | Avoid saying                                           |
|-----------------------------------------------------------------|--------------------------------------------------------|
| ‘You can see the evidence behind each pattern.’                 | ‘The profile is scientifically proven.’                |
| ‘This interaction demonstrates how a user can add context.’     | ‘Vocari learns from everything you do.’                |
| ‘Career fit is calculated with a deterministic matching model.’ | ‘These are the careers you should pursue.’             |
| ‘The data model is designed to support future versioning.’      | ‘The full production infrastructure is already built.’ |

### Demo acceptance criteria

- A new or seeded user can reach Profile DNA without broken navigation.
- Every displayed pattern has at least one visible source from onboarding.
- No camera permission prompt or emotion research experience appears.
- Resonates / Not quite creates a visible, understandable change.
- The demo can be reset in under 30 seconds.
- Career fit explanations are consistent across Profile, Results, Dashboard, and Career Detail.
- The page works at the laptop resolution used for class presentation.

## 6. What comes after the class

The prototype should become the first layer of the future product, not a throwaway. The following sequence preserves that path without front-loading unnecessary work.

| Horizon                      | Add                                                                                 | Why it waits                                                         |
|------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Post-class foundation</b> | Database-backed evidence ledger, profile versions, recommendation snapshots         | Needed when Profile DNA truly changes over time                      |
| <b>Guided discovery</b>      | Short structured Discovery Sessions and review-before-apply updates                 | Requires trustworthy evidence and change history                     |
| <b>Broader intelligence</b>  | Conversation across careers, values, tradeoffs, and roadmaps                        | Should use one mature profile and recommendation contract            |
| <b>Private beta</b>          | Real retention rules, export/delete, access controls, monitoring, and AI evaluation | Needed when real users and persistent personal data enter the system |
| <b>Public production</b>     | Full safety, privacy, reliability, abuse prevention, and operational governance     | Needed before broad public access and product claims                 |

Future-compatible contracts to preserve now

- Every derived insight has a stable id and one or more evidence references.
- Direct user statements remain distinguishable from system inferences.
- Profile DNA derivation is a pure function, separate from UI and storage.
- Career Characteristic Vector remains a separate career-side model.
- Recommendation explanations consume a shared match result rather than recalculating per page.
- Schema versions are included even if only version 1 exists today.
- Prototype feedback events use names that can later map to persisted events, but remain session-only now.

Explicitly deferred prerequisites

These remain valid prerequisites for a truly evolving Profile DNA, but they are not prerequisites for the classroom prototype:

- Durable evidence ledger and provenance history
- Profile versioning, comparison, rollback, and recommendation snapshots
- Review-before-apply workflow for AI-generated updates
- Contradiction detection and aging/outdated evidence rules
- Conversation memory and governed reflection analysis
- Production data retention, privacy controls, export, and deletion
- Public-release AI safety, evaluation, observability, and incident handling

**Final build rule:** If a feature does not help demonstrate the loop ‘answers → Profile DNA → evidence → feedback → career connection,’ it should not be added before the class presentation.

7. Lovable handoff summary

Implement a dedicated initial Profile DNA experience by composing the project’s existing profile store, user signal derivation, evidence metadata, and recommendation logic. Use one shared ProfileDNA object, one dedicated /profile page, and reusable components. Add a session-only Resonate / Not quite demonstration. Remove all emotion and camera research dependencies. Do not add AI chat, production persistence, evidence-ledger tables, or version history in this phase.

Definition of done

| Area  | Required result                                                                       |
|-------|---------------------------------------------------------------------------------------|
| Scope | Classroom prototype label is clear; future capabilities are not presented as shipped. |

| Area     | Required result                                                                                       |
|----------|-------------------------------------------------------------------------------------------------------|
| Profile  | Universal template renders from current onboarding data.                                              |
| Evidence | Each insight can reveal why Vocari inferred it.                                                       |
| Feedback | One simple interaction adds visible context without rewriting the full profile.                       |
| Careers  | Connections use the existing deterministic recommendation model.                                      |
| Research | Camera, MorphCast, emotion survey, capture, admin view, and related copy are removed.                 |
| Scale    | Stable types and pure logic allow later persistence and versioning without replacing the UI contract. |
| Demo     | Seeded scenario is reliable, resettable, and presentable in under six minutes.                        |