

Windows Subsystem for Linux (WSL)

A Comprehensive Overview



```
mirror_mod = modifier_ob.  
#set mirror object to mirror  
mirror_mod.mirror_object =
```

```
operation == "MIRROR_X":  
    mirror_mod.use_x = True  
    mirror_mod.use_y = False  
    mirror_mod.use_z = False  
operation == "MIRROR_Y":  
    mirror_mod.use_x = False  
    mirror_mod.use_y = True  
    mirror_mod.use_z = False  
operation == "MIRROR_Z":  
    mirror_mod.use_x = False  
    mirror_mod.use_y = False  
    mirror_mod.use_z = True
```

```
#selection at the end -add  
mirror_ob.select= 1  
modifier_ob.select=1  
context.scene.objects.active  
= ("Selected" + str(modifier_ob))  
mirror_ob.select = 0  
= bpy.context.selected_objects  
data.objects[one.name].select  
print("please select exactly
```

```
-- OPERATOR CLASSES ----
```

```
bpy.types.Operator):  
    # X mirror to the selected  
    object.mirror_mirror_x"  
    "Mirror X"
```

```
context):  
    context.active_object is not
```

Introduction to WSL

What is Windows Subsystem for Linux (WSL)?

- A compatibility layer for running Linux binaries natively on Windows.
- Enables developers to use Linux tools without a virtual machine or dual boot.

History & Evolution

WSL 1 (2016)

- Uses a translation layer for Linux system calls.
- Slower file performance but lighter on system resources.

WSL 2 (2020)

- Uses a real Linux kernel via a lightweight VM.
- Improved performance and full system call compatibility.

Key Features of WSL

- Runs native Linux command-line tools.
- Supports multiple Linux distributions (Ubuntu, Debian, Kali, etc.).
- Full system call compatibility in WSL 2.
- Integration with Windows file system and applications.
- GPU compute support for AI/ML workloads.

WSL vs Virtual Machines (VM)


- WSL requires fewer resources (CPU, memory, and storage)
- Run Linux command-line tools and apps alongside Windows command-line, desktop and store apps.
- Enables Windows apps and Linux command-line tools on the same set of files.

WSL 1 vs WSL 2

<https://learn.microsoft.com/en-us/windows/wsl/compare-versions>

| Feature | WSL 1 | WSL 2 |
|--|-------|-------|
| Integration between Windows and Linux | ✓ | ✓ |
| Fast boot times | ✓ | ✓ |
| Small resource foot print compared to traditional Virtual Machines | ✓ | ✓ |
| Runs with current versions of VMware and VirtualBox | ✓ | ✗ |
| Managed VM | ✗ | ✓ |
| Full Linux Kernel | ✗ | ✓ |
| Full system call compatibility | ✗ | ✓ |
| Performance across OS file systems | ✓ | ✗ |
| systemd support | ✗ | ✓ |
| IPv6 support | ✓ | ✓ |

Use Cases of WSL




WSL GUI Support

- Windows Subsystem for Linux GUI (WSLg).
- Enables Linux GUI applications on Windows.
- Works with Wayland server and Weston compositor.
- Example: Running Gedit, GIMP, or Firefox from Linux on Windows.


File System and Interoperability

- Access Windows files from WSL (/mnt/c/).
- Edit files across Windows and Linux environments.
- Run Windows executables from Linux and vice versa.



Networking in WSL

- WSL 1: Shares host IP, easy access to Windows network.
- WSL 2: Runs in a VM, separate virtualized network.
- Port forwarding and localhost access.
- Integration with Docker for containerized development.





Advanced WSL Configurations

- Customizing WSL settings (.wslconfig, wsl.conf).
- Mounting additional drives in WSL.
- Running systemd in WSL 2 (recent feature).
- Using Docker with WSL.



Limitations and Challenges

- GUI support is still improving.
- Performance variations between WSL 1 and WSL 2.
- Limited support for certain kernel modules.
- Requires Windows 10/11 (not available on older versions).



Future of WSL

- Continued performance improvements.
- Enhanced compatibility with Linux applications.
- Stronger GPU and AI/ML support.
- Better networking and system integration.

wsl --help

- wsl --version
- wsl --list
- wsl --list --verbose
- wsl --list --online
- wsl --shutdown
- wsl --terminate <DistributionName>
- wsl --unregister <DistributionName>
- wsl --set-default <DistributionName>

Demo




WSL

Rename WSL Distro

1. `wsl --list --verbose`
2. `wsl --shutdown -d <DistributionName>`
3. Open regedit
4. Navigate to
HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Lxss
Each subfolder under Lxss represents a different WSL distro.
5. Find and Edit the DistributionName
6. `wsl --list`
7. `wsl -d <DistributionName>`

Demo



Export\Import distributions

Assuming an Ubuntu Distribution

1. Export

```
wsl --terminate Ubuntu  
wsl --export Ubuntu myUbuntu.tar
```

2. Import

```
mkdir c:\wslDistroStorage  
wsl --import myUbuntu C:\wslDistroStorage .\myUbuntu.tar
```

Demo



Create Thumbnail

Assuming an Ubuntu Distribution

1. Install ImageMagick

```
wsl sudo apt-get install imagemagick
```

2. Create thumbnail of image

```
wsl convert myImage.jpg -thumbnail 400 t-myImage.jpg
```

Demo



File Count/Directory Size

- File Count

```
wsl ls | wsl wc -l
```

- Directory Size

```
wsl du -sh myDirectory
```

Demo



grep vs findstr

- grep

```
wsl grep --color=always -nr searchString myDirectory
```

- findstr

```
Findstr /a:5 /n searchString .\myDirectory\*
```

Demo



Running a Bash Script

1. Create helloWorld.sh File

```
#!/bin/sh  
Echo "Hello World"
```

2. Run Script

```
wsl sh helloWorld.sh
```

Demo





Summary

- WSL is a powerful tool for running Linux on Windows.
- Offers high performance with minimal resource use.
- Ideal for developers, sysadmins, and researchers.
- Continued development by Microsoft ensures future enhancements.



References

- Windows Subsystem for Linux Documentation
<https://learn.microsoft.com/en-us/windows/wsl/>
- Slides
<https://github.com/danielecolon/WSL>