

AsciiDoc Article Title

Firstname Lastname

Version 1.0, July 29, 2014, AsciiDoctor 1.5 article template

Table of Contents

- 1. Revision History 1
- 2. First Section 1
- 3. Second Section. 1
 - 3.1. subtitle 1
 - 3.2. Admonitions 2
- 4. Included Section 2
 - 4.1. Included subtitle 2
- Index 3

Content entered directly below the header but before the first section heading is called the preamble.

1. Revision History

Author	
Tech review	
Quality Review	

ijklj

What is AsciiDoctor?

An implementation of the AsciiDoc processor in Ruby.

What is the answer to the Ultimate Question?

42

2. First Section

- item 1
- item 2

Table 1. a table

Name of Column 1	Name of Column 2
Cell in column 1, row 1	Cell in column 2, row 1
Cell in column 1, row 2	Cell in column 2, row 2

Listing 1. ruby source code

```
1 puts "Hello, World!"
```

3. Second Section

3.1. subtitle

Listing 2. java source code

```
1 @SessionScoped
2 public class WidgetRepository {
3     @GET
4     @Produces("application/json")
5     public List<String> listAll(@QueryParam("start") Integer start, @QueryParam("max") Integer max) {
6         ...
7     }
8 }
```

sample icons

💎 ruby, asciidoctor

💎 ruby, asciidoctor



line of code ①

line of code ②

line of code ③

- ① A callout behind a line comment for C-style languages.
- ② A callout behind a line comment for Ruby, Python, Perl, etc.
- ③ A callout behind a line comment for Clojure.

3.2. Admonitions

	It's possible to use Unicode glyphs as admonition icons. see <code>:tip-caption:</code>
	It's possible to use
	It's possible to use
	It's possible to use
	It's possible to use

4. Included Section

4.1. Included subtitle

some content




Figure 1. A mountain sunset




Figure 2. Sequence diagram

hhh

Index