

AUTOBOT v0.13.2

SECOND COMPUTER SETUP - WINDOWS AND MAC

COPYABLE COMMANDS

1-20 LAPTOPS

REMOTE EVENT OPENING

Use only for the organizer-owned, approved classroom test event. POSH login, OTP, CAPTCHA, and any browser permission prompts remain manual.

1. Start enrollment on the main dashboard

- On the main MacBook, open <https://autobot-command-center.avgschnook.chatgpt.site>
- Enter the dashboard PIN.
- Set the maximum number of new laptops and click **Start 48-hour enrollment**.
- Keep the displayed code available for up to 48 hours. Approve every laptop after it appears.

2. Install the basics on the new computer

- Install Google Chrome from <https://www.google.com/chrome/>
- Install the current Node.js LTS release from <https://nodejs.org/>
- Download the newest AUTOBOT release ZIP from <https://github.com/danieleyny/autobot/releases/latest>
- Extract the ZIP. Open the folder named AUTOBOT-System-v0.13.2.

Already paired? Run the new setup assistant without removing the laptop from the dashboard. It keeps the pairing and updates the startup path. Load the new extension folder, then restart the computer once.

3. Make a quiet Chrome profile

- Create a normal Chrome profile named AUTOBOT Laptop 01. Continue without a Google account.
- Do not use Guest or Incognito mode; unpacked extensions do not run there.
- Paste each address below into Chrome and choose the setting shown.

chrome://password-manager/settings	Offer to save passwords and passkeys: OFF
chrome://settings/addresses	Save and fill addresses: OFF
chrome://settings/payments	Save and fill payment methods: OFF
chrome://settings/content/notifications	Do not allow site notifications
chrome://settings/content/popups	Do not allow pop-ups or redirects
chrome://settings/performance	Always keep posh.vip active

WINDOWS SETUP

Use these commands if the setup file does not open when double-clicked.

1. Check Node.js

Open PowerShell and run:

```
node --version
npm --version
```

If either line says **not recognized**, install Node.js LTS from <https://nodejs.org/>, close PowerShell completely, reopen it, and run the checks again.

2. Open PowerShell in the extracted folder

In File Explorer, open AUTOBOT-System-v0.13.2. Click the address bar, type **powershell**, and press Enter.

3. Run the setup assistant

```
. \SETUP-WINDOWS.cmd
```

- Enter the enrollment code from the main dashboard.
- Enter a unique name such as Laptop 01.
- Keep the PowerShell window open during this first session.

Manual fallback

If the assistant still does not run, paste these commands one block at a time:

```
npm install

npm run device:pair -- `
  --controller=https://autobot-command-center.avgschnook.chatgpt.site `
  --code=PAIRING_CODE `
  --name="Laptop 01"

npm run device:install
npm run device
```

Replace PAIRING_CODE before pressing Enter. Do not include brackets, bold marks, or a copied timestamp.

4. Load the extension

- Open chrome://extensions and turn on Developer mode.
- Click Load unpacked.
- Select the inner **extension** folder, not the outer AUTOBOT folder.
- Confirm AUTOBOT Owned-Event RSVP Lab v0.13.2 appears.

MAC SETUP

All commands below are selectable. Paste one command at a time into Terminal.

1. Check Node.js

Open Terminal and run:

```
node --version
npm --version
```

If Terminal says **command not found**, install Node.js LTS from <https://nodejs.org/>. Close Terminal completely, reopen it, and run the checks again.

2. Move Terminal into the AUTOBOT folder

Type `cd` followed by one space. Drag the extracted AUTOBOT-System-v0.13.2 folder into Terminal, then press Return.

3. Run the setup assistant

```
chmod +x SETUP-MAC.command
./SETUP-MAC.command
```

- Enter the enrollment code from the main dashboard.
- Enter a unique name such as Laptop 01.
- Keep Terminal open during this first session.

If macOS blocks the file, open System Settings - Privacy & Security and choose Open Anyway only for the file downloaded from the official AUTOBOT GitHub release.

Manual fallback

```
npm install

npm run device:pair -- \
  --controller=https://autobot-command-center.avgschnook.chatgpt.site \
  --code=PAIRING_CODE \
  --name="Laptop 01"

npm run device:install
npm run device
```

Replace `PAIRING_CODE` before running the pairing command.

4. Load the extension

- Open `chrome://extensions` and turn on Developer mode.
- Click Load unpacked and select the inner **extension** folder.
- Confirm AUTOBOT Owned-Event RSVP Lab v0.13.2 appears.

CONNECT, TEST, AND OPERATE

Complete these steps after the setup assistant and extension are running.

1. Approve the laptop

- Return to the Command Center on the main MacBook.
- Find the new laptop marked Pending and click **Approve device**.
- Confirm it changes to Online. Pairing remains saved across restarts.

2. Sign into POSH manually

- On the new laptop, sign into its individual POSH account.
- Complete OTP, CAPTCHA, or Cloudflare checks manually.
- Dismiss cookie, location, tutorial, and other one-time prompts.

3. Open a new event across the fleet

- In the Command Center, paste the organizer-owned POSH event URL.
- Click **Select online** to include every connected laptop, or select only the laptops participating.
- Click **Open event on selected devices**. Keep Chrome open; allow up to 30 seconds.
- After the event loads, click **Use event open on selected devices** to capture its exact title.
- Confirm the AUTOBOT panel appears and **Allow command center** remains checked.

4. Rehearsal before live mode

- Click Select ready and choose Rehearsal.
- Rehearsal checks the event and free RSVP without selecting a ticket or submitting.
- Review the dashboard overview: Passed/Confirmed, Waiting/Review, and Issues.

5. Live test

- Enter the event password and release time once in the Command Center.
- Select only the laptops participating in this test.
- Use the two-slot slider to choose how many laptops target slot 1 versus slot 2. Review the displayed device names before activation.
- Complete the ownership and written-permission confirmations, run the fresh system check, lock the configuration, then click **Prepare + activate** at least two minutes before release.
- Keep every POSH event tab visible. Each laptop opens and verifies its assigned free ticket without changing quantity, then waits for the synchronized release.
- Each selected device receives one independent, one-use lease. Failed devices are not automatically retried.

The POSH Stay in the loop email/text dialog is a successful post-RSVP state. AUTOBOT v0.13.2 recognizes it as confirmed without choosing either marketing option.

6. Reset, reactivate, or shut down

- After the organizer deletes or relists the mock tickets, click **Reset selected devices**. This stops the run, clears local locks, and makes those laptops ready to activate again.
- If one laptop is slower, use **Copy local performance report** in its AUTOBOT panel. The report stays on that laptop and contains no login or password data.
- The installed Mac service and hidden Windows watchdog restart the device bridge automatically after login or an unexpected exit.
- The Fleet directory can store optional account email, phone, and a description; these details are never sent to laptops.
- Before removing a computer, stop any active run, choose Remove and revoke, uninstall startup if needed, remove the extension, and delete the extracted folder.