

AUTOBOT v0.11.1

SECOND COMPUTER SETUP - WINDOWS AND MAC

COPYABLE COMMANDS

1-20 LAPTOPS

REMOTE EVENT OPENING

Use only for the organizer-owned, approved classroom test event. POSH login, OTP, CAPTCHA, and any browser permission prompts remain manual.

1. Start enrollment on the main dashboard

- On the main MacBook, open <https://autobot-command-center.avgschnook.chatgpt.site>
- Enter the dashboard PIN.
- Set the maximum number of new laptops and click **Start 48-hour enrollment**.
- Keep the displayed code available for up to 48 hours. Approve every laptop after it appears.

2. Install the basics on the new computer

- Install Google Chrome from <https://www.google.com/chrome/>
- Install the current Node.js LTS release from <https://nodejs.org/>
- Download the newest AUTOBOT release ZIP from <https://github.com/danieleyny/autobot/releases/latest>
- Extract the ZIP. Open the folder named AUTOBOT-System-v0.11.1.

3. Make a quiet Chrome profile

- Create a normal Chrome profile named AUTOBOT Laptop 01. Continue without a Google account.
- Do not use Guest or Incognito mode; unpacked extensions do not run there.
- Paste each address below into Chrome and choose the setting shown.

<code>chrome://password-manager/settings</code>	Offer to save passwords and passkeys: OFF
<code>chrome://settings/addresses</code>	Save and fill addresses: OFF
<code>chrome://settings/payments</code>	Save and fill payment methods: OFF
<code>chrome://settings/content/notifications</code>	Do not allow site notifications
<code>chrome://settings/content/popups</code>	Do not allow pop-ups or redirects
<code>chrome://settings/performance</code>	Always keep posh.vip active

WINDOWS SETUP

Use these commands if the setup file does not open when double-clicked.

1. Check Node.js

Open PowerShell and run:

```
node --version
npm --version
```

If either line says **not recognized**, install Node.js LTS from <https://nodejs.org/>, close PowerShell completely, reopen it, and run the checks again.

2. Open PowerShell in the extracted folder

In File Explorer, open AUTOBOT-System-v0.11.1. Click the address bar, type **powershell**, and press Enter.

3. Run the setup assistant

```
. \SETUP-WINDOWS.cmd
```

- Enter the enrollment code from the main dashboard.
- Enter a unique name such as Laptop 01.
- Keep the PowerShell window open during this first session.

Manual fallback

If the assistant still does not run, paste these commands one block at a time:

```
npm install

npm run device:pair -- `
  --controller=https://autobot-command-center.avgschnook.chatgpt.site `
  --code=PAIRING_CODE `
  --name="Laptop 01"

npm run device:install
npm run device
```

Replace PAIRING_CODE before pressing Enter. Do not include brackets, bold marks, or a copied timestamp.

4. Load the extension

- Open chrome://extensions and turn on Developer mode.
- Click Load unpacked.
- Select the inner **extension** folder, not the outer AUTOBOT folder.
- Confirm AUTOBOT Owned-Event RSVP Lab v0.11.1 appears.

MAC SETUP

All commands below are selectable. Paste one command at a time into Terminal.

1. Check Node.js

Open Terminal and run:

```
node --version  
npm --version
```

If Terminal says **command not found**, install Node.js LTS from <https://nodejs.org/>. Close Terminal completely, reopen it, and run the checks again.

2. Move Terminal into the AUTOBOT folder

Type `cd` followed by one space. Drag the extracted AUTOBOT-System-v0.11.1 folder into Terminal, then press Return.

3. Run the setup assistant

```
chmod +x SETUP-MAC.command  
./SETUP-MAC.command
```

- Enter the enrollment code from the main dashboard.
- Enter a unique name such as Laptop 01.
- Keep Terminal open during this first session.

If macOS blocks the file, open System Settings - Privacy & Security and choose Open Anyway only for the file downloaded from the official AUTOBOT GitHub release.

Manual fallback

```
npm install  
  
npm run device:pair -- \  
  --controller=https://autobot-command-center.avgschnook.chatgpt.site \  
  --code=PAIRING_CODE \  
  --name="Laptop 01"  
  
npm run device:install  
npm run device
```

Replace `PAIRING_CODE` before running the pairing command.

4. Load the extension

- Open `chrome://extensions` and turn on Developer mode.
- Click Load unpacked and select the inner **extension** folder.
- Confirm AUTOBOT Owned-Event RSVP Lab v0.11.1 appears.

CONNECT, TEST, AND OPERATE

Complete these steps after the setup assistant and extension are running.

1. Approve the laptop

- Return to the Command Center on the main MacBook.
- Find the new laptop marked Pending and click **Approve device**.
- Confirm it changes to Online. Pairing remains saved across restarts.

2. Sign into POSH manually

- On the new laptop, sign into its individual POSH account.
- Complete OTP, CAPTCHA, or Cloudflare checks manually.
- Dismiss cookie, location, tutorial, and other one-time prompts.

3. Open a new event across the fleet

- In the Command Center, paste the organizer-owned POSH event URL.
- Click **Select online** to include every connected laptop, or select only the laptops participating.
- Click **Open event on selected devices**. Keep Chrome open; allow up to 30 seconds.
- After the event loads, click **Use event open on selected devices** to capture its exact title.
- Confirm the AUTOBOT panel appears and **Allow command center** remains checked.

4. Rehearsal before live mode

- Click Select ready and choose Rehearsal.
- Rehearsal checks the event and free RSVP without selecting a ticket or submitting.
- Review the dashboard overview: Passed/Confirmed, Waiting/Review, and Issues.

5. Live test

- Enter the event password and release time once in the Command Center.
- Select only the laptops participating in this test.
- Complete the ownership and written-permission confirmations, then activate the selected devices.
- Each selected device receives one independent, one-use lease. Failed devices are not automatically retried.

The POSH Stay in the loop email/text dialog is a successful post-RSVP state. AUTOBOT v0.11.1 recognizes it as confirmed without choosing either marketing option.

6. Fleet directory and shutdown

- Use the Fleet directory tab to store optional account email, phone, and a secondary description.
- These details remain in the PIN-protected dashboard and are not sent to laptops.
- Before removing a computer, stop any active run, choose Remove and revoke, uninstall startup if needed, remove the extension, and delete the extracted folder.