LAVIANN

SINGLE VENDOR / MAURITIUS / PROOF OF CONCEPT

Laviann.

Product Requirements Document

A mobile-first raw meat ordering experience and a focused vendor workspace for quotations, inventory and region-based deliveries.

DOCUMENT
Product Requirements / PRD v1.0
Initial product planning baseline

PREPARED
14 October 2026
Mauritius

DOCUMENT GUIDE

Contents

1. Executive Summary	3
2. Goals, Non-Goals, and Scope	4
3. Users, Roles, and Permissions	5
4. Catalogue and Product Customization	5
5. Customer Cart and Checkout	7
6. Order Review, Quotation, and Confirmation	7
7. Inventory Management	9
8. Delivery Zones and Scheduling	10
9. Pricing, Payments, and Documents	12
10. Notifications and WhatsApp	13
11. Primary User Journeys	14
12. Screen Inventory (No Visual Designs Yet)	15
13. Conceptual Data and Business Rules	16
14. Edge Cases and Error Handling	17
15. Non-Functional Requirements	18
16. Demonstration Data and Vendor Assumptions	19
17. Demo Acceptance Scenarios	20
18. Product Roadmap and Project Stages	20
19. Outstanding Decisions and Change Control	21

Working baseline for a vendor pitch. All product prices, delivery fees, scheduled days and inventory figures are illustrative until validated with the vendor.

1. Executive Summary

1.1 What we are building

Laviann is a digital raw-meat ordering and delivery-management platform for **one independent vendor** based in Mauritius. It consists of two distinct Next.js applications sharing a Supabase-backed data platform:

1. **Customer storefront:** A mobile-first, responsive Next.js web application opened using a shareable URL. No native app installation or app-store account is required. The customer can browse available raw meat, select specific cuts/weights/packs, enter cutting and packaging instructions, select a vendor-offered delivery date, and request an order.
2. **Vendor workspace:** A Next.js administrative application to manage products, physical inventory, stock warnings, manually entered WhatsApp orders, incoming requests, versioned quotations, customer approvals, preparation status, zone-based deliveries, and payment records.

Back-end direction: Supabase PostgreSQL, authentication, storage, realtime updates and secure server-side/database operations. The repository uses Bun workspaces and Turborepo. These are initial technology decisions, not a promise of existing, functioning external integrations.

1.2 Current process and problem

At present, customers send orders to the vendor through WhatsApp. A message might request six kilograms of chicken in particular cuts or packages. The vendor records the request manually, photographs the written order, sends that image back for approval, then cuts and packages the meat and delivers on a scheduled regional route.

This process has unnecessary manual transcription, fragmented order history, ambiguous requests, repetitive customer communication, and limited visibility into stock and deliveries.

1.3 Laviann's proposed value

Existing friction	Intended Laviann improvement
Orders described in free-form WhatsApp chats	Structured catalogue, weight, cut and packaging selections
Handwritten notes and photographed order summaries	Digital, itemized quotations with explicit approval
Website customers and WhatsApp customers in separate workflows	Same vendor dashboard; vendor can enter WhatsApp orders manually
Inventory visibility relies on manual checks	On-hand, reserved and available stock with low-stock alerts
Delivery routes organized from scattered conversations	Orders grouped by vendor-defined zone and delivery day
Payment and fulfillment progress remembered separately	Independent, visible order and payment statuses

1.4 POC success definition

A new customer must be able to use a phone browser to request a customized six-kilogram meat order; the vendor must be able to review and quote it; the customer must explicitly approve the current quotation; the system must reserve stock; and the vendor must be able to mark the meat prepared and delivered while recording

the selected payment method/status. The vendor must be able to create an equivalent order manually for a customer who contacted them via WhatsApp.

2. Goals, Non-Goals, and Scope

2.1 Product goals

ID	Goal	Observable outcome
G-01	Simplify ordering	Customers submit precise raw-meat requests without lengthy message exchanges
G-02	Digitize confirmation	Accepted order details, prices, and instructions are recorded electronically
G-03	Centralize operations	Website and manually entered orders share a single pipeline
G-04	Make stock visible	Vendor can replenish, adjust, reserve and inspect sellable inventory
G-05	Support scheduled deliveries	Customers choose only dates offered for the vendor's selected zone
G-06	Improve transparency	Both sides can see the relevant progress of each order
G-07	Validate adoption	Vendor can assess whether the workflow saves time and is worth funding

2.2 In scope - P0 core MVP

- Single vendor with one administrator account and guest-friendly customers.
- Raw chicken and beef categories, extensible product definitions and availability.
- Specific meat cuts, cutting instructions, weight-based and fixed-pack ordering.
- Packaging portions and package-count previews.
- Mobile-first customer cart, contact/zone/delivery selection and order request.
- Vendor order list, order details, manual WhatsApp order entry and quotation review.
- Versioned quotation approval through a secure, shareable link.
- Basic physical inventory, stock reservations, adjustments and 10% default alerts.
- Vendor-controlled delivery days, cutoffs, fees and zone grouping.
- Cash / MCB Juice / bank transfer preferences and manual payment tracking.
- Dashboard alerts and manually shared WhatsApp confirmation links.

2.3 Excluded from this proof of concept

Native Android/iOS applications; multi-vendor marketplace; vendor self-service onboarding; cooked, fried or marinated products; automated bank/MCB Juice transaction verification; real money movement; live driver location tracking; automated route optimization; complex tax/accounting; sophisticated warehouse management; recurring subscriptions; loyalty rewards; multiple staff roles; and automated WhatsApp Business API messages.

2.4 Product scope policy

A feature enters P0 only if it directly helps order, review, confirm, prepare, deliver or safely manage the stock needed for an order. Future enhancements are recorded, not implemented by default.

3. Users, Roles, and Permissions

3.1 Customer

A customer can browse before registering, configure products, submit an order request with their name and phone number, provide delivery details, choose an available date and payment preference, and securely approve a vendor-reviewed quotation. They can subsequently review their own order status.

MVP identity assumption: guest checkout with contact details and an unpredictable, expiring order/confirmation link. Full registered customer accounts and phone verification may be added after validation. Customers must never be able to read others' orders or administer stock.

3.2 Vendor administrator

The sole vendor administrator can sign in, maintain catalogue and stock, configure delivery schedules, create manual orders, review and revise requests, issue quotations, process confirmed orders, manage delivery status, and record payments. Multiple employees and complex access roles are deferred.

3.3 Server-level authorization

Access must be enforced by trusted operations and Supabase Row Level Security where database APIs are exposed. Hiding buttons in React components is not authorization. Public browser clients must not receive Supabase privileged keys.

4. Catalogue and Product Customization

4.1 Catalogue principles

Products belong to categories such as Chicken and Beef. Future raw-meat categories (e.g. fish, pork) must be configurable without source-code changes. A product may have its own price per kilogram, purchasable increments, fixed packs, cutting options, packaging options, photos, description and availability.

Product examples: whole chicken; chicken breast, thighs, wings and drumsticks; beef mince, beef cubes and rump steak. No prepared or cooked meats should appear in the initial catalogue.

4.2 Requirements

ID	Requirement	Priority	Acceptance criterion
CAT-01	Browse categories	P0	Customer can open Chicken and Beef listings
CAT-02	Display products	P0	Name, price/unit and availability appear for each
CAT-03	View product detail	P0	Allowed cuts, quantities and packs are visible
CAT-04	Display photos	P1	Vendor-uploaded images are shown where present
CAT-05	Enforce availability	P0	Unavailable products cannot be newly ordered
CAT-06	Extend catalogue	P0	Vendor can add a new category/product without code edits

ID	Requirement	Priority	Acceptance criterion
CUS-01	Order by weight	P0	Supported quantity/increment can be selected
CUS-02	Choose fixed packs	P0	Vendor-defined fixed-weight packs can be purchased
CUS-03	Order separate cuts	P0	E.g. 2 kg each of breast, thighs and wings
CUS-04	Request cutting	P0	Supported cut style or a vendor-review note is recorded
CUS-05	Select package portions	P0	E.g. split 2 kg into 500 g portions
CUS-06	Preview package count	P0	Customer sees 4 packages for 2 kg at 500 g/pack
CUS-07	Validate configurations	P0	Unsupported combinations cannot be silently accepted
CUS-08	Recalculate estimate	P0	Price estimate updates with chosen quantity

4.3 Separate cuts versus cutting a whole product

The system supports both models:

- **Separate products:** customer selects 2 kg breast + 2 kg thighs + 2 kg wings. Each is priced and reserved against an appropriate sellable stock item.
- **Whole product with cutting request:** customer selects 6 kg whole chicken, requests curry-sized pieces, and asks for six 1 kg packages.

The first model is not the same as requesting a physically impossible output from a whole chicken. If a customer requests a breakdown whose cut yields are uncertain, the vendor must review and, if necessary, revise the quotation rather than claiming that 6 kg of whole chicken can produce any arbitrary cut combination.

4.4 Packaging examples

Product request	Packaging result
2 kg chicken breast; 500 g per pack	Four 500 g packages
2 kg chicken thighs; 1 kg per pack	Two 1 kg packages
6 kg whole chicken; 1 kg per pack	Six 1 kg packages, subject to cutting instruction
2.5 kg meat; 1 kg per pack	Two 1 kg packs and 500 g remainder, if allowed

The application should explain remainder packs or prompt the customer to choose compatible quantities. Free-form notes should not bypass product validation. The vendor may flag unsupported requests for manual quotation review.

4.5 Product information model

Conceptual attributes: category, product name, description, images, stock unit, pricing unit, price per unit, minimum quantity, quantity increment, allowed cuts, allowed package sizes, fixed-pack offers, low-stock target, availability and an internal inventory source. Detailed schema design is deferred.

5. Customer Cart and Checkout

5.1 Intended journey

Browse → Configure → Cart → Contact → Delivery → Payment preference → Review → Submit request. The storefront is mobile-first and accessed by a shareable URL. An application installation is not required.

5.2 Requirements

ID	Requirement	Priority	Acceptance criterion
CHK-01	Manage cart	P0	Customer adds, edits and removes configured items
CHK-02	Show full item summary	P0	Cuts, weights, package counts and notes are visible
CHK-03	Collect contact	P0	Name and phone number are required
CHK-04	Collect delivery details	P0	Zone, locality, address/landmark are captured
CHK-05	Show eligible dates	P0	Only vendor-configured dates past cutoff are selectable
CHK-06	Calculate delivery fee	P0	Zone-specific fee appears in total
CHK-07	Select payment preference	P0	Cash, Juice and bank transfer as enabled
CHK-08	Submit request safely	P0	Valid submission creates Pending Review order once
CHK-09	Acknowledge submission	P0	Customer sees reference and next steps

5.3 Guest ordering considerations

Customers may browse without authentication. At checkout they provide contact information. The pending request must be accessible only to its customer and the vendor via appropriate access controls. The customer must understand that submission **requests a quotation** and does not yet mean the vendor has accepted the order or that stock has been permanently reserved.

5.4 Example checkout

A customer selects 2 kg chicken breast, 2 kg drumsticks and 2 kg wings. They request 500 g portions, choose North delivery, and select cash on delivery. The displayed estimate is Rs 1,970 product subtotal + Rs 125 delivery = **Rs 2,095** (demo data only). The next eligible North delivery date is offered.

6. Order Review, Quotation, and Confirmation

6.1 Why this step matters

The vendor's photographed handwritten note is replaced by a structured, itemized digital quotation. The vendor can review actual stock and instructions, propose changes, and request customer approval of the precise version that will be prepared and delivered.

6.2 Requirements

ID	Requirement	Priority	Acceptance criterion
ORD-01	Receive website requests	P0	New request appears in vendor order queue
ORD-02	Review request	P0	Vendor sees all items, cuts, packs, fees and contacts
ORD-03	Revise before approval	P0	Vendor can issue a corrected quotation
ORD-04	Generate quotation	P0	Itemized, totalled summary is produced
ORD-05	Share secure link	P0	Link opens the current quote for the intended customer
ORD-06	Record approval	P0	Approved quote version and timestamp are stored
ORD-07	Update order status	P0	Only valid transitions are accepted
ORD-08	Create manual order	P0	WhatsApp order enters identical workflow
ORD-09	Request revision	P1	Customer/vendor can return to review
ORD-10	Cancel or reject	P0	Exceptional states follow documented rules
ORD-11	Record change history	P1	Relevant adjustments are auditable

6.3 Distinguish business documents

- **Order request:** what the customer initially wants.
- **Quotation / pro forma:** vendor-reviewed items, quantities, charges and delivery commitment requiring customer approval.
- **Final invoice / receipt:** finalized transaction and payment record; exact production compliance/format to be validated with the vendor and local rules.

The quotation is required for the proof of concept. A simple receipt can be generated after fulfillment; legal fiscal invoicing is a separate production readiness exercise.

6.4 Quotation versioning

Each vendor revision creates a new quotation version, for example Order #1048, Quote v2. The customer can only approve the **current** version. Older links must not approve changed prices or instructions. Confirmation must revalidate the relevant stock and delivery availability. An approval is only complete when the reservation succeeds atomically.

6.5 Order states

State	Meaning
Pending Review	Request received, vendor has not finalized a quote
Awaiting Customer Confirmation	Vendor quote issued; approval outstanding

State	Meaning
Confirmed	Current quotation approved and stock reserved
Preparing	Vendor cutting and packaging the meat
Ready for Delivery	Preparation complete and awaiting route
Out for Delivery	Order dispatched with vendor
Delivered	Vendor marks delivery completed
Cancelled	Request/order cancelled according to policy
Rejected	Vendor has declined the request

A revised quotation returns to vendor review/customer approval and invalidates prior approval links. Payment states are tracked independently.

6.6 Manual WhatsApp entry

The vendor can select **Create Order** and enter a customer's name, phone number, items, weights, packaging, zone, delivery date and payment preference from a WhatsApp or telephone conversation. The order origin is tagged `vendor_entered` and follows the same quotation and fulfillment pipeline as a website order.

7. Inventory Management

7.1 Operating assumption

The vendor maintains physical stock and portions/packages it to order. They need to replenish products, adjust stock, mark items unavailable and receive warnings. **This assumption must be validated with the vendor** before production.

7.2 Requirements

ID	Requirement	Priority	Acceptance criterion
INV-01	Set on-hand stock	P0	Vendor can enter tracked quantity
INV-02	Add replenishment	P0	New stock increases physical on-hand value
INV-03	Adjust stock	P0	Spoilage/corrections can be recorded with reason
INV-04	Reserve at confirmation	P0	Accepted order reduces available-to-promise quantity
INV-05	Block overselling	P0	Two confirmations cannot exceed available stock
INV-06	Release unprepared reservation	P0	Eligible cancellation restores available quantity
INV-07	Low-stock alert	P0	Warning appears when available falls to threshold

ID	Requirement	Priority	Acceptance criterion
INV-08	Configure target	P0	Target quantity and warning percentage are editable
INV-09	Movement history	P1	Auditable adjustments, reservations and deductions

7.3 Stock definitions and formula

- **On-hand:** physical meat currently in the vendor's possession.
- **Reserved:** quantity promised to confirmed orders but not yet consumed by a documented preparation/ fulfillment event.
- **Available to promise:** `on_hand - reserved`.

Example: 50 kg of chicken breast on hand, 12 kg reserved, **38 kg available**. An order request is not a permanent reservation; a confirmed quotation reserves stock. Preparation reduces physical stock exactly once and releases the matching reservation without changing available stock twice.

7.4 Default low-stock rule

Each stock item can have a target quantity. A default warning threshold is **10% of target stock**, editable per item. Example: target 50 kg → warning at 5 kg available or below. Dashboard warnings should be stateful, not repeated every page refresh. More notification channels can be introduced later.

7.5 Avoid double counting cut yield

The POC may treat chicken breast and thighs as independently tracked sellable stock sources. Do not simultaneously count whole chickens and all potential cut-derived products as extra available inventory. Actual processing yields and whole-to-cut conversions require vendor validation before implementation.

7.6 Atomicity and safe retries

The backend must check stock, create reservations and change order status in one trusted transactional operation (e.g. a PostgreSQL function). Retried client requests must not create duplicate reservations or consume stock twice.

8. Delivery Zones and Scheduling

8.1 Vendor-controlled dates

The vendor decides the delivery dates. Customers may choose **only from offered dates** for their zone. The vendor can set regular weekly routes, exceptions, cutoffs and unavailable days. Automated route planning is not required for POC.

8.2 Zones and illustrative fees

Price rank	Delivery zone	Dummy fee (MUR)
1 - lowest	Central	Rs 75
2	North	Rs 125

Price rank	Delivery zone	Dummy fee (MUR)
3	West	Rs 150
4	East	Rs 175
5 - highest	South	Rs 225

The order and amounts come from the project owner's planning assumptions. The vendor can change each fee without code edits. The exact localities assigned to each region remain unvalidated.

8.3 Illustrative schedule

Day	Example region
Monday	Central
Tuesday	West
Wednesday	East
Thursday	North
Friday	South

This weekly schedule is dummy data. The actual calendar will be vendor-managed. Orders submitted after a cutoff must be offered the next eligible slot instead.

8.4 Requirements

ID	Requirement	Priority	Acceptance criterion
DEL-01	Manage five zones	P0	Central, North, West, East, South exist
DEL-02	Edit zone fees	P0	Vendor can change fees per zone
DEL-03	Set offered dates	P0	Vendor can configure recurring region days
DEL-04	Enforce cutoffs	P0	Expired slots cannot be selected
DEL-05	Show valid dates	P0	Customer only sees dates for selected region
DEL-06	Group delivery orders	P0	Vendor filters/group by region and date
DEL-07	View delivery contact	P0	Address, locality, landmark and phone visible
DEL-08	Update delivery stage	P0	Ready, dispatched, delivered are trackable
DEL-09	Override schedule	P1	Vendor can adjust dates and communicate changes

8.5 Addresses, failed delivery and rescheduling

Customers provide zone, locality, delivery address/landmark and contact number. Map pin selection is optional later. If a customer is unavailable, the vendor records an unsuccessful delivery and arranges a new plan manually. Existing confirmed delivery charges/dates cannot be silently altered by later settings changes; rescheduling requires a communicated update.

9. Pricing, Payments, and Documents

9.1 Authoritative price calculation

For the POC: `total = sum(line item price x quantity) + packaging fee + delivery fee`. Packaging fees default to Rs 0. No promotions, automatic card billing or currency conversions are required. Prices are calculated from trusted server-side data. Client-visible totals are only estimates until vendor quotation approval.

9.2 Illustrative order total

Line item	Quantity	Dummy unit price	Amount
Chicken breast	2 kg	Rs 475/kg	Rs 950
Chicken drumsticks	2 kg	Rs 290/kg	Rs 580
Chicken wings	2 kg	Rs 220/kg	Rs 440
Packaging	12 x 500 g	Rs 0	Rs 0
Delivery to North	1	Rs 125	Rs 125
Total	**6 kg**		**Rs 2,095**

Product prices and delivery fees are deliberately invented demo values. Once a quote is approved, its accepted unit prices, quantities and delivery charge must remain an immutable historical snapshot even if catalogue prices later change.

9.3 Payment methods and statuses

Method	POC handling
Cash on delivery	Vendor records when cash is received
MCB Juice	Display configured instructions; vendor manually verifies receipt
Bank transfer	Display configured details/reference; vendor manually verifies receipt

Payment states are independent of order states: **Unpaid**, **Payment Reported**, **Paid**, and, where relevant, **Refunded** or **Failed**. Customer-reported transfers or screenshots do not constitute independent proof of payment.

9.4 Requirements

ID	Requirement	Priority	Acceptance criterion
PAY-01	Configure methods	P0	Vendor can enable/disable supported methods
PAY-02	Select method	P0	Customer chooses an enabled option
PAY-03	Show instructions	P0	Vendor-approved instructions are visible
PAY-04	Update payment state	P0	Vendor records unpaid/reported/paid status
PAY-05	Record transfer reference	P1	Reference can be stored with payment note
PAY-06	Independent states	P0	Delivered does not automatically mean Paid

9.5 Weight changes and invoice compliance

The demo assumes ordered weights are the agreed weights. If actual cuts differ, the vendor should revise the quotation before approval. Post-preparation reconciliation, applicable tax handling, regulated invoice content and electronic invoicing requirements must be evaluated separately before commercial launch.

10. Notifications and WhatsApp

10.1 POC communications

At first, the system provides visible dashboard alerts and a **manual WhatsApp sharing action**. The vendor can copy or open a ready-made message containing the order reference, total, delivery zone/date and a secure confirmation link.

The system does **not** automatically send WhatsApp Business Platform messages in this release. The proposal must not describe a simulated or manual action as a live integrated service.

10.2 Requirements

ID	Requirement	Priority	Acceptance criterion
NOT-01	Flag pending vendor orders	P0	New orders are visible in dashboard
NOT-02	Generate approval links	P0	Latest quote has a customer-specific link
NOT-03	Manual WhatsApp share	P0	Vendor can copy/share link and summary
NOT-04	Show customer progress	P0	Correct customer can view their order status
NOT-05	Show low-stock alerts	P0	Threshold warnings are visible to vendor
NOT-06	Auto WhatsApp via API	P2	Only after verified integration and permissions
NOT-07	Automated delivery reminders	P2	Future notification enhancement

10.3 Sample template for manual sharing

> Your Laviann order #1048 is ready for review. Total: Rs 2,095. Delivery: North (Thursday). Please approve your current quotation at [secure link].

The sample link is illustrative; production links must use secure expiry and version/identity checks.

11. Primary User Journeys

11.1 Customer storefront journey

Step	Customer action	System response
1	Opens storefront link	Shows products available to order
2	Selects category/product	Displays options and current illustrative prices
3	Configures weight, cuts and packaging	Updates package count and price estimate
4	Adds items to cart	Preserves complete preparation instructions
5	Enters contact/zone/address	Validates input and loads eligible dates
6	Selects date and payment preference	Adds delivery fee and shows payment details
7	Reviews and submits request	Records Pending Review order and reference
8	Receives vendor's quotation link	Displays reviewed latest quote
9	Approves quotation	Attempts atomic reservation and confirms if successful
10	Tracks order progress	Shows confirmed, preparing, delivery status

11.2 Vendor journey

Step	Vendor action	System response
1	Signs into dashboard	Displays orders requiring attention
2	Opens Pending Review request	Shows customer, products, cutting and packaging
3	Checks stock and edits proposal	Recalculates quotation as needed
4	Issues reviewed quotation	Generates versioned approval link
5	Shares it via WhatsApp	Opens or copies prepared message
6	Customer approves	Order confirmed and stock reserved if eligible

Step	Vendor action	System response
7	Marks Preparing	Preparation instructions remain available
8	Marks Ready for Delivery	Order appears on date/zone delivery list
9	Dispatches and delivers	Updates status and timestamps
10	Records receipt of payment	Payment state updates independently

11.3 Manual order from WhatsApp

The vendor selects **Create Order**, transcribes a WhatsApp or phone request, selects products, quantities, packaging, customer contact and zone, issues the quote and sends the link. After confirmation, the manual order flows through the same pipeline. Its origin is recorded to assess adoption of the storefront.

12. Screen Inventory (No Visual Designs Yet)

12.1 Customer screens

ID	Screen	Primary contents
C-S01	Home / Catalogue	Categories, available product cards, basic delivery guidance
C-S02	Category	Category product listing, price and availability
C-S03	Product details	Weight, cut, package and notes configuration
C-S04	Cart	All line items, instructions and subtotal
C-S05	Checkout	Contact information, zone, date, payment preference
C-S06	Order review	Full requested products, fees and terms
C-S07	Submitted	Order reference and next-step explanation
C-S08	Quotation confirmation	Vendor-reviewed current quote and approval control
C-S09	Order status	Current preparation, delivery and payment states

12.2 Vendor screens

ID	Screen	Primary contents
V-S01	Login	Vendor authentication
V-S02	Dashboard overview	Pending orders, delivery queue, stock warnings
V-S03	Orders	Searchable/filterable order list

ID	Screen	Primary contents
V-S04	Order details	Customer request, quotation versions, fulfillment actions
V-S05	Create order	Manual WhatsApp order entry
V-S06	Products	Add/edit/disable catalogue, categories and prices
V-S07	Inventory	On-hand, reserved, available stock, adjustments and alerts
V-S08	Deliveries	Scheduled date/zone grouping, customer addresses
V-S09	Delivery settings	Zone fees, days, cutoffs and exceptions
V-S10	Payment settings	Accepted methods and vendor payment instructions

Design treatment, navigation patterns, fonts, palettes and layout details are explicitly reserved for UX/UI planning.

13. Conceptual Data and Business Rules

13.1 Core conceptual entities

Vendor / Vendor User; Customer; Product Category; Product; Product Configuration; Inventory Item; Inventory Movement; Inventory Reservation; Order; Order Item; Quotation; Order Confirmation; Delivery Zone; Delivery Schedule; Payment Record; Notification/Communication Event.

These entities explain *what must be represented*, not how database tables should be named. A complete Supabase schema, access policies and server function contracts will be designed during technical planning.

13.2 Non-negotiable business rules

Code	Rule
BR-01	Only one vendor manages all POC orders
BR-02	Catalogue can add raw-meat products without source-code changes
BR-03	Server is authoritative for price and eligibility checks
BR-04	Customer approval applies to exact current quotation version
BR-05	Unconfirmed requests do not permanently consume inventory
BR-06	Reservation and order confirmation are atomic and idempotent
BR-07	Physical stock consumption is recorded exactly once
BR-08	Cancelled, unprepared reservations are released safely

Code	Rule
BR-09	Physical cuts/whole meat cannot be counted twice
BR-10	Delivery date options are vendor-owned and cutoff-aware
BR-11	Previously agreed fees, prices, weights and dates remain snapshotted
BR-12	Delivery progress and payment verification are separate concepts
BR-13	Manual WhatsApp orders share standard quotation/fulfillment pipeline
BR-14	Public customers never have vendor-administrator access
BR-15	Automated integrations may not be represented as live until implemented

14. Edge Cases and Error Handling

Situation	Required behavior
Stock depletes during browsing	Revalidate during review/confirmation; explain unavailable amount
Two customers confirm last stock	Only reservations within physical availability succeed
Invalid packaging remainder	Explain remainder or request compatible quantity
Vendor revises a quotation	Invalidate old approval and request approval of new version
Customer repeats submission	Avoid accidental duplicated orders through safe retries
Customer cancels before preparation	Release reservation according to cancellation policy
Customer cancels after preparation	Vendor manual review; do not restore prepared meat automatically
Delivery date becomes unavailable	Vendor proposes new date; customer is informed
Customer not present on delivery	Mark unsuccessful delivery and arrange follow-up manually
Payment screenshot is submitted	Do not automatically set Paid
WhatsApp manual sharing fails	Keep link available for copying/retry
Connection drops during a state update	Safe retry with no duplicate stock transaction
Changing catalogue price	Confirmed order keeps agreed historical amount

15. Non-Functional Requirements

15.1 Quality and accessibility

Customer storefront must be comfortable on ordinary smartphone screens and mainstream current mobile/desktop browsers. Use readable text, labeled form controls, good contrast, keyboard accessibility and comprehensible validation messages. Keep catalogue and checkout usable on normal mobile connections. Numerical performance targets are to be established once working prototypes exist.

15.2 Security and data protection

ID	Requirement
SEC-01	Vendor dashboard requires authentication
SEC-02	Customers cannot access other customers' private records
SEC-03	All privileged changes require server-side authorization
SEC-04	Pricing and delivery fees are calculated from trusted configuration
SEC-05	Inventory reservation is atomic, consistent and retry-safe
SEC-06	Confirmation links are expiring, unguessable and quote-scoped
SEC-07	Old quotation versions cannot be approved
SEC-08	Customer phone/address data are not publicly exposed
SEC-09	Supabase RLS is enforced for exposed data paths
SEC-10	Secret/service-role keys never reach the client bundle

15.3 Reliability and maintainability

Avoid duplicate orders, partial inventory updates and silently failed state transitions. Use traceable errors and logs for critical business operations. Keep product prices, stock targets, payment options, zones, delivery dates and cutoffs vendor-configurable. Add monitoring before commercial launch.

15.4 Mauritius-specific launch dependencies

Before actual commerce, confirm Mauritian data-protection obligations, raw-meat storage/handling/transport compliance, electronic/fiscal invoicing obligations, and approved merchant payment processes. This PRD does not constitute legal or food-safety advice and does not assert that production compliance is complete.

16. Demonstration Data and Vendor Assumptions

16.1 Dummy product prices

Product	Category	Illustrative MUR price per kg
Whole chicken	Chicken	Rs 235
Chicken breast	Chicken	Rs 475
Chicken drumsticks	Chicken	Rs 290
Chicken thighs	Chicken	Rs 350
Chicken wings	Chicken	Rs 220
Beef mince	Beef	Rs 830
Beef cubes	Beef	Rs 830
Rump steak	Beef	Rs 1,100

Optional fixed-pack examples: chicken breast 500 g at Rs 237.50; breast 1 kg at Rs 475; chicken wings 500 g at Rs 110; beef mince 500 g at Rs 415 and 1 kg at Rs 830. The demo assumes no packaging fees. The vendor may eventually apply different pricing for a fixed pack.

16.2 Assumptions to validate

Topic	POC assumption	Vendor clarification needed
Inventory	Vendor maintains meat stock	Replenishment sources and frequency
Stock units	Mostly kilograms	Piece-based and package-based tracking
Cutting	Separate cuts and cut-style instructions	Allowed combinations and yield policies
Packaging	500 g, 1 kg and other choices	Actual sizes, constraints and charges
Low stock	10% of vendor-configured target	Preferred alerts and contact channels
Delivery zones	Central, North, West, East, South	Exact locality coverage
Fees	Rs 75, 125, 150, 175, 225	Real transportation charges
Calendar	Vendor offers recurring delivery days	Actual days, holidays, cutoffs
Pricing	Dummy MUR values	Actual catalogue and quote tolerance
Payment	Cash, Juice, bank transfer	Accepted methods and reconciliation
Documents	Quote before approval	Tax and invoice obligations

Topic	POC assumption	Vendor clarification needed
Delivery failure	Manual follow-up	Vendor's actual rescheduling policy

These assumptions should not be silently presented to the vendor as facts.

17. Demo Acceptance Scenarios

The POC is demonstration-ready when **all eight** scenarios work with sample data.

A. Website order. Customer opens shared URL, selects 2 kg each of breast, drumsticks and wings, chooses 500 g packages, selects North delivery, sees Rs 125 zone fee, selects payment preference and submits. Expected total: **Rs 2,095** (dummy prices). Order appears as Pending Review.

B. Vendor quotation. Vendor reviews items, packaging and delivery details; issues a quote. Order becomes Awaiting Customer Confirmation with a secure link.

C. Customer approval. Customer approves current quotation. Stock is revalidated and reserved atomically; order becomes Confirmed.

D. Fulfillment. Vendor marks Preparing, Ready for Delivery, Out for Delivery and Delivered, with correct preparation instructions and physical stock movement.

E. Manual WhatsApp order. Vendor creates a customer request, issues a quote and processes it using the same pipeline as website orders.

F. Low stock. Item target stock is 50 kg; available falls to 5 kg. Vendor sees the configured 10% warning.

G. Concurrency. Two customers request the final stock; system never confirms more reserved quantity than physically available.

H. Revised quote. Vendor changes a quotation; previous confirmation link cannot approve the superseded version.

Automated WhatsApp API notifications, real payments, native app publication or live map tracking are **not** required for these scenarios.

18. Product Roadmap and Project Stages

Stage	Focus	Output
1 - Ideation	Identify current WhatsApp workflow and opportunity	Completed vision and assumptions
2 - Requirements	Record functional rules and demo scenarios	This PRD v1.0
3 - UX planning	Journeys, navigation, screen details and error states	User flows and wireframes
4 - Visual design	Brand direction, palette, typography and components	High-fidelity UI designs

Stage	Focus	Output
5 - Technical planning	Supabase schema, Next.js boundaries, auth and service contracts	Architecture document and implementation plan
6 - POC development	Incremental core workflows and tests	Working customer + vendor web apps
7 - Vendor demonstration	Show real flow using dummy data	Feedback and approval decision
8 - Production readiness	Validated real prices, legal and payment/WhatsApp processes	Launch plan for approved business

Delivery milestones once implementation begins

1. Catalogue and customizable product selection.
2. Cart and customer order request.
3. Vendor review and manual order entry.
4. Secure versioned quotations and customer approvals.
5. Physical inventory, reservations, replenishment and alerts.
6. Vendor-controlled zone/date delivery grouping.
7. Payment tracking, quotations and order document output.
8. End-to-end QA against eight acceptance scenarios.

19. Outstanding Decisions and Change Control

The PRD is a baseline, not evidence of vendor approval. We must still learn actual stock workflows, cutting/packaging policies, delivery schedules, permitted payment methods, real prices, tax obligations and address granularity. Changes to those choices should be documented, reviewed for effects on orders and inventory, and reflected in UX and test criteria.

Next working session: Map the mobile-first customer journey from opening a shareable link to confirming an order; then map the vendor dashboard journey. Only after these interaction flows are settled should we design visual styles and choose detailed technical implementation patterns.

Laviann - PRD v1.0. Prepared for initial vendor discussion and internal product planning. Dummy values and unvalidated assumptions are clearly labeled.