Bivariate Gaussian distribution:

$$f_{i}(p,t) = \frac{1}{\sqrt{(2\pi)^{2} detCOV_{i}(t)}} exp(-\frac{1}{2}(p - \mu_{i}(\vec{s}_{i}(t)))^{T}COV_{i}(t)^{-1}(p - \mu_{i}(t)))$$

Influence degree:

$$I_{i}(p,t) = \frac{f_{i}(p,t)}{f_{i}(p_{i}(t),t)}$$

V is a matrix whose columns are eigenvectors of Σ and L is a diagonal matrix whose non-zero elements are eigenvalues. R = V and $S = \sqrt{L}$. R is a rotation matrix and S is a scaling matrix.

$$\sum = VLV^{-1}$$

$$\sum = RSSR^{-1}$$

$$\sum cos(\theta) -sin(\theta)$$

$$R = \begin{bmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{bmatrix}$$
$$S = \begin{bmatrix} s_{x} & 0 \\ 0 & s_{y} \end{bmatrix}$$

Ratio between player's speed and maximum speed:

$$Srat_{i}(s) = \frac{s^{2}}{10^{2}}$$

Scaling matrix:

$$S_{i}(t) = \begin{bmatrix} \frac{R_{i}(t) + (R_{i}(t)Srat_{i}(\vec{s}_{i}(t)))}{2} & 0 \\ 0 & \frac{R_{i}(t) - (R_{i}(t)Srat_{i}(\vec{s}_{i}(t)))}{2} \end{bmatrix}$$

Covariance matrix:

$$COV_{i}(t) = R(\theta, t)S_{i}(t)S_{i}(t)R(\theta_{i}(t), t)^{-1}$$

Distribution mean:

$$\mu_i(t) = p_i(t) + \overrightarrow{s}_i(t) \cdot 0.5$$

Radius:

$$R_i(t) = \sqrt{(x_{qb} - x_i)^2 + (y_{qb} - y_i)^2}$$

Defensive player influence model:

$$I_{dp} \sim N(\mu, \sigma)$$

Defensive team influence model:

$$DTI \sim \sum_{dp \in D} I_{dp}$$

Continuous pressure:

$$CP \sim \frac{DTI}{DTI + OPI}$$

Offensive player influence model:

$$I_{op} \sim \frac{d(i) \cdot \theta \cdot N(\mu, \sigma)}{180 \cdot d(0)}$$

Offensive team influence model:

$$OTI \sim \sum_{op \in O} I_{op}$$

Continuous pocket pressure:

$$CPP \sim \frac{\int \int N(\mu_{qb}, \sigma_{qb}) \cdot CP(x, y) \, dx \, dy}{\int \int N(\mu_{qb}, \sigma_{qb}) \, dx \, dy}$$

Kaplan-Meier estimator:

$$P(f) = \frac{Alive_f}{Alive_f + Dead_f}$$

Simpson integration:

$$PLE = \int_{0}^{40} P(f) \, df$$