# **Declaration**

- This report has not been submitted for any other degree at this or any other University. It is
- 3 solely the work of us except where cited in the text or the Acknowledgements page. It describes
- 4 work carried out by us for the capstone design project. We are aware of the university's policy
- 5 on plagiarism and the associated penalties and we declare that this report is the product of our
- 6 own work.

7	Student:	Date:
8	Signature:	
9	Student:	Date:
10	Signature:	
11	Student:	Date:
12	Signature:	

### 3 Abstract

# 21 Acknowledgment

# **Table of Contents**

30	<b>Declaration</b> i				
31	Abstract				
32	Acknowledgment				
33	List of Figures vi				
34	Lis	st of T	Tables	vi	
35	1	Intr	oduction and Motivation	1	
36		1.1	Problem statement	1	
37		1.2	Project significance	1	
38		1.3	Project objectives	1	
39	2	Bacl	kground and Related Work	1	
40		2.1	Background	1	
41		2.2	Related work	2	
42	3	Req	uirements Analysis	2	
43		3.1	Functional requirements	2	
44		3.2	Design constraints	2	
45		3.3	Design standards	3	
46		3.4	Professional code of ethics	3	
47		3.5	Assumptions	3	
48	4	Prop	posed Solution	3	
49		4.1	Solution overview	3	
50		4.2	High level architecture	4	
51		4.3	Hardware/software to be used	4	
52	5	Proc	of of Concept	4	
53	6	Mar	eket Research and Business Viability	4	
54	7	Proj	ect Plan	5	
55		7.1	Project milestones	5	
56		7.2	Project timeline	5	
57		7.3	Anticipated risks	5	
58	8	Shor	rt Guide	5	
59		8.1	Figure	6	
60		8.2	Equations	6	
61		8.3	Simple table	7	
62		8.4	Table from a csv file	7	

66 Appendix				
65	8.7	Cross-references	. 8	
64	8.6	Citations	. 8	
63	8.5	Graph from a csv file	. 8	

# 67 List of Figures

68	1	The arch linux logo	6
69	2	The relationship between potential and kinetic energies	8
70	List (	of Tables	
71	1	Slope, intercept and their uncertainties	7
72	2	Translational and rotational energies	7

### 1 Introduction and Motivation

### 4 1.1 Problem statement

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### **1.2** Project significance

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 90 1.3 Project objectives

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

# Background and Related Work

### 99 2.1 Background

### 2.2 Related work

One of the essential ideas of the project is navigating and tracking the objects while minimizing the required time to detect all targets. Various methods and approaches were studied and implemented in previous research papers with different constraints and goals in mind. The methodology and algorithm in each paper was different as some of them used AI related algorithms while others relied on heavy mathematical calculations to determine the best path. In paper hua21, the main idea was to propose a navigation algorithm that enables each UAV to determine its own movement locally and track pedestrians (mobile targets), it focused on multiple drones to cover a specific area. pen21 took the advantage of DRL to develop an online path planning algorithm based on double deep Q-learning network (DDQN). The constraints were to minimize the energy consumption of the UAV, the objects on the ground were not stationary and were following a Gauss-Markov movement pattern. Author hua20 aimed to propose a reactive real-time sliding mode control algorithm to navigate a team of UAVs (UAS). The area was divided into multiple sub-areas using the Voronoi partitioning technique, each drone was responsible for a sub-area, he implemented his ideas for both types of tergets, stationary targets and mobile.

All the mentioned papers presented their solutions using different simulation software. However, none of them was implemented in the real-world which questions the reliability of the algorithms.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

# 2 3 Requirements Analysis

### 3.1 Functional requirements

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 3.2 Design constraints

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"?

Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 149 3.3 Design standards

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 3.4 Professional code of ethics

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 165 **Assumptions**

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 4 Proposed Solution

### 4.1 Solution overview

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the

alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 2 4.2 High level architecture

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 4.3 Hardware/software to be used

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 5 Proof of Concept

190

206

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

# 6 Market Research and Business Viability

# 7 Project Plan

215

223

241

242

### 7.1 Project milestones

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 7.2 Project timeline

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 1 7.3 Anticipated risks

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

### 239 8 Short Guide

Please read the guides available online about the right way to write  $\LaTeX$  such as how to include a math symbol in text (e.g. x not x) and a proper noun with all capitals (e.g. SQL not SQL).

Below are examples of different constructs in a report. You can copy-paste and change the content. For more information, refer to the relevant package manual in CTAN.



Figure 1: The arch linux logo

### 244 8.1 Figure

### 245 8.2 Equations

$$E_{p} = mgh = mg(x_{f} - x_{i})$$

$$E_{k} = E_{t} + E_{r}$$

$$E_{t} = \frac{1}{2}mv^{2}$$

$$E_{r} = \frac{1}{2}I\omega^{2}$$

$$I = \frac{1}{2}MR^{2}$$

$$\omega = \frac{v}{r}$$

$$E_{k} = \frac{1}{2}mv^{2} + \frac{1}{2}I\left(\frac{v}{r}\right)^{2}$$
(5)

where  $E_p$  is the potential energy,  $E_k$  the kinetic energy,  $E_t$  the translational energy and  $E_r$  the rotational energy.

$$\frac{\partial E_p}{\partial m} = \frac{\partial}{\partial m}(mgh)$$

$$= gh$$

$$\frac{\partial E_p}{\partial g} = \frac{\partial}{\partial g}(mgh)$$

$$= mh$$

$$\frac{\partial E_p}{\partial h} = \frac{\partial}{\partial h}(mgh)$$

$$= mg$$

# 248 8.3 Simple table

Table 1: Slope, intercept and their uncertainties

Slo	ppe	Interce	ept (J)
Value	Error	Value	Error
1.0933	0.0300	0.0148	0.0157

# **8.4** Table from a csv file

Table 2: Translational and rotational energies.

m kg	$v_m$ m s <sup>-1</sup>	$E_t$ J	$\delta E_t$ J	$E_r$ J	$\delta E_r$ J
0.055	0.17	0.00079	0.00001	0.280	0.007
0.075	0.20	0.001 50	0.00002	0.387	0.010
0.095 $0.115$	$0.23 \\ 0.25$	0.00251 $0.00359$	0.00003 $0.00003$	0.512 $0.605$	0.013 $0.015$
0.115	0.25 $0.27$	0.00339 $0.00492$	0.00004	0.706	0.013

### 8.5 Graph from a csv file

# Potential Versus Kinetic Energies $0.8 \qquad \begin{array}{c|c} & E_p \text{ vs. } E_k \\ \hline & y = 1.0933 \, x + 0.0148, R^2 = 0.9977 \\ \hline 0.6 \\ \hline & 0.5 \\ \hline & 0.5 \\ \hline & 0.3 \\ \hline & 0.2 \\ \hline & 0.1 \\ \hline & 0 \end{array}$

Figure 2: The relationship between potential and kinetic energies.

Kinetic Energy,  $E_k$  [J]

### 8.6 Citations

252

253

254

255

- in-text citation: use \cite{dirac} to produce dirac or \textcite{dirac} to produce dirac
- citation in parentheses: \parencite{knuthwebsite} produces [knuthwebsite] (for IEEE, this has no difference to the \cite{} command above.)

### 8.7 Cross-references

Label using suitable names with the following format: figure \label {fig: <name>}, tables \label {tab: <name>}, sections \label {sec: <name>} and equations

```
259 \label{eq:<name>}.
260 Then when cross-referencing, use \cref{<type>:<name>}
261 (or \Cref{<type>:<name>} when used at the beginning of a sentence)
```

# Appendix