

1 Declaration

2 This report has not been submitted for any other degree at this or any other University. It is
3 solely the work of us except where cited in the text or the Acknowledgements page. It describes
4 work carried out by us for the capstone design project. We are aware of the university's policy
5 on plagiarism and the associated penalties and we declare that this report is the product of our
6 own work.

7 Student:

Date:

8 Signature:

9 Student:

Date:

10 Signature:

11 Student:

Date:

12 Signature:

13 **Abstract**

14 Hello, here is some text without a meaning. This text should show what a printed text will
15 look like at this place. If you read this text, you will get no information. Really? Is there no
16 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
17 Kjift – not at all! A blind text like this gives you information about the selected font, how
18 the letters are written and an impression of the look. This text should contain all letters of the
19 alphabet and it should be written in of the original language. There is no need for special content,
20 but the length of words should match the language.

21 **Acknowledgment**

22 Hello, here is some text without a meaning. This text should show what a printed text will
23 look like at this place. If you read this text, you will get no information. Really? Is there no
24 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
25 Kjift – not at all! A blind text like this gives you information about the selected font, how
26 the letters are written and an impression of the look. This text should contain all letters of the
27 alphabet and it should be written in of the original language. There is no need for special content,
28 but the length of words should match the language.

29	Table of Contents	
30	Declaration	i
31	Abstract	ii
32	Acknowledgment	iii
33	List of Figures	vi
34	List of Tables	vi
35	1 Introduction and Motivation	1
36	1.1 Problem statement	1
37	1.2 Project significance	1
38	1.3 Project objectives	1
39	2 Background and Related Work	1
40	2.1 Background	1
41	2.2 Related work	2
42	3 Requirements Analysis	3
43	3.1 Functional requirements	3
44	3.2 Design constraints	3
45	3.3 Design standards	4
46	3.4 Professional code of ethics	4
47	3.5 Assumptions	4
48	4 Proposed Solution	4
49	4.1 Solution overview	4
50	4.2 High level architecture	5
51	4.3 Hardware/software to be used	5
52	5 Proof of Concept	5
53	6 Market Research and Business Viability	5
54	6.1 Business products	5
55	6.2 Interested parties	6
56	7 Project Plan	6
57	7.1 Project milestones	6
58	7.2 Project timeline	6
59	7.3 Anticipated risks	6

60	8 Short Guide	7
61	8.1 Abbreviations	7
62	8.2 Figure	7
63	8.3 Equations	7
64	8.4 Simple table	8
65	8.5 Table from a csv file	9
66	8.6 Graph from a csv file	10
67	8.7 Citations	10
68	8.8 Cross-references	10
69	Appendix	13

70 **List of Figures**

71	1	The arch linux logo	8
72	2	The relationship between potential and kinetic energies.	10

73 **List of Tables**

74	1	Slope, intercept and their uncertainties	8
75	2	Translational and rotational energies.	9

1 Introduction and Motivation

1.1 Problem statement

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.2 Project significance

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.3 Project objectives

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2 Background and Related Work

2.1 Background

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.2 Related work

The second important concept of the project is the computer simulation. Simulation is a cost-effective, time-saving, flexible and safe way to experiment with a drone at the expense of a reduction in accuracy compared to the real world. The research realm has shown that the use of simulation is highly attractive in deep reinforcement learning (DRL) studies with drones. This is because DRL involves making gradual improvements to a model based on repeated cycles of experience, and computer simulation allows these iterations to be carried out cheaply.

According to the literature review, the combination of Gazebo, the Robot Operating System (ROS) and PX4 are the most widely used software stack for the software-in-the-loop (SITL) development because they are open-source. In contrast, Sphinx and Olympe, which are used in this project, are closed-source. Although open-source software allows for full control and the flexibility to tinker since the source code is freely available, it is less stable and time-consuming to debug when there is an error in the source code. Another conclusion from the literature is that the transfer from simulation to the real world, which this project also aims to accomplish, is lacking in the studies reviewed. As a result, it is not possible to comment on how the simulation findings effectively translate to the physical environment.

The use of simulation makes rapid experiments in realistic settings and iterative unmanned aerial vehicle (UAV) designs possible, both of which are important in artificial intelligence (AI) training. Zhou, Li, Ding, *et al.* demonstrates this by using a combination of the open-source 3D dynamic simulator Gazebo and the autopilot system PX4. Through this, they avoided the time-consuming steps of carrying out physical experiments and adjusting parameters according to the environmental settings [4]. Thanks to the simulation, the authors were also able to propose a generic framework to integrate the Deep Q-Network (DQN) algorithm into the simulated UAV environment [4]. In our work, the same Gazebo physics engine simulation software is used, and DRL is similarly trained for the high-level control of the UAV. However, the authors used the ROS-PX4 as the controller while in our work, the Olympe program is used. The main criticism against this paper is that the operating system, which was Ubuntu 16.04, and the ROS version, which was Kinetic Kame, were old and no longer supported even though the paper was written in 2020. Nevertheless, the explanation and the flowchart illustrating the Q-learning in the context of drone control are instructive for our work going forward.

The time-saving benefit and the ease of experimentation afforded by the use of computer simulation are further emphasized when studying uncertain environments. Dealing with an unknown environment for search and navigation applications, Walker, Vanegas, Gonzalez, *et al.* used simulation to train a UAV to solve a local planning problem by framing the problem as a partially observable Markov decision process (POMDP) using continuous action spaces [5]. Similar to the previous paper, the ROS-PX4 stack and the Gazebo simulation software were used compared to Olympe and Sphinx in this project [5]. In addition, both the paper and this project study path planning with DRL but our work uses it for target visitation in an obstacle-free environment while the authors used it for searching and navigation in both obstacle-free and non-obstacle-free environments. However, the use of a UAV indoor by the authors as an application does not leverage the unique features of UAVs, but it is a good starting point and easier to implement in the real world when the outdoor flight is restricted. A useful lesson that this paper provides for our project is the use of the open AI gym in creating the UAV environment

153 resulting in clearer abstraction in the codebase for the training process.

154 Yet another UAV research-related applications that profits from the use of computer simulation
155 is the testing of new sensors on the UAV. García and Molina argues that the future of UAVs relies
156 on the use of advanced sensors and the ease of analyzing their functions in real operational
157 conditions [6]. To demonstrate such viability, they connected a LIDAR sensor to a PixHawk
158 flight controller and tested the improvement that the new sensor provided in the application
159 of navigation and obstacle avoidance. Importantly, prior to that, they used QGroundControl
160 and the PX4 platforms to analyze the addition of a LIDAR sensor on a simulated 3DR Iris
161 UAV. Unlike our work, the authors' focus for using the simulation was on sensor integration
162 and not DRL which did not feature in the paper. The main criticism of this work is that the
163 sensor is simulated without noise when in the real world, the data captured by the sensor is
164 invariably noisy. Although the objectives between the authors' and our work are different, it is
165 still very helpful to learn from the extensive software stack and architecture guide presented by
166 the authors.

167 Hello, here is some text without a meaning. This text should show what a printed text will
168 look like at this place. If you read this text, you will get no information. Really? Is there no
169 information? Is there a difference between this text and some nonsense like "Huardest gefburn"?
170 Kjift – not at all! A blind text like this gives you information about the selected font, how
171 the letters are written and an impression of the look. This text should contain all letters of the
172 alphabet and it should be written in of the original language. There is no need for special content,
173 but the length of words should match the language.

174 **3 Requirements Analysis**

175 **3.1 Functional requirements**

176 Hello, here is some text without a meaning. This text should show what a printed text will
177 look like at this place. If you read this text, you will get no information. Really? Is there no
178 information? Is there a difference between this text and some nonsense like "Huardest gefburn"?
179 Kjift – not at all! A blind text like this gives you information about the selected font, how
180 the letters are written and an impression of the look. This text should contain all letters of the
181 alphabet and it should be written in of the original language. There is no need for special content,
182 but the length of words should match the language.

183 **3.2 Design constraints**

184 Hello, here is some text without a meaning. This text should show what a printed text will
185 look like at this place. If you read this text, you will get no information. Really? Is there no
186 information? Is there a difference between this text and some nonsense like "Huardest gefburn"?
187 Kjift – not at all! A blind text like this gives you information about the selected font, how
188 the letters are written and an impression of the look. This text should contain all letters of the
189 alphabet and it should be written in of the original language. There is no need for special content,
190 but the length of words should match the language.

3.3 Design standards

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.4 Professional code of ethics

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.5 Assumptions

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4 Proposed Solution

4.1 Solution overview

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.2 High level architecture

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.3 Hardware/software to be used

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5 Proof of Concept

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6 Market Research and Business Viability

6.1 Business products

Technology and AI advancements have been changing human lives for the better. The possible opportunities for innovation and creativity are unlimited, this project has many aspects that could lead to business opportunities and commercial prototypes. One of the many commercial products that could come out of this project is the DRL object detection model. This model can be used in any system that requires object detection, it could be a UAV, a CCTV camera, or any system that inputs an image to the model after being trained on a similar data set. Depending on the system, the DRL model could be trained using a different data set to detect a different object (e.g. cars, humans, animals). Another possible product is the DRL model responsible for navigating the drone after being trained on a specific movement pattern. Moreover, The entire system developed in this project is a viable product.

6.2 Interested parties

Many companies and stakeholders would be interested in acquiring either the complete system that we produce, or sub-parts (e.g. DRL model)

1. Military applications: Drones and object detection models could be used in military operations to detect people of danger, secure sensitive areas, and even eliminate threats (i.e. drone weaponry).
2. Biological research institutes, the UAV along with the object detection model that we provide could be trained to detect certain animals and track them, this would revolutionize biological research.
3. Security companies, personal home security could be established through UAVs and such object detection models could detect threats or unusual behaviors. This is applicable in any public area or even personal properties.

7 Project Plan

7.1 Project milestones

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7.2 Project timeline

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7.3 Anticipated risks

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the

alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

8 Short Guide

Please read the guides available online about the right way to write L^AT_EX such as how to include a math symbol in text (e.g. x not x) and a proper noun with all capitals (e.g. SQL not SQL).

Below are examples of different constructs in a report. You can copy-paste and change the content. For more information, refer to the relevant package manual in CTAN.

8.1 Abbreviations

To add an abbreviation (e.g. UAV), append the following line in the list of abbreviations portion in main.tex:

```
\newacronym{uav}{\textsc{uav}}{unmanned aerial vehicle}
```

To use the abbreviation, there are 3 ways to do so:

1. In a normal case: `\gls{uav}`
2. For its plural form: `\glspl{uav}`
3. In the beginning of a sentence: `\Gls{uav}`
4. A combination of cases 2 and 3: `\Glspl{uav}`

For example:

An UAV has many unique features. UAVs have been used in many different applications.

8.2 Figure

8.3 Equations

$$E_p = mgh = mg(x_f - x_i) \quad (1)$$

$$E_k = E_t + E_r$$

$$E_t = \frac{1}{2}mv^2 \quad (2)$$

$$E_r = \frac{1}{2}I\omega^2 \quad (3)$$

$$I = \frac{1}{2}MR^2 \quad (4)$$

$$\omega = \frac{v}{r}$$

$$E_k = \frac{1}{2}mv^2 + \frac{1}{2}I\left(\frac{v}{r}\right)^2 \quad (5)$$



Figure 1: The arch linux logo

316 where E_p is the potential energy, E_k the kinetic energy, E_t the translational energy and E_r the
 317 rotational energy.

$$\frac{\partial E_p}{\partial m} = \frac{\partial}{\partial m}(mgh)$$

$$= gh$$

$$\frac{\partial E_p}{\partial g} = \frac{\partial}{\partial g}(mgh)$$

$$= mh$$

$$\frac{\partial E_p}{\partial h} = \frac{\partial}{\partial h}(mgh)$$

$$= mg$$

318 8.4 Simple table

Table 1: Slope, intercept and their uncertainties

Slope		Intercept (J)	
Value	Error	Value	Error
1.0933	0.0300	0.0148	0.0157

319 **8.5 Table from a csv file**

Table 2: Translational and rotational energies.

m kg	v_m m s^{-1}	E_t J	δE_t J	E_r J	δE_r J
0.055	0.17	0.000 79	0.000 01	0.280	0.007
0.075	0.20	0.001 50	0.000 02	0.387	0.010
0.095	0.23	0.002 51	0.000 03	0.512	0.013
0.115	0.25	0.003 59	0.000 03	0.605	0.015
0.135	0.27	0.004 92	0.000 04	0.706	0.018

320 8.6 Graph from a csv file




Figure 2: The relationship between potential and kinetic energies.

321 8.7 Citations

- 322 • **in-text citation:** use `\cite{dirac}` to produce [10] or `\textcite{dirac}` to
 323 produce Dirac [10]
- 324 • **citation in parentheses:** `\parencite{knuthwebsite}` produces [11] (for IEEE,
 325 this has no difference to the `\cite{}` command above.)

326 8.8 Cross-references

327 Label using suitable names with the following format: figure `\label{fig:<name>}`, tables
 328 `\label{tab:<name>}`, sections `\label{sec:<name>}` and equations

329 `\label{eq:<name>}`.

330 **Then when cross-referencing, use `\cref{<type>:<name>}`**

331 **(or `\Cref{<type>:<name>}` when used at the beginning of a sentence)**

References

- [1] H. Huang, A. V. Savkin, and X. Li, “Reactive autonomous navigation of uavs for dynamic sensing coverage of mobile ground targets,” *Sensors*, vol. 20, no. 13, p. 3720, 2020.
- [2] Y. Peng, Y. Liu, and H. Zhang, “Deep reinforcement learning based path planning for uav-assisted edge computing networks,” in *2021 IEEE Wireless Communications and Networking Conference (WCNC)*, IEEE, 2021, pp. 1–6.
- [3] H. Huang and A. V. Savkin, “Navigating uavs for optimal monitoring of groups of moving pedestrians or vehicles,” *IEEE Transactions on Vehicular Technology*, vol. 70, no. 4, pp. 3891–3896, 2021.
- [4] S. Zhou, B. Li, C. Ding, L. Lu, and C. Ding, “An efficient deep reinforcement learning framework for UAVs,” in *2020 21st International Symposium on Quality Electronic Design (ISQED)*, IEEE, Mar. 2020, pp. 323–328. DOI: 10.1109/isqed48828.2020.9136980.
- [5] O. Walker, F. Vanegas, F. Gonzalez, and S. Koenig, “A deep reinforcement learning framework for UAV navigation in indoor environments,” in *2019 IEEE Aerospace Conference*, IEEE, Mar. 2019, pp. 1–14. DOI: 10.1109/aero.2019.8742226.
- [6] J. García and J. M. Molina, “Simulation in real conditions of navigation and obstacle avoidance with PX4/Gazebo platform,” *Personal and Ubiquitous Computing*, Jan. 2020. DOI: 10.1007/s00779-019-01356-4.
- [7] S. Khan, M. Tufail, M. Khan, Z. Khan, J. Iqbal, and A. Wasim, “Real-time recognition of spraying area for uav sprayers using a deep learning approach,” Apr. 2021. DOI: 10.1371/journal.pone.0249436.
- [8] Q. Wang, J. Gu, H. Huang, and Y. Zhao, “Online drone-based moving target detection system in dense-obstructer environment,” IEEE, Dec. 2018. DOI: 10.1109/PADSW.2018.8644908.
- [9] C. Wang, R. Zhao, X. Yang, and Q. Wu, “Research of uav target detection and flight control based on deep learning,” IEEE, May 2018. DOI: 10.1109/ICAIBD.2018.8396188.
- [10] P. A. M. Dirac, *The Principles of Quantum Mechanics*, ser. International series of monographs on physics. Clarendon Press, 1981, ISBN: 9780198520115.
- [11] D. Knuth. “Knuth: Computers and typesetting.” (), [Online]. Available: <http://www-cs-faculty.stanford.edu/~uno/abcde.html>.

364 **Appendix**

365 Hello, here is some text without a meaning. This text should show what a printed text will
366 look like at this place. If you read this text, you will get no information. Really? Is there no
367 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
368 Kjift – not at all! A blind text like this gives you information about the selected font, how
369 the letters are written and an impression of the look. This text should contain all letters of the
370 alphabet and it should be written in of the original language. There is no need for special content,
371 but the length of words should match the language.