



Department of Computer Science and Engineering
College of Engineering
Qatar University

Senior Project Report

Intelligent Mobile Target Visitation of a UAV using DRL:
A Practical Implementation of the Work by Hendawy *et al.*

Project Group Members

Abdelrahman Soliman (201701600)
Mohamad Mohamad Ali Bahri (201806966)
Mohamed Daniel Bin Mohamed Izham (201802738)

Supervisor

Dr. Amr Mahmoud Salem Mohamed

2021

This project report is submitted to the Department of Computer Science and Engineering of
Qatar University in partial fulfillment of the requirements of the Senior Project course.

Declaration

This report has not been submitted for any other degree at this or any other University. It is solely the work of us except where cited in the text or the Acknowledgements page. It describes work carried out by us for the capstone design project. We are aware of the university's policy on plagiarism and the associated penalties and we declare that this report is the product of our own work.

Student:

Date:

Signature:

Student:

Date:

Signature:

Student:

Date:

Signature:

29 **Abstract**

30 Hello, here is some text without a meaning. This text should show what a printed text will
31 look like at this place. If you read this text, you will get no information. Really? Is there no
32 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
33 Kjift – not at all! A blind text like this gives you information about the selected font, how
34 the letters are written and an impression of the look. This text should contain all letters of the
35 alphabet and it should be written in of the original language. There is no need for special content,
36 but the length of words should match the language.

37 **Acknowledgment**

38 Hello, here is some text without a meaning. This text should show what a printed text will
39 look like at this place. If you read this text, you will get no information. Really? Is there no
40 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
41 Kjift – not at all! A blind text like this gives you information about the selected font, how
42 the letters are written and an impression of the look. This text should contain all letters of the
43 alphabet and it should be written in of the original language. There is no need for special content,
44 but the length of words should match the language.

45	Table of Contents	
46	Declaration	i
47	Abstract	iii
48	Acknowledgment	iv
49	List of Figures	vii
50	List of Tables	vii
51	1 Introduction and Motivation	1
52	1.1 Problem statement	1
53	1.2 Project significance	1
54	1.3 Project objectives	1
55	2 Background and Related Work	1
56	2.1 Background	1
57	2.2 Related work	2
58	3 Requirements Analysis	3
59	3.1 Functional requirements	3
60	3.2 Design constraints	3
61	3.3 Design standards	3
62	3.4 Professional code of ethics	3
63	3.5 Assumptions	4
64	4 Proposed Solution	4
65	4.1 Solution overview	4
66	4.2 High level architecture	4
67	4.3 Hardware/software to be used	5
68	5 Proof of Concept	5
69	6 Market Research and Business Viability	5
70	7 Project Plan	5
71	7.1 Project milestones	5
72	7.2 Project timeline	5
73	7.3 Anticipated risks	6
74	8 Short Guide	6
75	8.1 Abbreviations	6
76	8.2 Figure	7
77	8.3 Equations	7
78	8.4 Simple table	8

79	8.5	Table from a csv file	8
80	8.6	Graph from a csv file	9
81	8.7	Citations	9
82	8.8	Cross-references	9
83	Appendix		12

84 **List of Figures**

85	1	High-Level Architecture	4
86	2	The arch linux logo	7
87	3	The relationship between potential and kinetic energies.	9

88 **List of Tables**

89	1	Slope, intercept and their uncertainties	8
90	2	Translational and rotational energies.	8

1 Introduction and Motivation

1.1 Problem statement

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.2 Project significance

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.3 Project objectives

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2 Background and Related Work

2.1 Background

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.2 Related work

The third and final concept of the project is hardware realization for drone visits. The hardware part is essential in the implementation in the real world, where the simulation sometimes strays from the truth. There is a lack of hardware implementations in the field of research regarding drones with deep reinforcement learning (DRL), and most of the research papers focus on the simulations. According to the literature review, the convolutional neural network (CNN) models were used in the majority of the papers for object detection. Also, the controller boards and custom drone kits were used instead of commercial drones. Those kits give the researcher and user more flexibility since the drone is customizable in hardware and software. But in our design, we will use commercial drones so that we focus on the DRL, not the actual drone build process.

Quadcopter unmanned aerial vehicle (UAV) with arducopter autopilot installed on raspberry pi microcomputer board and intel neural computer stick 2. Khan, Tufail, Khan, *et al.* used the drone in the agriculture field to spray pesticides and monitor the crops. Unlike our work, the drone was limited to specific boundaries and fixed targets such as crops. They used a Raspberry Pi microcomputer board attached to the drone, which will handle two different operations. Firstly, control the drone using an open-source Software called arducopter autopilot which will handle the trip of the drone and autonomous flight option. The second operation is to deal with the Intel neural computer stick 2, which will deploy the CNN model and deal with the computation part [1]. Although this work is close to ours, there are some differences, one of them is using a custom drone as it is not considered since we are limited in the time. Since we will use the Anafi drone, we will use the Olympe to control the drone, which will be installed on the raspberry pi, finally using CNN only is not enough DRL will make the drone more intelligent and accurate.

An example of commercial drone usage with onboard computer that transforms drones into autonomous and the usage of data and image filtration. The hardware architecture in Wang, Gu, Huang, *et al.* work for this paper includes a DJI commercial drone and an onboard computer called manifold, which is from the same manufacturer. Also, onboard sensors like camera, GPS and inertial sensor are included, finally an external battery for the manifold computer and Wi-Fi adapter that is used for connection between the drone and the onboard computer. This hardware architecture is Inspirational, and our design is somehow close to it with minor changes in the onboard computer and the existence of the sensors. Image and video processing techniques were used, such as segmentation to keep detecting moving targets was presented in [2]. For the navigation part, they used predetermined waypoints related to historical path cost. However, in our work, probability and mobility patterns will be used to guess the target's location.

Use embedded system connected and attached on the UAV for image processing and mobility pattern recognition, which shortens response time and saves transmission bandwidth. Wang, Zhao, Yang, *et al.* work used quadrotor UAV supported with GPS module and Pix Hawk flight controller. The power sources in the architecture were two lithium batteries, one for the drone and one for the embedded system. The system uses NVIDIA Jetson development kits which give enough computing power for the processing and communication between the flight controller and the system. The Jetson board is connected to the flight controller using serial communication while connected to the ground controller using Wi-Fi. In communication, section will help us in our work to determine the best way to communicate between the development board and the

168 drone without any delay or interference [3].

169 **3 Requirements Analysis**

170 **3.1 Functional requirements**

171 Hello, here is some text without a meaning. This text should show what a printed text will
172 look like at this place. If you read this text, you will get no information. Really? Is there no
173 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
174 Kjift – not at all! A blind text like this gives you information about the selected font, how
175 the letters are written and an impression of the look. This text should contain all letters of the
176 alphabet and it should be written in of the original language. There is no need for special content,
177 but the length of words should match the language.

178 **3.2 Design constraints**

179 Hello, here is some text without a meaning. This text should show what a printed text will
180 look like at this place. If you read this text, you will get no information. Really? Is there no
181 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
182 Kjift – not at all! A blind text like this gives you information about the selected font, how
183 the letters are written and an impression of the look. This text should contain all letters of the
184 alphabet and it should be written in of the original language. There is no need for special content,
185 but the length of words should match the language.

186 **3.3 Design standards**

187 Hello, here is some text without a meaning. This text should show what a printed text will
188 look like at this place. If you read this text, you will get no information. Really? Is there no
189 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
190 Kjift – not at all! A blind text like this gives you information about the selected font, how
191 the letters are written and an impression of the look. This text should contain all letters of the
192 alphabet and it should be written in of the original language. There is no need for special content,
193 but the length of words should match the language.

194 **3.4 Professional code of ethics**

195 Hello, here is some text without a meaning. This text should show what a printed text will
196 look like at this place. If you read this text, you will get no information. Really? Is there no
197 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
198 Kjift – not at all! A blind text like this gives you information about the selected font, how
199 the letters are written and an impression of the look. This text should contain all letters of the
200 alphabet and it should be written in of the original language. There is no need for special content,
201 but the length of words should match the language.

3.5 Assumptions

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4 Proposed Solution

4.1 Solution overview

The proposed solution consists of two main sections: a drone and a control section. The user will import the mobility pattern and the constraints to the control section, which is a laptop. Then the user will send high-level commands to the drone agent, which will apply certain operations such as start/stop etc. Once the user finishes importing the mobility pattern and starting the drone mission, the drone will begin to take off and begin to visit the area to scan for getting the most number of mobile targets using DRL model. Users will keep receiving live updates and the status of service on the control section using Wi-Fi. Most of the connections in the system are wireless, which will have benefits and drawbacks.

4.2 High level architecture




Figure 1: High-Level Architecture

4.3 Hardware/software to be used

5 Proof of Concept

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6 Market Research and Business Viability

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7 Project Plan

7.1 Project milestones

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7.2 Project timeline

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7.3 Anticipated risks

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

8 Short Guide

Please read the guides available online about the right way to write L^AT_EX such as how to include a math symbol in text (e.g. x not x) and a proper noun with all capitals (e.g. SQL not SQL).

Below are examples of different constructs in a report. You can copy-paste and change the content. For more information, refer to the relevant package manual in CTAN.

8.1 Abbreviations

To add an abbreviation (e.g. UAV), append the following line in the list of abbreviations portion in main.tex:

```
\newacronym{uav}{\textsc{uav}}{unmanned aerial vehicle}
```

To use the abbreviation, there are 3 ways to do so:

1. In a normal case: `\gls{uav}`
2. For its plural form: `\glspl{uav}`
3. In the beginning of a sentence: `\Gls{uav}`
4. A combination of cases 2 and 3: `\Glspl{uav}`

For example:

An UAV has many unique features. UAVs have been used in many different applications.



Figure 2: The arch linux logo

280 8.2 Figure

281 8.3 Equations

$$E_p = mgh = mg(x_f - x_i) \quad (1)$$

$$E_k = E_t + E_r$$

$$E_t = \frac{1}{2}mv^2 \quad (2)$$

$$E_r = \frac{1}{2}I\omega^2 \quad (3)$$

$$I = \frac{1}{2}MR^2 \quad (4)$$

$$\omega = \frac{v}{r}$$

$$E_k = \frac{1}{2}mv^2 + \frac{1}{2}I\left(\frac{v}{r}\right)^2 \quad (5)$$

282 where E_p is the potential energy, E_k the kinetic energy, E_t the translational energy and E_r the
283 rotational energy.

$$\begin{aligned} \frac{\partial E_p}{\partial m} &= \frac{\partial}{\partial m}(mgh) \\ &= gh \end{aligned}$$

$$\begin{aligned} \frac{\partial E_p}{\partial g} &= \frac{\partial}{\partial g}(mgh) \\ &= mh \end{aligned}$$

$$\begin{aligned} \frac{\partial E_p}{\partial h} &= \frac{\partial}{\partial h}(mgh) \\ &= mg \end{aligned}$$

284 **8.4 Simple table**

Table 1: Slope, intercept and their uncertainties

Slope		Intercept (J)	
Value	Error	Value	Error
1.0933	0.0300	0.0148	0.0157

285 **8.5 Table from a csv file**

Table 2: Translational and rotational energies.

m	v_m	E_t	δE_t	E_r	δE_r
kg	m s ⁻¹	J	J	J	J
0.055	0.17	0.000 79	0.000 01	0.280	0.007
0.075	0.20	0.001 50	0.000 02	0.387	0.010
0.095	0.23	0.002 51	0.000 03	0.512	0.013
0.115	0.25	0.003 59	0.000 03	0.605	0.015
0.135	0.27	0.004 92	0.000 04	0.706	0.018

286 8.6 Graph from a csv file




Figure 3: The relationship between potential and kinetic energies.

287 8.7 Citations

- 288 • **in-text citation:** use `\cite{dirac}` to produce [4] or `\textcite{dirac}` to pro-
 289 duce Dirac [4]
- 290 • **citation in parentheses:** `\parencite{knuthwebsite}` produces [5] (for IEEE, this
 291 has no difference to the `\cite{}` command above.)

292 8.8 Cross-references

293 Label using suitable names with the following format: figure `\label{fig:<name>}`, tables
 294 `\label{tab:<name>}`, sections `\label{sec:<name>}` and equations

295 `\label{eq:<name>}`.

296 **Then when cross-referencing, use `\cref{<type>:<name>}`**

297 **(or `\Cref{<type>:<name>}` when used at the beginning of a sentence)**

References

- [1] S. Khan, M. Tufail, M. Khan, Z. Khan, J. Iqbal, and A. Wasim, “Real-time recognition of spraying area for uav sprayers using a deep learning approach,” Apr. 2021. DOI: 10.1371/journal.pone.0249436.
- [2] Q. Wang, J. Gu, H. Huang, and Y. Zhao, “Online drone-based moving target detection system in dense-obstructer environment,” IEEE, Dec. 2018. DOI: 10.1109/PADSW.2018.8644908.
- [3] C. Wang, R. Zhao, X. Yang, and Q. Wu, “Research of uav target detection and flight control based on deep learning,” IEEE, May 2018. DOI: 10.1109/ICAIBD.2018.8396188.
- [4] P. A. M. Dirac, *The Principles of Quantum Mechanics*, ser. International series of monographs on physics. Clarendon Press, 1981, ISBN: 9780198520115.
- [5] D. Knuth. “Knuth: Computers and typesetting.” (), [Online]. Available: <http://www-cs-faculty.stanford.edu/~uno/abcde.html>.

311 **Appendix**

312 Hello, here is some text without a meaning. This text should show what a printed text will
313 look like at this place. If you read this text, you will get no information. Really? Is there no
314 information? Is there a difference between this text and some nonsense like “Huardest gefburn”?
315 Kjift – not at all! A blind text like this gives you information about the selected font, how
316 the letters are written and an impression of the look. This text should contain all letters of the
317 alphabet and it should be written in of the original language. There is no need for special content,
318 but the length of words should match the language.