
Public Notes

daniel@kaldheim.org, Daniel Rufus Kaldheim

2020-02-14

Contents

1 Todo	2
2 Projects	3
3 3D Printing	4
4 Electronics	5
5 Useful stuff	6
6 Reading List	7
6.1 Topics	7
6.1.1 Collision engine	7
6.1.2 The OAuth 2.0 Authorization Framework	7
6.1.3 Event Sourcing	7
6.1.4 Micro frontends	7
6.1.5 Micro services	7
6.1.6 12 factor application	7
6.1.7 RabbitMQ RPC	7
6.2 Check out	8
6.3 Video course	8
7 3D Printing	9
7.1 CNC	9
7.1.1 Kit	9
7.1.2 Lokk	9
7.1.3 Materials	9
7.1.3.1 Delrin	9
7.1.4 Laser cutter	10
7.2 Snapmaker	10
7.3 Ultimaker	11
7.3.1 Repairs	11
7.3.1.1 Nozzle	11
Ultimaker 2 - Removing the Nozzle	11
8 Amateur radio	12
8.1 RTLSDR	12
8.2 Articles	12
8.3 Links	12

8.4 BaoFeng UV-5R	13
8.4.1 Features	13
8.4.2 UV-5R SPECIFICATIONS	14
8.4.3 Links	15
9 Electronics	16
9.1 Books	16
9.2 Canbus	16
9.2.1 Tools	16
9.2.2 Canbus addresses	16
9.3 FTDI	16
9.3.1 FT232	16
9.3.1.1 Links	18
9.4 i2c	18
9.4.1 Articles	18
9.5 Led	18
9.5.1 Links	18
9.6 433MHz	19
9.6.1 Tools	19
9.6.2 PDF's	19
9.7 Audio	20
9.7.1 Articles	20
9.7.2 Microphone Array	20
9.7.2.1 Links	20
9.7.3 Synthesizers	20
9.7.3.1 Atari Punk Console Links	20
9.8 MAX3107	20
9.8.1 Datasheets	21
9.9 Espressif	21
9.9.1 ESP Voice stream	21
9.9.2 ESP 32	21
9.9.2.1 Encryption	21
9.9.3 ESP 8266	22
9.10 GSM Modules	22
9.10.1 Adafruit Fona 3g cellular breakout	22
9.10.1.1 GPS specifications	23
9.10.1.2 Implementation	23
9.10.1.3 Setup	23
Celluar	24
Realtime clock	25
Send SMS	25
Commands log (02.02.2020)	25
Important note	26
9.10.1.4 Articles	26

9.10.2 Sierra Wireless WP7607-1	26
9.10.2.1 Links	26
9.11 Modbus	27
10 Hardware	28
10.1 Oculus Rift	28
10.1.1 Oculus Rift + Steam VR + Linux	28
10.1.2 Links	28
10.2 SDR	28
10.2.1 LimeSDR	28
10.2.2 SDRPlay	28
11 Machine learning	29
11.1 Articles	29
11.2 Chat bots	29
11.2.1 Alternatives	29
11.2.2 On premise	29
11.3 Chaos	29
12 Physics	30
12.1 Articles	30
13 Productivity	31
13.1 Articles	31
14 Programming	32
14.1 Sorting	32
14.2 Hexagonal architecture	32
14.3 Frameworks	32
14.3.1 Firebase	32
14.3.1.1 Alternatives	32
14.3.2 Sapphire	32
14.3.3 Spring boot	32
14.3.3.1 Quarkus	32
14.4 Programming languages	33
14.4.1 C++	33
14.4.1.1 Articles	33
14.4.1.2 Videos	33
14.4.2 Golang	33
14.4.2.1 Tips and tricks	33
Vendors	33
14.4.2.2 Links	33
Web framework	33
ORM	33
GUI	33
Web	33

Div	33
14.4.2.3 Articles	34
14.4.2.4 Serial UART	34
14.4.3 Hammerspoon	34
14.4.4 Rust	34
14.4.4.1 Links	34
Web	34
GUI	34
ORM	34
ESP32	34
14.5 Software as a Service	34
14.5.1 Auth0	34
15 Projects	36
15.1 Inspiration aka others awesome projects	36
15.2 Status Light	36
15.2.1 iOS app	36
15.3 BMW Media Center	36
15.3.1 Articles	36
15.3.2 Shoppinglist for BMW	36
15.3.2.1 Bmw controller	36
15.4 Crudus Markdown Notes	37
15.4.1 Platform	37
15.4.1.1 iOS / Android	37
15.4.1.2 Desktop	37
15.4.2 Links	37
15.4.3 Libraries	37
15.4.3.1 JavaScript	37
15.4.4 Other Editors	37
15.5 Crudus Photos	38
15.5.1 Tensor flow	38
15.5.2 Articles	38
15.5.3 Photo History	38
15.5.4 Tools	39
15.5.4.1 Ubuntu	39
15.5.5 Links	39
15.5.5.1 Caffe	39
15.5.5.2 Model zoo	39
15.5.5.3 Docker image	39
15.5.5.4 Diff image	39
15.5.5.5 Image Fingerprint	39
15.5.5.6 Frame Hash	39
15.5.5.7 Image recognition	39
15.5.5.8 Duplicate images	40
15.5.5.9 OpenCV Line detection	40

15.5.5.10	Detect horizon	40
15.5.5.11	OpenCV Auto-level / histogram	40
15.5.5.12	OpenCV rotate images	40
15.5.5.13	MIT Deep learning	40
15.5.5.14	Tensorflow and docker	40
15.5.5.15	OpenCV 4	40
15.6	Crudus Sense	41
15.6.1	BLE device configuration specification	41
15.6.2	MQTT publish Topics	42
15.6.3	MQTT Subscribe Topics	42
15.6.4	Extensions	42
15.7	Electric guitar	42
15.8	Headless radio station	43
15.9	Kaldheim.org	43
15.9.1	Links	43
15.10	Lamp to Viljar	44
15.11	Longboard	44
15.12	Maximus	44
15.12.1	Components	44
15.12.2	Robotics	45
15.12.3	Articles	45
15.12.4	Artificial Intelligence	45
15.12.5	BNO055	45
15.12.5.1	Installation	45
i2c configuration	45	
Create new project	46	
15.12.5.2	PID controller	46
15.12.5.3	Videos	46
15.12.5.4	Links	46
15.12.5.5	Documents	47
15.12.5.6	Books	47
15.12.6	Development board	47
15.12.6.1	Raspberry Pi pinout	49
15.12.7	Dynamixel AX-12A	49
15.12.7.1	Specification	50
15.12.7.2	Wiring	50
15.12.7.3	TTL communications	51
15.12.7.4	Drawings	52
15.12.7.5	Links	52
15.12.8	GPS	52
15.12.8.1	Adafruit ultimate GPS breakout	52
Technical details	53	
Links	54	
15.12.8.2	GPS antenna	54
Links	54	

Datasheets	55
15.12.9 Hardware	55
15.12.9.1 Jetson Nano	55
15.12.9.2 Raspberry Pi 4 - Model B	55
15.12.10 Maximus AI	56
15.12.10.1 For terminal conversations	56
15.12.10.2 AIML	56
15.12.10.3 Unicode	56
15.12.10.4 Artificial Intelligence	56
15.12.10.5 Words, spelling and so on	57
15.12.10.6 Grammar	57
15.12.10.7 NLP / NER	57
15.12.10.8 Intent parser	57
15.12.10.9 Object recognition (caffe)	57
15.12.10.10 Image analyze	57
15.12.10.11 Automatic speech recognition	58
15.12.10.12 Questions / answers	58
15.12.10.13 Gcida	58
15.12.10.14 Animations	58
15.12.10.15 OCR / Deep learning	58
15.12.10.16 Neural network (arduino)	58
15.12.10.17 Other Links	58
15.12.11 Inspiration	58
15.12.11.1 Read	58
15.12.11.2 DyRET Robot	59
15.12.11.3 Open Cat	60
15.12.11.4 Pet dog	60
15.13 Mechanical keyboard	61
15.13.1 Inspiration	61
15.13.2 Tools	61
15.14 Midi bridge for piano	61
15.14.1 Mozzi	61
15.14.2 Plug Any USB Device on an ESP8266	62
15.15 Motorcycle App	62
15.16 Neural Network Robot	64
15.17 Photo display	65
15.17.1 Dashboard	65
15.17.2 Inspiration	65
15.17.3 Libraries	65
15.17.3.1 P5.js	65
15.18 Pip-Boy	65
15.18.1 Monitoring	65
15.18.2 LCD skjerm	65
15.19 Project Management System	66
15.19.1 Inspiration	66

15.20RPI Security camera	66
15.20.1Articles	66
15.21Reflow Oven	66
15.21.1Links	66
15.22Smart helmet	66
15.23USB Media Controller	66
15.23.1Dimensions	66
16 Security	67
16.1 Articles	67
16.2 LoRaWAN	67
17 Shopping lists	68
17.1 Shopping list for home office	68
17.1.1 Keyboard	68
17.1.2 Network	68
18 Software	69
18.1 Rabbit MQ	69
18.1.1 Security	69
18.2 Ubuntu	69
18.2.1 Articles	69
18.2.2 Ubuntu + Windows dual boot	69
18.2.2.1 Recovering GRUB after reinstalling Windows	69
18.2.2.2 Master Boot Record backup and replacement	69
18.3 tmux shortcuts & cheatsheet	70
18.3.1 Sessions	70
18.3.2 Windows (tabs)	70
18.3.3 Panes (splits)	71
18.3.4 Sync Panes	71
18.3.5 Resizing Panes	71
18.3.6 Copy mode	71
18.3.7 Misc	72
18.3.8 Configurations Options	72
18.3.9 Resources	73
18.4 Vim Cheat Sheet	73
18.4.1 Global	73
18.4.2 Cursor movement	73
18.4.3 Insert mode - inserting/appending text	74
18.4.4 Editing	75
18.4.5 Cut and paste	75
18.4.6 Marking text (visual mode)	76
18.4.7 Visual commands	76
18.4.8 Registers	76
18.4.9 Search and replace	76
18.4.10Search in multiple files	77

18.4.11	Working with multiple files	77
18.4.12	Tabs	77
18.4.13	Exiting	78
19	UX - UI	79
19.1	Methods	79
19.2	Colors	79
19.2.1	Links	79
20	Useful stuff	80
20.1	Github CLI	80
20.1.1	Install	80
20.1.2	Usage	80
20.2	Useful Commands	80
20.2.1	Terminal recording	80
20.2.1.1	1. Install	80
20.2.1.2	2. Record	80
20.2.1.3	3. Play	80
20.2.2	WiFi QR-code	81
20.2.3	Rsync	81
20.2.4	Unite PDF documents	81
20.2.4.1	Install	81
20.2.4.2	Usage	81

Daniel's Public Notes

[Reading list](#)

1 Todo

- Do this
- Done that

2 Projects

- Projects
- Crudus MD Notes
- Crudus Sense
- Crudus Photos
- Maximus

3 3D Printing

- 3D printing

4 Electronics

- Electronics

5 Useful stuff

- [Markdown Cheatsheet](#)
- [Useful commands](#)

6 Reading List

- Elixir phoenix absinthe graphql react apollo <https://schneider.dev/blog/elixir-phoenix-absinthe-graphql-react-apollo-absurdly-deep-dive/>
- Uber design: <http://simonpan.com/work/uber/>
- Modern GPS Tracking Platform: <https://www.traccar.org>

6.1 Topics

6.1.1 Collision engine

- <https://gamedev.stackexchange.com/questions/26501/how-does-a-collision-engine-work>

6.1.2 The OAuth 2.0 Authorization Framework

- <https://tools.ietf.org/html/rfc6749>

6.1.3 Event Sourcing

- <https://www.martinfowler.com/eaaDev/EventSourcing.html>

6.1.4 Micro frontends

- <https://www.martinfowler.com/articles/micro-frontends.html>

6.1.5 Micro services

- <https://www.martinfowler.com/microservices/>

6.1.6 12 factor application

- <https://12factor.net/>

6.1.7 RabbitMQ RPC

- <https://www.rabbitmq.com/tutorials/tutorial-six-python.html>

6.2 Check out

- My business card runs linux
- <https://www.envoyproxy.io/docs/envoy/latest/start/start>
- <https://github.com/heptio/contour>
- <https://www.jaegertracing.io/>
- <https://istio.io/>

6.3 Video course

- <https://www.linkedin.com/learning/jhipster-build-and-deploy-spring-boot-microservices/welcome>
- <https://www.linkedin.com/learning/microservices-asynchronous-messaging/getting-work-done-in-microservices>
- <https://vimeo.com/74589816>
- <https://vimeo.com/99531595>
- <https://www.infoq.com/presentations/migration-cloud-native/>

7 3D Printing

- Ultimaker
- Snapmaker

7.1 CNC

Stepper motorer 4 x nema 23 - 24nm: \$158.60 (med frakt) <https://www.omc-stepperonline.com/nema-23-bipolar-18deg-24nm-340ozin-18a-495v-57x57x104mm-4-wires-23hs41-1804s.html>

7.1.1 Kit

Workerbee 1010: <https://openbuildspartstore.com/openbuilds-workbee-1010-40-x-40/>

Untatt nema motorer og router: \$1801.17

7.1.2 Lokk

32.5 x 37.5cm

7.1.3 Materials

7.1.3.1 Delrin

<https://en.wikipedia.org/wiki/Polyoxymethylene>




Figure 7.1: Delrin block

7.1.4 Laser cutter

- Lasersaur

7.2 Snapmaker

<https://forum.snapmaker.com/t/reverse-engineering-the-module-wiring/3031>

3D Printing Module:

```
1 PIN1: VCC, Heater Socket Pin 1, Fan+
2 PIN2: Stepper Coil A+
3 PIN3: Heater Socket Pin 2
4 PIN4: Stepper Coil A-
5 PIN5: Thermistor Socket Pin 1
6 PIN6: Stepper Coil B-
7 PIN7: GND, Fan-, Thermistor Socket Pin 2
8 PIN8: Stepper Coil B+
```

Heated Build Plate:

```
1 PIN1: Heating Element +
2 PIN2: UNUSED
3 PIN3: Heating Element -
4 PIN4: UNUSED
5 PIN5: Thermistor +
6 PIN6: Thermistor -
```

The heating element registered as 12Ohms so 48W at 24V. The Thermistor gave a reading of 80kOhm in my 90 degree F garage.

Linear Module:


```
1 PIN1: Coil A +
2 PIN2: Coil A -
3 PIN3: Coil B +
4 PIN4: Limit Switch +
5 PIN5: Coil B -
6 PIN6: Limit Switch -
```

7.3 Ultimaker

7.3.1 Repairs

7.3.1.1 Nozzle

Ultimaker 2 - Removing the Nozzle <https://www.youtube.com/watch?v=-1Nh0snHLYw>



8 Amateur radio

8.1 RTLSDR

- [RTLSDR](#)

8.2 Articles

- [Walkie Talkies](#)
- [NAME THAT UNKNOWN RF SIGNAL WITH A LITTLE FFT MAGIC](#)
- [ALL BAND RADIO USES ARDUINO AND SI4730](#)

8.3 Links

- [Ham radio Frequency Chart](#)
- [Norske Frekvenser](#)

8.4 Baofeng UV-5R



Figure 8.1: Baofeng

8.4.1 Features

25KHz/12.5KHz Switchable (Wide/Narrow Band)

FM Radio (65.0MHz-108.0MHz)

Large Inverted LCD Display

LED Flashlight

High /Low RF Power Switchable

VOX

50 CTCSS/ 104 DCS Tones

Tone searching/scanning

Dual standby

PC programmable

Transmitter time-out timer(TOT)

Busy channel lock-out(BCLO)

8.4.2 UV-5R SPECIFICATIONS

Frequency range:

[TX] 136 - 174MHz, 400 - 520MHz

[RX] 136 - 174MHz, 400 - 520MHz, 68-108MHz (FM Broadcast)

Channel Capacity:

128 Channels

Channel Spacing

25KHz (wide band) 12.5KHz (narrow band)

Sensitivity

$\leq 0.25\mu V$ (wide band) $\leq 0.35\mu V$ (narrow band)

Operation Voltage

7.4V DC $\pm 20\%$

Battery:

1500mAh

Frequency step:

2.5, 5, 6.25, 10, 12.5, 20, 25, 30 and 50KHz

Antenna:

Antenna Connector: SMA-Female / Antenna Impedance: 50Ω

Accessory Connector:

Kenwood 2 Pin Standard

Stability:

$\pm 2.5\text{ppm}$

Output power:

5W / 1W

Audio Power Output

700mW/10%

8.4.3 Links

- [Manual](#)

9 Electronics

Notes about electronics

9.1 Books

- [Ultimake Electronics](#) - Online book, interactive schematics & simulations.

9.2 Canbus

9.2.1 Tools

- <https://github.com/eerimoq/cantools>

9.2.2 Canbus addresses

- <https://community.carloop.io/t/list-of-can-id-descriptions-from-opengarages-org/104>
- <http://www.loopybunny.co.uk/CarPC/can/267.html>

9.3 FTDI

9.3.1 FT232

This version have 3.3V. The data signals are at 3V and the power line provides 5V. We suggest this for any product that needs FTDI cables. Because the cable is 5V-logic compliant, you can use it with 3v or 5v logic just fine - no level shifting required!

[Adafruit product page](#)


**Figure 9.1: FTDI - FT232**



Figure 9.2: Cable

9.3.1.1 Links

- [DS_TTL-232R_CABLES_V201.pdf](#)

9.4 i2c

9.4.1 Articles

- [I2C in a nutshell](#)

9.5 Led

9.5.1 Links

- <https://www.instructables.com/id/WiFi-LED-Light-Strip-Controller/>

9.6 433MHz

9.6.1 Tools

Surface Microstrip




Figure 9.3: Surface Microstrip

Strip line impedance calculator: <https://www.multi-circuit-boards.eu/en pcb-design-aid/impedance-calculation.html>




Figure 9.4: Feed line

50 ohm impedance feed line: <https://www.disk91.com/2015/technology/hardware/design-a-50ohm-impedance-net-for-rf-signals/>

9.6.2 PDF's

- 433 MHz ISM Antenna SMD.pdf

9.7 Audio

9.7.1 Articles

- [How to build a Microphone Amplifier Circuit](#)

9.7.2 Microphone Array

9.7.2.1 Links

- [Quad op-amp LM3900 \(PDF\)](#)
- [Multi-channel audio mixer circuit using LM3900](#)

9.7.3 Synthesizers

9.7.3.1 Atari Punk Console

Modification (changed speaker to line output) of the Stepped Tone Generator taken from the “Engineer’s Mini-Notebook - 555 Circuits” by Forrest M. Mims, III (Siliconconcepts, 1984)




Figure 9.5: APC

Links

- <https://compiler.kaustic.net/machines/apc.html>

9.8 MAX3107

The MAX3107 is an advanced universal asynchronous receiver-transmitter (UART) with 128 words each of receive and transmit first-in/first-out (FIFO) that can be controlled through I²C or high-speed SPI™. The 2x and 4x rate modes allow a maximum of 24Mbps data rates. A phase-locked loop

(PLL), prescaler, and fractional baud-rate generator allow for high-resolution baud-rate programming and minimize the dependency of baud rate on reference clock frequency.




Figure 9.6: MAX3107

9.8.1 Datasheets

- [MAX3107.pdf](#)

9.9 Espressif

9.9.1 ESP Voice stream

<https://snips.ai>

<https://www.hackster.io/julianfschroeter/esp32-voice-streamer-52bd7e>

```
1 nc -l 4444 | mplayer -quiet -rawaudio samplesize=1:channels=1:rate=8000 -demuxer rawaudio -
```

9.9.2 ESP 32

9.9.2.1 Encryption

- <https://limitedresults.com/2019/11/pwn-the-esp32-forever-flash-encryption-and-sec-boot-keys-extraction/>
- Emulating a bluetooth keyboard with ESP32

9.9.3 ESP 8266

9.10 GSM Modules

9.10.1 Adafruit Fona 3g cellular breakout

- Quad-band 850MHz GSM, 900MHz EGSM, 1800MHz DCS, 1900MHz PCs - connect onto any global GSM network with any 2G SIM.
- This is the European Version - with dual-band UMTS/HSDPA 900/2100MHz WCDMA + HSDPA
- Fully-integrated GPS (Qualcomm PM8015 GPS) that can be controlled and query over the same serial port
- Make and receive voice calls using a headset or an external 8Ω speaker + electret microphone
- Send and receive SMS messages
- Send and receive GPRS data (TCP/IP, HTTP, etc.)
- AT command interface can be used with 300, 600, 1200, 4800, 9600, 19200, 38400, 57600, 115200, 230K, 461K, 961K, 3.2M, 3.7M and 4.0Mbps
- Native USB support - plug it into a computer and you'll get serial ports for AT commands, GPS NMEA as well as a modem (note we've only tried out the AT&NMEA ports on Windows)

Cool fact: The Fona also has a built-in GPS.

Not-so-cool fact: The Pi can only make one serial connection. Checkout article *Sending AT commands to SIM900 whilst pppd is active*



Figure 9.7: Adafruit fona 3g

9.10.1.1 GPS specifications

- 16 acquisition channels
- GPS L1 C/A code
- Sensitivity
 - Tracking: -157 dBm
 - Cold starts : -144 dBm
- Time-To-First-Fix
 - Cold starts: 100s (typ.)
 - Hot starts: 1s (typ.)
- Accuracy: approx 2.5 meters

9.10.1.2 Implementation

9.10.1.3 Setup

Edit `/boot/config.txt`

```
1 enable_uart=1
```

Install dependencies

```
1 sudo apt-get update
2
3 sudo apt-get install ppp screen
```

Try it out

```
1 sudo screen /dev/serial0 115200
```

Cellular

```
1 sudo -i
2
3 cd /etc/ppp/peers/
4
5 wget https://raw.githubusercontent.com/adafruit/FONA_PPP/master/fona
```

Open that file to view PPPD settings when “fona” is called. Read more about chat and chatscripts [here](#).

```
1 vim fona
```

You should see this:

```
1 ### Example PPPD configuration for FONA GPRS connection on Debian/Ubuntu.
2
3 ### MUST CHANGE: Change the -T parameter value **** to your network's APN value.
4 ### For example if your APN is 'internet' (without quotes), the line would look like:
5 ### connect "/usr/sbin/chat -v -f /etc/chatscripts/gprs -T internet"
6 connect "/usr/sbin/chat -v -f /etc/chatscripts/gprs -T telia"
7
8 ### MUST CHANGE: Uncomment the appropriate serial device for your platform below.
9 ### For Raspberry Pi use /dev/ttymA0 by uncommenting the line below:
10 /dev/ttymB0
11 ###/dev/ttymA0
12 ### For BeagleBone Black use /dev/ttym0 by uncommenting the line below:
13 ###/dev/ttym0
14
15 ### Speed of the serial line.
16 115200
17
18 ### Assumes that your IP address is allocated dynamically by the ISP.
19 noipdefault
20
21 ### Try to get the name server addresses from the ISP.
22 usepeerdns
23
24 ### Use this connection as the default route to the internet.
25 defaultroute
26
27 ### Makes PPPD "dial again" when the connection is lost.
28 persist
29
30 ### Do not ask the remote to authenticate.
31 noauth
32
33 ### No hardware flow control on the serial link with FONA
34 nocrtscts
35
36 ### No modem control lines with FONA.
37 local
```

connect to internet:

```
1 sudo pon fona
```

disconnect

```
1 sudo poff fona
```

Realtime clock Set the realtime clock see [Forum](#).

AT+CLTS? You will get this if it is disabled:

```
+CLTS: 0
```

To enable it enter this:

```
AT+CLTS=1
```

CLTS=1 must be saved in the SIM800's nonvolatile memory so it will be enabled when the module powers up and registers on the network.

Since this setting is not automatically saved in nonvolatile memory, you must save it with:

```
AT&W
```

(This saves all writeable settings)

Now restart your SIM800

After it registers AT+CCLK? will respond with the correct time, as in my case:

```
+CCLK: "14/08/08,02:25:43-16"
```

Send SMS Set in sms mode: AT+CMGF=1

Send message

```
1 AT+CMGS="+4799999999"<ENTER>
2 > your message<CTRL+Z>
```

Data sim phone number: +47 580009700018

Commands log (02.02.2020)

```
1 AT+CCLK="02/02/20,23:19:00+01"
2
3
4 AT+CMGS="+4794835300"
5
6 AT+CMGR=ALL
7
8 AT+CSCA="+47580009700018"
9
10
11
12 ATD + +4794835300;
13
14 AT+CMGF=0
15
16 AT+CREG
17
18 AT+CMGF=1
19
20 AT+CHTTPSOPSE="google.com",443,2
21
22 AT+CGDCONT=1,"IP","telia"
23
24 AT+CGDCONT?
```

Important note

I 2019 startet utfasingen av 3G fylke for fylke. Utfasingen startet med 900MHz-båndet, mens 2100MHz fases ut i 2020. En hovedårsak til utfasingen er at 4G-nettet i 2019 var fullt utbygd og kunne overta de fleste funksjonene 3G-nettet hadde, samt at frekvensene til 3G etter en utfasing kan brukes til andre funksjoner. Utstyr uten 4G-mulighet virker etter utfasingen via 2G, slik at telefonfunksjonene virker, mens dataoverføring via mobilnettet ikke lenger er mulig. I følge Telia gikk 4G-hastighetene i Hedmark opp da 3G-nettet ble slukket. ref. [Wikipedia](#)

9.10.1.4 Articles

- [Cellular & GPS Enabled Pi 3: Fona + Pi 3](#)
- [FONA Tethering to Raspberry Pi or BeagleBone Black](#)
- [Sending AT commands to SIM900 whilst pppd is active](#)

9.10.2 Sierra Wireless WP7607-1

Reliable Cat-1 LTE connectivity for 4G networks with 3G and 2G fallback in EMEA The WP7607-1 module is part of the WP Series offering a secure device-to-cloud architecture enabling IoT developers to build a Linux-based product on a single module – reducing overall system complexity and time-to-market.

This LTE Cat-1 wireless module is ideal for low-bandwidth IoT applications that require real-time communication along with the longevity and network quality that 4G LTE networks bring.

Delivering up to 10Mbps download speed, many organizations are using Cat-1 networks as a stepping stone to low-power wide-area (LPWA) networks as 4G LTE can provide a superior user experience over 2G and 3G technologies.



Figure 9.8: WP Series

9.10.2.1 Links

- [Digikey - WP7607-1](#)
- [Sierra Wireless - Embedded solutions](#)
- [AirPrime WP7607-1 IoT Module](#)

9.11 Modbus

Tutorial: <https://www.renesas.com/eu/en/www/doc/whitepapers/interface/rs-485-transceiver-tutorial.pdf>

Chip brukt i kontroller: SN65HVD485E Half-Duplex RS-485 Transceiver (<http://www.ti.com/lit/ds/symlink/sn65hvd485e.pdf>)

RS-485 til UART <https://www.sparkfun.com/products/10124>

Anbefalt modbus usb driver: <https://www.sparkfun.com/products/9822>

Datasheets: <https://www.sparkfun.com/datasheets/BreakoutBoards/USB-to-RS485-Breakout-v11.pdf>

For "end of line" motstand Kjøp både 120 og 220ohm

10 Hardware

10.1 Oculus Rift

10.1.1 Oculus Rift + Steam VR + Linux

Article: <https://steamcommunity.com/app/221410/discussions/0/1696046342850651740/>

10.1.2 Links

- [OpenHMD](#)

10.2 SDR

10.2.1 LimeSDR

- [LimeSDR Mini](#)

10.2.2 SDRPlay

- [SDRPlay](#)

11 Machine learning

11.1 Articles

- Contrastive Self-Supervised Learning
- Dopamine and temporal difference learning: A fruitful relationship between neuroscience and AI

11.2 Chat bots

11.2.1 Alternatives

- Wit.ai
- Botpress
- Botkit
- Dialogflow

11.2.2 On premise

- ai-chatbot-framework

11.3 Chaos

-
- Chaos visual example

12 Physics

12.1 Articles

- Gears

13 Productivity

13.1 Articles

- Remote software developer productivity
- Want to know the easiest way to save time? Use `make!`

14 Programming

- Rust

14.1 Sorting

- Flash sort algorithm

14.2 Hexagonal architecture

The **hexagonal architecture**, or **ports and adapters architecture**, is an architectural pattern used in software design. It aims at creating loosely coupled application components that can be easily connected to their software environment by means of ports and adapters. This makes components exchangeable at any level and facilitates test automation.

[Read more](#)

14.3 Frameworks

14.3.1 Firebase

14.3.1.1 Alternatives

- Sapphire

14.3.2 Sapphire

Open source alternative to firebase <https://sapphire-db.com/start/main>

14.3.3 Spring boot

14.3.3.1 Quarkus

The JHipster Quarkus demo app

- <https://quarkus.io/>

14.4 Programming languages

14.4.1 C++

14.4.1.1 Articles

- [Datastructure APIs in C++](#)

14.4.1.2 Videos

- [Bjarne Stroustrup – The Essence of C++ \(2014\)](#)

14.4.2 Golang

14.4.2.1 Tips and tricks

Vendors

- ```
1 go mod init
2 go mod vendor
```

#### 14.4.2.2 Links

##### Web framework

- [Gin gonic](#)

##### ORM

- <http://gorm.io/>

##### GUI

- <https://hackernoon.com/how-to-add-a-gui-to-your-golang-app-in-5-easy-steps-c25c99d4d8e0>
- <https://github.com/andlabs/ui>
- <https://github.com/therecipe/qt>

##### Web

- [GraphQL Schema Language Cheat Sheet](#)
- [Learn Golang + GraphQL + Relay #1](#)
- [Learn Golang + GraphQL + Relay #2](#)
- <https://github.com/mingrammer/go-web-framework-stars>

##### Div

- [Awesome Go](#) - A curated list of awesome Go frameworks, libraries and software.

#### 14.4.2.3 Articles

- Example of Golang CRUD using MySQL from scratch
- Real-Time Maps with a Raspberry Pi, Golang, and HERE XYZ
- Reverse Geocoding NEO 6M GPS Positions with Golang and a Serial UART Connection

#### 14.4.2.4 Serial UART

- Go Serial
- Tarm Serial

#### 14.4.3 Hammerspoon

This is a tool for powerful automation of OS X. At its core, Hammerspoon is just a bridge between the operating system and a Lua scripting engine. What gives Hammerspoon its power is a set of extensions that expose specific pieces of system functionality, to the user.

<https://www.hammerspoon.org/>

#### 14.4.4 Rust

##### 14.4.4.1 Links

###### Web

- <https://rocket.rs/>

###### GUI

- <https://github.com/PistonDevelopers/conrod>
- <http://reelm.ml/reelm-intro>

###### ORM

- <http://diesel.rs/guides/getting-started/>

###### ESP32

- <https://mabez.dev/blog/posts/esp32-rust/>

### 14.5 Software as a Service

#### 14.5.1 Auth0

Auth0 is free with up to 7,000 active users, unlimited logins. No credit card required.

- [Auth0](#)

# 15 Projects

- Crudos MD Notes
- Maximus

## 15.1 Inspiration aka others awesome projects

- [Rotary Cellphone](#)

## 15.2 Status Light

### 15.2.1 iOS app

- <https://stackoverflow.com/questions/23535355/how-to-detect-call-incoming-programmatically>
- <https://www.raywenderlich.com/150015/callkit-tutorial-ios>

## 15.3 BMW Media Center

- BMW Connected Apps Protocol <https://huffman.github.io/stories/bmwconnectedapps>
- [Shopping list](#)

### 15.3.1 Articles

- <https://hackaday.io/project/161745-can-bus-hacker>
- <https://hackaday.com/2019/05/09/sniffing-can-to-add-new-features-to-a-modern-car/>

### 15.3.2 Shoppinglist for BMW

#### 15.3.2.1 Bmw controller

- <https://www.cubietruck.com/products/cubieboard4-cc-a80-high-performance-mini-pc-development-board>
- <https://www.96boards.org/product/hikey960/>

## 15.4 Crudus Markdown Notes

En markdown applikasjon som kan synkronisere med git.

### 15.4.1 Platform

#### 15.4.1.1 iOS / Android

- Nativescript
- <https://libgit2.org/>
- <https://github.com/libgit2/objective-git>
- <https://github.com/Raekye/ObjectiveGit-iOS-Example>

#### 15.4.1.2 Desktop

- Electron

### 15.4.2 Links

- <https://libgit2.org/>
- <https://cocoapods.org/pods/libgit2>
- <https://github.com/libgit2/libgit2#android>

### 15.4.3 Libraries

#### 15.4.3.1 JavaScript

- [Marked](#)
- [Remarkable](#)
- [PageDown \(and PageDown Extra\)](#)
- [markdown-it](#)
- [Gitdown: GitHub markdown preprocessor](#)
- [reMarked.js: HTML-to-Markdown processor](#)
- [Kramed: Fork of Marked](#)

### 15.4.4 Other Editors

- [StackEdit: In-browser MD document editor](#)
- [Minimalist Online Markdown Editor](#)
- [Mou: macOS editor](#)
- [Haroopad: Cross-platform editor](#)

## 15.5 Crudus Photos

### 15.5.1 Tensor flow

**A person on a beach flying a kite.**



**A black and white photo of a train on a train track.**



**A person skiing down a snow covered slope.**



**A group of giraffe standing next to each other.**




Image to text

<https://github.com/tensorflow/models/tree/master/research/im2txt>

### 15.5.2 Articles

Building a private, local photo search app using machine learning <https://towardsdatascience.com/building-a-private-local-photo-search-app-using-machine-learning-8aeeef8d245c>

A step by step guide to Caffe <http://shengshuyang.github.io/A-step-by-step-guide-to-Caffe.html>

### 15.5.3 Photo History

Histogram in photography <https://www.phototraces.com/photography-basics/histogram-in-photography/>

Histogram basics [https://docs.opencv.org/3.1.0/d1/db7/tutorial\\_py\\_histogram\\_begins.html](https://docs.opencv.org/3.1.0/d1/db7/tutorial_py_histogram_begins.html)

#### 15.5.4 Tools

- Tagbox
- NVIDIA docker support

##### 15.5.4.1 Ubuntu

```
1 sudo apt install exiftran libjpeg-turbo-progs
```

#### 15.5.5 Links

##### 15.5.5.1 Caffe

- <https://caffe.berkeleyvision.org/>

##### 15.5.5.2 Model zoo

- <https://github.com/BVLC/caffe/wiki/Model-Zoo>

##### 15.5.5.3 Docker image

- <https://github.com/BVLC/caffe/tree/master/docker>

##### 15.5.5.4 Diff image

- <https://stackoverflow.com/questions/5132749/diff-an-image-using-imagemagick>

##### 15.5.5.5 Image Fingerprint

- <https://realpython.com/fingerprinting-images-for-near-duplicate-detection/>

##### 15.5.5.6 Frame Hash

- [https://github.com/sschnug/pyVideoHash/blob/master/frame\\_hash.pyx](https://github.com/sschnug/pyVideoHash/blob/master/frame_hash.pyx)

##### 15.5.5.7 Image recognition

- <https://www.learnopencv.com/image-recognition-and-object-detection-part1/>

### 15.5.5.8 Duplicate images

- <https://github.com/philipbl/duplicate-images>
- <https://blog.iconfinder.com/detecting-duplicate-images-using-python-cb240b05a3b6>
- <https://www.youtube.com/watch?v=AlyJSGmkFXk>

### 15.5.5.9 OpenCV Line detection

- <https://www.codepool.biz/opencv-line-detection.html>
- [https://docs.opencv.org/3.4/dd/dd7/tutorial\\_morph\\_lines\\_detection.html](https://docs.opencv.org/3.4/dd/dd7/tutorial_morph_lines_detection.html)

### 15.5.5.10 Detect horizon

- <https://stackoverflow.com/questions/4705837/horizon-detection-algorithm>

### 15.5.5.11 OpenCV Auto-level / histogram

- <https://docs.opencv.org/2.4/modules/imgproc/doc/histograms.html?highlight=equalizehist#cv2.equalizeHist>

### 15.5.5.12 OpenCV rotate images

- <https://www.pyimagesearch.com/2017/01/02/rotate-images-correctly-with-opencv-and-python/>

### 15.5.5.13 MIT Deep learning

- <https://github.com/lexfridman/mit-deep-learning>

### 15.5.5.14 Tensorflow and docker

- <https://www.sicara.ai/blog/2017-11-28-set-tensorflow-docker-gpu>
- <https://stackoverflow.com/questions/47068709/your-cpu-supports-instructions-that-this-tensorflow-binary-was-not-compiled-to-u>
- <https://github.com/lakshayg/tensorflow-build>

### 15.5.5.15 OpenCV 4

<https://www.pyimagesearch.com/2018/08/17/install-opencv-4-on-macos/>

## 15.6 Crudus Sense

### 15.6.1 BLE device configuration specification

| Name          | Type     | R/WKey        | UUID                                 | Comment                                                   |
|---------------|----------|---------------|--------------------------------------|-----------------------------------------------------------|
| Device name   | String   | R/WdeviceName | 5759f8cc-69ee-11e9-8a12-1681be663d3e |                                                           |
| WiFi Mac      | String   | R             | 51ecb1ca-6b85-11e9-a923-1681be663d3e | Read from ESP and register device to Crudus sense backend |
| WiFi SSID     | String   | R/Wwifi-ssid  | 51ecb440-6b85-11e9-a923-1681be663d3e |                                                           |
| WiFi passwd   | String   | W wifi-pwd    | 51ecb594-6b85-11e9-a923-1681be663d3e |                                                           |
| Room          | String   | R/Wloc-room   | 51ecb6ca-6b85-11e9-a923-1681be663d3e |                                                           |
| Floor         | Integer? | R/Wloc-floor  | 51ecb7f6-6b85-11e9-a923-1681be663d3e |                                                           |
| Compound      | String   | R/WLoc-comp   | 51ecb922-6b85-11e9-a923-1681be663d3e |                                                           |
| MQTT topic    | String   | R/Wmqtt-topic | 51ecba4e-6b85-11e9-a923-1681be663d3e | Only if MQTT-host is changed                              |
| MQTT host     | String   | R/Wmqtt-host  | 51ecbf26-6b85-11e9-a923-1681be663d3e | Disables default mqtt host                                |
| MQTT port     | Integer  | R/Wmqtt-port  | 51ecc156-6b85-11e9-a923-1681be663d3e | Only if MQTT-host is changed                              |
| MQTT username | String   | R/Wmqtt-user  | 51ecc2c8-6b85-11e9-a923-1681be663d3e | Only if MQTT-host is changed                              |
| MQTT password | String   | W mqtt-pwd    | 51ecc3fe-6b85-11e9-a923-1681be663d3e | Only if MQTT-host is changed                              |

| Name                     | Type                     | R/WKey         | UUID                                 | Comment                                          |
|--------------------------|--------------------------|----------------|--------------------------------------|--------------------------------------------------|
| Crudus Accounts username | String                   | W crudus-user  | 51ecc52a-6b85-11e9-a923-1681be663d3e | For setting default MQTT topic and MQTT username |
| Crudus Accounts token    | String                   | W crudus-token | 51ecc6d8-6b85-11e9-a923-1681be663d3e | For OTA downloads and MQTT password / token      |
| Calibration temperature  | String (comma separated) | R/Wcali-temp   | 51ecca5c-6b85-11e9-a923-1681be663d3e | For calibrate temperature                        |
| Calibration humidity     | String (comma separated) | R/Wcali-hum    | 51eccbb0-6b85-11e9-a923-1681be663d3e | For calibrate humidity                           |
| Soft reset               | boolean                  | W soft-reset   | 51eccd18-6b85-11e9-a923-1681be663d3e | For clearing preferences                         |

### 15.6.2 MQTT publish Topics

| Topic | Payload | Comment |
|-------|---------|---------|
|       |         |         |

### 15.6.3 MQTT Subscribe Topics

| Topic      | Payload | Action               | Comment |
|------------|---------|----------------------|---------|
| /sense/ota |         | Calls OTA for update |         |

### 15.6.4 Extensions

Sleep Tracking using an Arduino <https://duino4projects.com/sleep-tracking-using-an-arduino/>

Reset: <https://www.esp8266.com/viewtopic.php?t=9558&start=8>

Chip: CCS811 (indoor air quality sensor)

## 15.7 Electric guitar

Instructables: <https://www.instructables.com/id/Make-an-Awesome-Electric-Guitar-With-Common-Tools>

Materiale: <https://www.stewmac.com/>

## 15.8 Headless radio station

<https://github.com/plamere/SortYourMusic>

Sang analyse: <http://the.echonest.com/>

<http://www.sonicapi.com/>

<http://sonicAPI.com>

tasks include:

- music processing
  - tempo and pitch
  - pitch correction
  - reverb
- music analysis
  - tempo tracking
  - key detection
  - audio to midi
  - loudness (EBU)
  - chord detection

“Automatic audio post production web service for podcasts, broadcasters, radio shows, movies, screencasts and more” <https://auphonic.com/>

Last.fm


|                  |                                  |
|------------------|----------------------------------|
| Application name | Playlist generator               |
| API key          | cbff1f791890e77644038bf671715072 |
| Shared secret    | 67e337c3e0a40e21a238a3a50b9a0743 |
| Registered to    | rufuz                            |

## 15.9 Kaldheim.org

### 15.9.1 Links

- <https://themes.getbootstrap.com/product/milo-magazineblog-theme/>

## 15.10 Lamp to Viljar



**Figure 15.1:** Train

## 15.11 Longboard

<https://youtu.be/XworvxoQleY>

## 15.12 Maximus

### 15.12.1 Components

- Stereo Pi
- Configure BNO055

## 15.12.2 Robotics

- Robotics

## 15.12.3 Articles

- Comparing Gyroscope Datasheets

## 15.12.4 Artificial Intelligence

- AI Notes

## 15.12.5 BNO055

### 15.12.5.1 Installation


- BNO055 - Python & CircuitPython

```
1 pip3 install RPI.GPIO
2 pip3 install adafruit-blinka
```

#### i2c configuration

- I2C Clock Stretching

In order to use certain I2C sensors, such as the BNO055, you'll need to enable I2C clock stretching 'support' by greatly slowing down the I2C clock on the Raspberry Pi using the device tree overlay.



**Figure 15.2:** Raspberry pi Configuration

### Edit /boot/config.txt

```

1 ### Uncomment some of all of these to enable the optional hardware interfaces
2 dtparam=i2c_arm=on
3 dtparam=i2s=on
4 dtparam=spi=on
5
6 ### Clock stretching by slowing down to 10KHz
7 dtparam=i2c_arm_baudrate=10000

```

### Reboot the device

```
1 sudo reboot
```

### Check for i2c devices:

```

1 $ i2cdetect -y 1
2 0 1 2 3 4 5 6 7 8 9 a b c d e f
3 00: --- -
4 10: -
5 20: -
6 30: -
7 40: -
8 50: -
9 60: -
10 70: -

```

### Create new project

```

1 mkdir Maximus && cd Maximus
2 python3 -m venv .env
3 source .env/bin/activate
4 pip3 install adafruit-circuitpython-bno055

```

### Example data from sensor:

```

1 Temperature: 28 degrees C
2 Accelerometer (m/s^2): (-0.2, -0.07, -9.77)
3 Magnetometer (microteslas): (-27.75, -4.0625, 32.5)
4 Gyroscope (rad/sec): (-0.001090830782496456, -0.004363323129985824, 0.0)
5 Euler angle: (None, None, None)
6 Quaternion: (0.011474609375, -0.3623046875, 0.9320068359375, 0.0)
7 Linear acceleration (m/s^2): (1.28, 0.0, -0.01)
8 Gravity (m/s^2): (-0.21, -0.08, -9.8)

```

#### 15.12.5.2 PID controller

- [Arduino BNO055 PID Gyro sensor](#)
- [PID Control for multiple linear actuators](#)

#### 15.12.5.3 Videos

- [How to Implement an Inertial Measurement Unit \(IMU\) Using an Accelerometer, Gyro, and Magnetometer](#)
- [How to Merge Accelerometer with GPS to Accurately Predict Position and Velocity](#)

#### 15.12.5.4 Links

- [Adafruit BNO055](#)
- [Adafruit BNO055 absolute orientation sensor](#)


### **15.12.5.5 Documents**

- An introduction and tutorial for PID controllers (PDF)

## 15.12.5.6 Books

- Technician's Guide to Programmable Controllers
  - PID Controllers: Theory, Design, and Tuning
  - PID Control Fundamentals
  - Model-Reference Robust Tuning of PID Controllers (Advances in Industrial Control)
  - HANDBOOK OF PI AND PID CONTROLLER TUNING RULES (3RD EDITION)

### 15.12.6 Development board



## **Figure 15.3:** Schematics




Figure 15.4: Dev board 3d




Figure 15.5: Dev board pcb

### 15.12.6.1 Raspberry Pi pinout

Raspberry Pi GPIO BCM numbering




Figure 15.6: Pinout

### 15.12.7 Dynamixel AX-12A

DYNAMIXEL is a robot exclusive smart actuator with fully integrated DC Motor + Reduction Gearhead + Controller + Driver + Network in one DC servo module.





Figure 15.7: Dynamixel AX-12A

### 15.12.7.1 Specification

| Item                   | Specification                                                          |
|------------------------|------------------------------------------------------------------------|
| Baud Rate              | 7843 bps ~ 1 Mbps                                                      |
| Resolution             | 0.29 [°]                                                               |
| Running Degree         | 0 [°] ~ 300 [°] Endless Turn                                           |
| Weight                 | 53.5g(AX-12, AX-12+), 54.6g(AX-12A)                                    |
| Dimensions (W x H x D) | 32mm x 50mm x 40mm                                                     |
| Gear Ratio             | 254 : 1                                                                |
| Stall Torque           | 1.5 N*m (at 12V, 1.5A)                                                 |
| No Load Speed          | 59rpm (at 12V)                                                         |
| Operating Temperature  | -5 [°C] ~ +70 [°C]                                                     |
| Input Voltage          | 9.0 ~ 12.0V ( <b>Recommended</b> : 11.1V)                              |
| Command Signal         | Digital Packet                                                         |
| Protocol Type          | Half Duplex Asynchronous Serial Communication (8bit, 1stop, No Parity) |
| Physical Connection    | TTL Level Multi Drop Bus                                               |
| ID                     | 0 ~ 253                                                                |
| Feedback               | Position, Temperature, Load, Input Voltage, etc                        |
| Material               | Engineering Plastic                                                    |

### 15.12.7.2 Wiring

| Item    | TTL                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------|
| Pinout  | 1 GND2 VDD3 DATA                                                                                     |
| Diagram |                   |
| Housing |  MOLEX 50-37-5033 |

| Item           | TTL                                                                               |
|----------------|-----------------------------------------------------------------------------------|
| PCB Header     |  |
| Crimp Terminal | MOLEX 08-70-1039                                                                  |
| Wire Gauge     | 21 AWG                                                                            |

### 15.12.7.3 TTL communications

To control the DYNAMIXEL actuators, the main controller needs to convert its UART signals to the half duplex type.

The recommended circuit diagram for this is shown below.





Figure 15.8: TTL

#### 15.12.7.4 Drawings



**Figure 15.9:** Drawings


#### 15.12.7.5 Links

- [E-manual](#)
- [Dynamixel SDK](#)

#### 15.12.8 GPS

##### 15.12.8.1 Adafruit ultimate GPS breakout

- -165 dBm sensitivity, 10 Hz updates, 66 channels
- 5V friendly design and only 20mA current draw
- Breadboard friendly + two mounting holes
- RTC battery-compatible
- Built-in datalogging
- PPS output on pin
- Internal patch antenna + u.FL connector for external active antenna
- Fix status LED



**Figure 15.10:** Adafruit ultimate GPS breakout

### Technical details


- Satellites: 22 tracking, 66 searching
- Patch Antenna Size: 15mm x 15mm x 4mm
- Update rate: 1 to 10 Hz
- Position Accuracy: < 3 meters (all GPS technology has about 3m accuracy)
- Velocity Accuracy: 0.1 meters/s
- Warm/cold start: 34 seconds
- Acquisition sensitivity: -145 dBm
- Tracking sensitivity: -165 dBm
- Maximum Velocity: 515m/s
- Vin range: 3.0-5.5VDC
- MTK3339 Operating current: 25mA tracking, 20 mA current draw during navigation
- Output: NMEA 0183, 9600 baud default, 3V logic level out, 5V-safe input
- DGPS/WAAS/EGNOS supported
- FCC E911 compliance and AGPS support (Offline mode : EPO valid up to 14 days )
- Up to 210 PRN channels
- Jammer detection and reduction
- Multi-path detection and compensation

## Links

- Adafruit product page
- Adafruit Overview

### 15.12.8.2 GPS antenna

Recommended GPS antenna



**Figure 15.11:** GPS Antenna

## Links

- RF ANT 1.575GHZ CER PATCH CAB


## Datasheets

- Passive GPS Antenna uFL - 15mm x 15mm 1 dBi gain

### 15.12.9 Hardware

#### 15.12.9.1 Jetson Nano

NVIDIA Jetson Nano enables the development of millions of new small, low-power AI systems. It opens new worlds of embedded IoT applications, including entry-level Network Video Recorders (NVRs), home robots, and intelligent gateways with full analytics capabilities.




**Figure 15.12:** Jetson nano

Links:

- <https://www.nvidia.com/en-us/autonomous-machines/embedded-systems/jetson-nano/>

#### 15.12.9.2 Raspberry Pi 4 - Model B

The speed and performance of the new Raspberry Pi 4 is a step up from earlier models. For the first time, we've built a complete desktop experience. Whether you're editing documents, browsing the web with a bunch of tabs open, juggling spreadsheets or drafting a presentation, you'll find the experience smooth and very recognisable — but on a smaller, more energy-efficient and much more cost-effective machine.



**Figure 15.13:** Raspberry Pi 4

Links:

- [Raspberry Pi 4](#)

### 15.12.10 Maximus AI

#### 15.12.10.1 For terminal conversations

- <http://www.methods.co.nz/asciidoc/>

#### 15.12.10.2 AIML

- <http://www.alicebot.org/aiml.html>
- <https://www.tutorialspoint.com/aiml/>
- <http://www.devdungeon.com/content/ai-chat-bot-python-aiml>
- <https://github.com/pandorabots/rosie/tree/master/lib/aiml>

#### 15.12.10.3 Unicode

hex: “\xf0\x9f\x90\xb6”

#### 15.12.10.4 Artificial Intelligence

- <http://blog.hackerearth.com/2015/12/artificial-intelligence-101-how-to-get-started.html>

### 15.12.10.5 Words, spelling and so on

- <https://market.mashape.com/wordsapi/wordsapi>
- <https://github.com/montanaflynn/Spellcheck-API/>
- <https://market.mashape.com/sentity/sentity-text-analytics>
- <https://market.mashape.com/aylien/text-analysis>
- <https://market.mashape.com/textanalysis/text-summarization>
- <https://www.meaningcloud.com/developer/>
- <https://market.mashape.com/faceplusplus/faceplusplus-face-detection>
- <http://developers.answers.com/>

### 15.12.10.6 Grammar

- <https://learnenglish.britishcouncil.org/en/>
- <https://github.com/markfullmer/grammar/tree/Version-3>
- <https://github.com/languagetool-org/languagetool> (<http://wiki.languagetool.org/public-http-api>)

### 15.12.10.7 NLP / NER

- Part-of-speech tagging (POS)
- Chunking (CHK)
- Name entity recognition (NER)
- Info: <http://nlp.stanford.edu/software/CRF-NER.shtml>
- Download: <http://nlp.stanford.edu/software/stanford-ner-2016-10-31.zip>
- <https://github.com/agentile/PHP-Stanford-NLP> (old) use patrickschur
- <https://packagist.org/packages/patricksschur/stanford-nlp-tagger>
- <http://php-nlp-tools.com/>

### 15.12.10.8 Intent parser

- <https://github.com/MycroftAI/adapt>

### 15.12.10.9 Object recognition (caffe)

- <http://tutorial.caffe.berkeleyvision.org/caffe-cvpr15-detection.pdf>

### 15.12.10.10 Image analyze

- <https://github.com/Samshal/PHP-Photo-Information>
- <http://caffe.berkeleyvision.org/>

### 15.12.10.11 Automatic speech recognition

- <http://cmusphinx.sourceforge.net/>
- <http://kaldi-asr.org/>

### 15.12.10.12 Questions / answers

- <https://github.com/TScottJ/OpenEphyra>
- <https://cs.umd.edu/~miyyer/qblearn/>
- <https://github.com/brmson/yodaqa>

### 15.12.10.13 Lucida

- <http://lucida.ai/media/hPCA-lucida-djinn-tutorial.pdf>

### 15.12.10.14 Animations

- [https://www.youtube.com/watch?v=\\_WIqMqXpyxA](https://www.youtube.com/watch?v=_WIqMqXpyxA)

### 15.12.10.15 OCR / Deep learning

- <https://blogs.dropbox.com/tech/2017/04/creating-a-modern-ocr-pipeline-using-computer-vision-and-deep-learning/>

### 15.12.10.16 Neural network (arduino)

- <http://robotics.hobbizine.com/arduinoann.html>

### 15.12.10.17 Other Links

- <https://github.com/GokuMohandas/practicalAI>
- <http://www.aicheatsheets.com/>


## 15.12.11 Inspiration

### 15.12.11.1 Read

- [PyRobot](#)

### 15.12.11.2 DyRET Robot

DyRET is a four legged (quadruped) robot designed to be a robust and versatile platform for evolutionary experiments with the unique capability of self-changing morphology. The robot runs on ROS, and uses Gazebo for simulated experiments.




**Figure 15.14:** DyRET

Links:

- [DyRET Documentation](#)

### 15.12.11.3 Open Cat

A programmable and highly maneuverable robotic cat for STEM education and AI-enhanced services.




**Figure 15.15:** Open Cat

Article:

<https://www.hackster.io/petoil/opencat-845129>

### 15.12.11.4 Pet dog

A pet robot, just like Boston Dynamics makes



**Figure 15.16:** Pet dog

Articles:

- <https://hackaday.com/2019/03/30/a-pet-robot-just-like-boston-dynamics-makes/>
- <https://hackaday.io/project/164493-dizzy-wolf>

## 15.13 Mechanical keyboard

### 15.13.1 Inspiration

- <https://github.com/ruiqimao/keyboard-pcb-guide>
- <https://imgur.com/gallery/fGa13nZ>
- <https://www.reddit.com/r/MechanicalKeyboards/wiki/customkeyboards>

### 15.13.2 Tools

- Keyboard Layout editor
- Plate & Case Builder
- ai03 Plate Generator

## 15.14 Midi bridge for piano

### 15.14.1 Mozzi

audio synthesis library for Arduino

### 15.14.2 Plug Any USB Device on an ESP8266


<https://www.hackster.io/139994/plug-any-usb-device-on-an-esp8266-e0ca8a>

## 15.15 Motorcycle App

- Profile
  - Navn
  - epost
  - område / by
  - kommunikasjon (hjelm)
- Kjøretøy
  - model
  - årsmodel
  - merke
  - Bensin-logging
    - \* Stasjon / lokasjon
    - \* liter
    - \* tripteller
    - \* dato
    - \* drivstoff type (oktan)
    - \* drivstoff-pris
    - \* fulltank / ikke full tank
  - Vedlikehold
    - \* Sjekkliste
    - \* dekkbytte
    - \* bremseklosser
    - \* Diverse
- Venner
- Grupper
  - inviter venner til gruppe (lukket gruppe)
  - åpen gruppe
  - Åpen gruppe men begrenset godkjenning av admin
- Meldinger
  - venn til venn
  - gruppechat
  - turchat
- Ruter
  - Lag rute via kart

- Lag rute ved å kjøre
- Logg rute i bakgrunnen
- legg til stopp punkt (pauser etc)
- Turer
  - planlegg rute via eksisterende rute
  - planlegg rute ved å lage via kart
  - inviter venner
  - inviter gruppe
  - kjør tur
    - \* legg til møteplass
    - \* legg til stopp (pauser etc)
    - \* logg hvem som er med bassert på godkjenning og automatisk synkronisering av lokasjon
    - \* logg faktisk kjørt rute
    - \* logg tid
    - \* logg tilfeldige forbipasserende (bassert på lokasjon og tid) (frivillig)
- statistikk
  - drivstoff forbruk
  - tid på sykkel
  - Avstand på sykkel


## 15.16 Neural Network Robot



**Figure 15.17:** Wheels

## 15.17 Photo display

### 15.17.1 Dashboard



**Figure 15.18:** Dashboard weather

<https://www.smashingmagazine.com/2019/02/interactive-weather-dashboard-api-vue-js/>

### 15.17.2 Inspiration

- <https://generated.space/>

### 15.17.3 Libraries

#### 15.17.3.1 P5.js

Javascript library for processing <https://p5js.org/get-started/>

## 15.18 Pip-Boy

### 15.18.1 Montering

- <https://YTEC3D.COM/Pip-Boy-3000-Mark-IV-Assembly/>

### 15.18.2 LCD skjerm

- <https://no.mouser.com/ProductDetail/Newhaven-Display/NHD-43-480272MB-ASXN-CTP?qs=sGAEpiMZZMu%2fRY1bNe3bO6wz7D657ZcEt%252bYkb7GRrgfkxyS4IARIZA%3d%3dx>

## 15.19 Project Management System

### 15.19.1 Inspiration

- <https://codetree.com/>

## 15.20 RPI Security camera

### 15.20.1 Articles

- Raspberry Pi Live Streaming camera: like on Times Square

## 15.21 Reflow Oven

### 15.21.1 Links

**Tutorial:** <http://www.whizoo.com/reflowoven>

**Ovn:** <https://www.skousen.no/hvitevarer/ovn/mini-ovn/product/royal-16-ltr/>

**Isolasjonsteip:** <https://www.skruvat.no/Isolasjonstape-Reflect-A-Gold-P418338.aspx>

**Isolasjonsteppe:** <https://bakerovner.no/produkt/keramisk-isolasjon-rull-1260-c/>

**Fugemasse / lim:** <https://coop.no/sortiment/obs-bygg/maling-og-tilbehor/lim-fug-sparkel/casco-heat#product-info>

## 15.22 Smart helmet

SparkFun Transparent OLED HUD Breakout (Qwiic)

<https://www.sparkfun.com/products/15079>

SparkFun Transparent Graphical OLED Breakout (Qwiic)

<https://www.sparkfun.com/products/15173>

## 15.23 USB Media Controller

### 15.23.1 Dimensions

Høyde: 35mm x Bredde: 70 - 100mm

# 16 Security

## 16.1 Articles

- Exploiting WiFi stack on Tesla Model S

## 16.2 LoRaWAN

[LoRaWAN Encryption Keys Easy to Crack, Jeopardizing Security of IoT Networks](#)

# 17 Shopping lists

## 17.1 Shopping list for home office

### 17.1.1 Keyboard

- <https://www.daskeyboard.com/daskeyboard-4-ultimate/>
  - <https://www.teknikmagasinet.no/produkter/data-o-tv-spill/tastatur/varemerker/das-keyboard/das-keyboard-4-ultimate-with-cherry-mx-blue>
- [https://mechanicalkeyboards.com/shop/index.php?l=product\\_detail&p=3901](https://mechanicalkeyboards.com/shop/index.php?l=product_detail&p=3901)
- <http://www.wasdkeyboards.com/index.php/products/mechanical-keyboard/wasd-v2-105-key-iso-custom-mechanical-keyboard.html>

### 17.1.2 Network

- <https://mikrotik.com/product/RB3011UiAS-RM>
  - <https://www.eurodk.com/en/products/mt-rb/routerboard-3011uias-rm>
  - <https://freak.no/forum/showthread.php?t=219922&page=28>

# 18 Software

- Rabbit MQ

## 18.1 Rabbit MQ

### 18.1.1 Security

- Rabbit MQ access control: <http://www.rabbitmq.com/access-control.html>
- Multi-tenant SaaS AD: <https://vincentlauzon.com/2016/03/10/multi-tenant-saas-with-azure-active-directory-b2b-b2c/>

## 18.2 Ubuntu

### 18.2.1 Articles

- Building a Linux Desktop for Cloud Native Development

### 18.2.2 Ubuntu + Windows dual boot

Installing Windows **after** Ubuntu.

From <https://help.ubuntu.com/community/WindowsDualBoot>:

#### 18.2.2.1 Recovering GRUB after reinstalling Windows

Please refer to the [Reinstalling GRUB2](#) guide.

#### 18.2.2.2 Master Boot Record backup and replacement

This method does not work for computers with UEFI boot. In consequence, it won't work for pre-installed Windows 8 and some pre-installed with Windows 7.

Back-up the existing MBR, install Windows, replace your backup overwriting the Windows boot code:

1. Create an NTFS partition for Windows (using fdisk, GParted or whatever tool you are familiar with)

2. Backup the MBR e.g. `dd if=/dev/sda of=/mbr.bin bs=446 count=1`
3. Install Windows
4. Boot into a [LiveCD](#)
5. Mount your root partition in the LiveCD
6. Restore the MBR e.g. `dd if=/media/sda/mbr.bin of=/dev/sda bs=446 count=1`
7. Restart and Ubuntu will boot
8. Setup GRUB to boot Windows

## 18.3 tmux shortcuts & cheatsheet

start new:

```
1 tmux
```

start new with session name:

```
1 tmux new -s myname
```

attach:

```
1 tmux a # (or at, or attach)
```

attach to named:

```
1 tmux a -t myname
```

list sessions:

```
1 tmux ls
```

kill session:

```
1 tmux kill-session -t myname
```

Kill all the tmux sessions:

```
1 tmux ls | grep : | cut -d. -f1 | awk '{print substr($1, 0, length($1)-1)}' | xargs kill
```

In tmux, hit the prefix `ctrl+b` (my modified prefix is `ctrl+a`) and then:

### 18.3.1 Sessions

```
1 :new<CR> new session
2 s list sessions
3 $ name session
```

### 18.3.2 Windows (tabs)

```

1 c create window
2 w list windows
3 n next window
4 p previous window
5 f find window
6 , name window
7 & kill window

```

### 18.3.3 Panes (splits)

```

1 % vertical split
2 " horizontal split
3
4 o swap panes
5 q show pane numbers
6 x kill pane
7 + break pane into window (e.g. to select text by mouse to copy)
8 - restore pane from window
9 space - toggle between layouts
10 <prefix> q (Show pane numbers, when the numbers show up type the key to goto that pane)
11 <prefix> { (Move the current pane left)
12 <prefix> } (Move the current pane right)
13 <prefix> z toggle pane zoom

```

### 18.3.4 Sync Panes

You can do this by switching to the appropriate window, typing your Tmux prefix (commonly Ctrl-B or Ctrl-A) and then a colon to bring up a Tmux command line, and typing:

```
1 :setw synchronize-panes
```

You can optionally add on or off to specify which state you want; otherwise the option is simply toggled. This option is specific to one window, so it won't change the way your other sessions or windows operate. When you're done, toggle it off again by repeating the command. [tip source](#)

### 18.3.5 Resizing Panes

You can also resize panes if you don't like the layout defaults. I personally rarely need to do this, though it's handy to know how. Here is the basic syntax to resize panes:

```

1 PREFIX : resize-pane -D (Resizes the current pane down)
2 PREFIX : resize-pane -U (Resizes the current pane upward)
3 PREFIX : resize-pane -L (Resizes the current pane left)
4 PREFIX : resize-pane -R (Resizes the current pane right)
5 PREFIX : resize-pane -D 20 (Resizes the current pane down by 20 cells)
6 PREFIX : resize-pane -U 20 (Resizes the current pane upward by 20 cells)
7 PREFIX : resize-pane -L 20 (Resizes the current pane left by 20 cells)
8 PREFIX : resize-pane -R 20 (Resizes the current pane right by 20 cells)
9 PREFIX : resize-pane -t 2 20 (Resizes the pane with the id of 2 down by 20 cells)
10 PREFIX : resize-pane -t -L 20 (Resizes the pane with the id of 2 left by 20 cells)

```

### 18.3.6 Copy mode

Pressing PREFIX [ places us in Copy mode. We can then use our movement keys to move our cursor around the screen. By default, the arrow keys work. we set our configuration file to use Vim keys for

moving between windows and resizing panes so we wouldn't have to take our hands off the home row. tmux has a vi mode for working with the buffer as well. To enable it, add this line to `.tmux.conf`:

```
1 setw -g mode-keys vi
```

With this option set, we can use h, j, k, and l to move around our buffer.

To get out of Copy mode, we just press the ENTER key. Moving around one character at a time isn't very efficient. Since we enabled vi mode, we can also use some other visible shortcuts to move around the buffer.

For example, we can use "w" to jump to the next word and "b" to jump back one word. And we can use "f", followed by any character, to jump to that character on the same line, and "F" to jump backwards on the line.

|    | Function              | vi          | emacs     |
|----|-----------------------|-------------|-----------|
| 1  | Back to indentation   | ^           | M-m       |
| 2  | Clear selection       | Escape      | C-g       |
| 3  | Copy selection        | Enter       | M-w       |
| 4  | Cursor down           | j           | Down      |
| 5  | Cursor left           | h           | Left      |
| 6  | Cursor right          | l           | Right     |
| 7  | Cursor to bottom line | L           |           |
| 8  | Cursor to middle line | M           | M-r       |
| 9  | Cursor to top line    | H           | M-R       |
| 10 | Cursor up             | k           | Up        |
| 11 | Delete entire line    | d           | C-u       |
| 12 | Delete to end of line | D           | C-k       |
| 13 | End of line           | \$          | C-e       |
| 14 | Goto line             | :           | g         |
| 15 | Half page down        | C-d         | M-Down    |
| 16 | Half page up          | C-u         | M-Up      |
| 17 | Next page             | C-f         | Page down |
| 18 | Next word             | w           | M-f       |
| 19 | Paste buffer          | p           | C-y       |
| 20 | Previous page         | C-b         | Page up   |
| 21 | Previous word         | b           | M-b       |
| 22 | Quit mode             | q           | Escape    |
| 23 | Scroll down           | C-Down or J | C-Down    |
| 24 | Scroll up             | C-Up or K   | C-Up      |
| 25 | Search again          | n           | n         |
| 26 | Search backward       | ?           | C-r       |
| 27 | Search forward        | /           | C-s       |
| 28 | Start of line         | 0           | C-a       |
| 29 | Start selection       | Space       | C-Space   |
| 30 | Transpose chars       |             | C-t       |
| 31 |                       |             |           |

### 18.3.7 Misc

```
1 d detach
2 t big clock
3 ? list shortcuts
4 : prompt
```

### 18.3.8 Configurations Options

```
1 # Mouse support - set to on if you want to use the mouse
2 * setw -g mode-mouse off
3 * set -g mouse-select-pane off
4 * set -g mouse-resize-pane off
5 * set -g mouse-select-window off
6
7 # Set the default terminal mode to 256color mode
8 set -g default-terminal "screen-256color"
```

```
9
10 # enable activity alerts
11 setw -g monitor-activity on
12 set -g visual-activity on
13
14 # Center the window list
15 set -g status-justify centre
16
17 # Maximize and restore a pane
18 unbind Up bind Up new-window -d -n tmp \; swap-pane -s tmp.1 \; select-window -t tmp
19 unbind Down
20 bind Down last-window \; swap-pane -s tmp.1 \; kill-window -t tmp
```

### 18.3.9 Resources

- [tmux: Productive Mouse-Free Development](#)
- [How to reorder windows](#)

## 18.4 Vim Cheat Sheet

### 18.4.1 Global

:help keyword - open help for keyword  
:saveas file - save file as  
:close - close current pane  
K - open man page for word under the cursor

### 18.4.2 Cursor movement

h - move cursor left  
j - move cursor down  
k - move cursor up  
l - move cursor right  
H - move to top of screen  
M - move to middle of screen  
L - move to bottom of screen  
w - jump forwards to the start of a word  
W - jump forwards to the start of a word (words can contain punctuation)  
e - jump forwards to the end of a word  
E - jump forwards to the end of a word (words can contain punctuation)  
b - jump backwards to the start of a word  
B - jump backwards to the start of a word (words can contain punctuation)

% - move to matching character (default supported pairs: '()', '{}', '[]' - use :h matchpairs in vim for more info)

0 - jump to the start of the line

^ - jump to the first non-blank character of the line

\$ - jump to the end of the line

g\_ - jump to the last non-blank character of the line

gg - go to the first line of the document

G - go to the last line of the document

5G - go to line 5

fx - jump to next occurrence of character x

tx - jump to before next occurrence of character x

Fx - jump to previous occurrence of character x

Tx - jump to after previous occurrence of character x

; - repeat previous f, t, F or T movement

, - repeat previous f, t, F or T movement, backwards

} - jump to next paragraph (or function/block, when editing code)

{ - jump to previous paragraph (or function/block, when editing code)

zz - center cursor on screen

Ctrl + e - move screen down one line (without moving cursor)

Ctrl + y - move screen up one line (without moving cursor)

Ctrl + b - move back one full screen

Ctrl + f - move forward one full screen

Ctrl + d - move forward 1/2 a screen

Ctrl + u - move back 1/2 a screen

### 18.4.3 Insert mode - inserting/appending text

i - insert before the cursor

I - insert at the beginning of the line

a - insert (append) after the cursor

A - insert (append) at the end of the line

o - append (open) a new line below the current line

O - append (open) a new line above the current line

ea - insert (append) at the end of the word

Esc - exit insert mode

#### 18.4.4 Editing

`r` - replace a single character

`J` - join line below to the current one with one space in between

`gJ` - join line below to the current one without space in between

`gwip` - reflow paragraph

`cc` - change (replace) entire line

`c` - change (replace) to the end of the line

`c$` - change (replace) to the end of the line

`ciw` - change (replace) entire word

`cw` - change (replace) to the end of the word

`s` - delete character and substitute text

`S` - delete line and substitute text (same as cc)

`xp` - transpose two letters (delete and paste)

`u` - undo

`Ctrl + r` - redo

`.` - repeat last command

#### 18.4.5 Cut and paste

`yy` - yank (copy) a line

`2yy` - yank (copy) 2 lines

`yw` - yank (copy) the characters of the word from the cursor position to the start of the next word `y$` - yank (copy) to end of line

`p` - put (paste) the clipboard after cursor

`P` - put (paste) before cursor

`dd` - delete (cut) a line

`2dd` - delete (cut) 2 lines

`dw` - delete (cut) the characters of the word from the cursor position to the start of the next word `D` - delete (cut) to the end of the line

`d$` - delete (cut) to the end of the line

`x` - delete (cut) character

### 18.4.6 Marking text (visual mode)

`v` - start visual mode, mark lines, then do a command (like y-yank)  
`V` - start linewise visual mode  
`o` - move to other end of marked area  
`Ctrl + v` - start visual block mode  
`O` - move to other corner of block  
`aw` - mark a word  
`ab` - a block with ()  
`aB` - a block with {}  
`ib` - inner block with ()  
`iB` - inner block with {}  
`Esc` - exit visual mode

### 18.4.7 Visual commands

`>` - shift text right  
`<` - shift text left  
`y` - yank (copy) marked text  
`d` - delete marked text  
`~` - switch case

### 18.4.8 Registers

`:reg` - show registers content  
`"xy` - yank into register x  
`"xp` - paste contents of register x

### 18.4.9 Search and replace

`/pattern` - search for pattern  
`?pattern` - search backward for pattern  
`\vpattern` - ‘very magic’ pattern: non-alphanumeric characters are interpreted as special regex symbols (no escaping needed)  
`n` - repeat search in same direction  
`N` - repeat search in opposite direction

`:%s/old/new/g` - replace all old with new throughout file

`:%s/old/new/gc` - replace all old with new throughout file with confirmations

`:noh` - remove highlighting of search matches

#### 18.4.10 Search in multiple files

`:vimgrep /pattern/ {{file}}` - search for pattern in multiple files e.g.

```
1 :vimgrep /foo/ **/*
```

`:cn` - jump to the next match

`:cp` - jump to the previous match

`:copen` - open a window containing the list of matches

#### 18.4.11 Working with multiple files

`:e file` - edit a file in a new buffer

`:bnext` or `:bn` - go to the next buffer

`:bprev` or `:bp` - go to the previous buffer

`:bd` - delete a buffer (close a file)

`:ls` - list all open buffers

`:sp file` - open a file in a new buffer and split window

`:vsp file` - open a file in a new buffer and vertically split window

`Ctrl + ws` - split window

`Ctrl + ww` - switch windows

`Ctrl + wq` - quit a window

`Ctrl + wv` - split window vertically

`Ctrl + wh` - move cursor to the left window (vertical split)

`Ctrl + wl` - move cursor to the right window (vertical split)

`Ctrl + wj` - move cursor to the window below (horizontal split)

`Ctrl + wk` - move cursor to the window above (horizontal split)

#### 18.4.12 Tabs

`:tabnew` or `:tabnew {page.words.file}` - open a file in a new tab

`Ctrl + wT` - move the current split window into its own tab

`gt` or `:tabnext` or `:tabn` - move to the next tab

`gT` or `:tabprev` or `:tabp` - move to the previous tab

`#gt` - move to tab number #

`:tabmove #` - move current tab to the #th position (indexed from 0)

`:tabclose` or `:tabc` - close the current tab and all its windows

`:tabonly` or `:tabo` - close all tabs except for the current one

`:tabdo command` - run the command on all tabs (e.g. `:tabdo q` - closes all opened tabs)

### 18.4.13 Exiting

`:w` - write (save) the file, but don't exit

`:w !sudo tee %` - write out the current file using sudo

`:wq` or `:x` or `ZZ` - write (save) and quit

`:q` - quit (fails if there are unsaved changes)

`:q!` or `ZQ` - quit and throw away unsaved changes

`:wqa` - write (save) and quit on all tabs

# 19 UX - UI

- Colors

## 19.1 Methods

- <https://material.io/design/>
- <http://www.designkit.org/methods>

## 19.2 Colors

### 19.2.1 Links

- <https://www.canva.com/colors/color-palette-generator/>

# 20 Useful stuff

## 20.1 Github CLI

Github command line tool [CLI Github](#)

### 20.1.1 Install

```
1 brew install github/gh/gh
```

### 20.1.2 Usage

To view detail on any command, use `gh [command] [subcommand] --help`

```
1 gh pr [status, list, view, checkout, create]
2 gh issue [status, list, view, create]
3 gh help
```

## 20.2 Useful Commands

### 20.2.1 Terminal recording

[Asciinema](#)

#### 20.2.1.1 1. Install

```
1 brew install asciinema
```

#### 20.2.1.2 2. Record

```
1 asciinema rec filename.cast
```

#### 20.2.1.3 3. Play

```
1 asciinema play filename.cast
```

## 20.2.2 WiFi QR-code

```
1 qrencode -o wifi.png "WIFI:T:WPA;S:<SSID>;P:<PASSWORD>;;"
```

## 20.2.3 Rsync

### Rsync cheatsheat

```
1 ## syncing folder src into dest:
2 rsync -avzP ./src /dest
3 ## syncing the content of src into dest:
4 rsync -avzP ./src/ /dest
```

## 20.2.4 Unite PDF documents

### 20.2.4.1 Install

```
1 brew install poppler
```

### 20.2.4.2 Usage

```
1 pdfunite file1.pdf file2.pdf output.pdf
```