

Credit Risk Assessment and Fraud Detection in Financial Transactions Using Machine Learning

Assistant Professor Dr. Pankaj Malik, Anoushka Anand,
Anmol Kumar Baliyan, Anant Dongre, Palak Panwar
Medi-Caps University Indore

Abstract- Credit risk assessment and fraud detection are crucial tasks in the financial industry, essential for maintaining the stability and integrity of financial institutions. Traditional methods often fall short in accurately assessing risk and detecting fraudulent activities in a timely manner. In recent years, machine learning has emerged as a powerful tool for enhancing these processes, leveraging large volumes of transactional data and sophisticated algorithms to make more informed decisions. This research paper explores the application of machine learning techniques in credit risk assessment and fraud detection within financial transactions. The paper begins with an overview of the importance of accurate risk assessment and fraud detection in financial transactions and introduces the role of machine learning in addressing these challenges. A comprehensive literature review is conducted to analyze existing methodologies, algorithms, and research trends in the field. Data acquisition and preprocessing techniques are discussed, emphasizing the importance of clean and relevant data for model training. Feature engineering strategies are explored to extract meaningful information from financial transaction data and enhance the predictive capabilities of machine learning models. Various machine learning algorithms suitable for credit risk assessment and fraud detection are examined, including logistic regression, decision trees, random forests, support vector machines, and neural networks. Ensemble methods and model evaluation metrics are discussed to assess the performance of these algorithms, with a focus on metrics such as accuracy, precision, recall, and ROC-AUC. The paper presents case studies and experimental results illustrating the application of machine learning models in real-world scenarios, highlighting their effectiveness in improving risk assessment and fraud detection processes. Additionally, challenges such as imbalanced datasets, model interpretability, and regulatory compliance are discussed, along with potential research directions and future trends in the field. In conclusion, this research emphasizes the transformative potential of machine learning in credit risk assessment and fraud detection within financial transactions. By leveraging advanced algorithms and data-driven approaches, financial institutions can enhance their decision-making processes, mitigate risks, and safeguard against fraudulent activities, ultimately contributing to a more secure and resilient financial ecosystem.

Index Terms- Financial Transactions, Deep learning, Machine Learning

I. INTRODUCTION

Credit risk assessment and fraud detection are integral components of the financial industry, essential for maintaining stability, trust, and profitability. In an era characterized by increasing transaction volumes and evolving forms of financial crime, traditional methods of risk assessment and fraud detection have shown limitations in effectively identifying and mitigating risks in a timely manner. However, with the advent of machine learning techniques, there exists a transformative opportunity to revolutionize these processes by leveraging vast amounts of transactional data and

sophisticated algorithms to make more accurate and timely decisions.

This research paper aims to explore the application of machine learning in credit risk assessment and fraud detection within financial transactions. By delving into the intricacies of machine learning methodologies, data preprocessing techniques, feature engineering strategies, and model evaluation metrics, this paper seeks to elucidate the potential of machine learning to enhance the accuracy, efficiency, and effectiveness of credit risk assessment and fraud detection systems. The significance of this research lies in its potential to address longstanding challenges faced by financial institutions, including the need for more precise risk

assessment models, the ability to detect emerging fraud patterns, and the imperative to adapt to dynamic market conditions. Through an exhaustive review of existing literature, analysis of case studies, and presentation of experimental results, this paper aims to provide insights into the practical applications of machine learning in tackling these challenges.

Furthermore, this paper will discuss the implications of machine learning techniques in the context of regulatory compliance, ethical considerations, and customer privacy. By highlighting both the opportunities and challenges associated with the adoption of machine learning in the financial sector, this research aims to contribute to a nuanced understanding of the role of technology in shaping the future of risk management and fraud detection.

In summary, this introduction sets the stage for a comprehensive exploration of machine learning in credit risk assessment and fraud detection within financial transactions. By examining existing methodologies, analyzing experimental results, and discussing potential implications, this paper aims to provide valuable insights for researchers, practitioners, and policymakers in the financial industry.

II. LITERATURE REVIEW

Credit risk assessment and fraud detection have been longstanding challenges in the financial industry, with significant implications for financial stability, regulatory compliance, and customer trust. Over the years, researchers and practitioners have explored various methodologies and approaches to address these challenges, ranging from traditional statistical methods to more recent advancements in machine learning and data analytics.

1. Traditional Approaches

Historically, credit risk assessment and fraud detection relied heavily on rule-based systems and statistical models. Credit scoring models, such as the FICO score, have been widely used by financial institutions to assess the creditworthiness of borrowers based on factors such as credit history, outstanding debt, and payment history. Similarly, rule-based systems were employed for fraud detection, where predefined rules were applied to identify suspicious transactions based on predefined thresholds or patterns.

2. Machine Learning Techniques

In recent years, machine learning has emerged as a powerful tool for improving the accuracy and efficiency of credit risk assessment and fraud detection. Supervised learning algorithms, such as logistic regression, decision trees, and support vector machines, have been applied to classify borrowers into different risk categories and detect fraudulent transactions based on historical data. Ensemble methods, such

as random forests and gradient boosting, have further enhanced the predictive performance by combining multiple base learners.

3. Feature Engineering and Data Preprocessing

Feature engineering plays a crucial role in credit risk assessment and fraud detection, where the selection and transformation of relevant features can significantly impact the performance of machine learning models. Techniques such as feature scaling, dimensionality reduction, and feature selection have been employed to extract meaningful information from raw data and improve model interpretability. Additionally, handling imbalanced datasets, where the number of positive and negative instances is skewed, remains a challenge in these tasks.

4. Model Evaluation and Performance Metrics

Various evaluation metrics have been proposed to assess the performance of credit risk assessment and fraud detection models. These metrics include accuracy, precision, recall, F1-score, receiver operating characteristic (ROC) curve, and area under the ROC curve (AUC). While accuracy measures the overall correctness of predictions, precision and recall provide insights into the model's ability to correctly identify positive instances (fraudulent transactions) and avoid false positives, respectively. The ROC curve visualizes the trade-off between true positive rate and false positive rate at different threshold settings, with AUC quantifying the overall discriminatory power of the model.

5. Challenges and Future Directions

Despite the advancements in machine learning techniques, several challenges remain in credit risk assessment and fraud detection. These include the need for robust models that can adapt to changing market conditions, the interpretation of complex machine learning models, the integration of domain knowledge into feature engineering, and the ethical considerations surrounding the use of automated decision-making systems. Additionally, regulatory compliance, data privacy, and security concerns pose further challenges in deploying machine learning solutions in the financial industry.

III. DATA ACQUISITION AND PREPROCESSING

In credit risk assessment and fraud detection, the quality and relevance of data are paramount to the effectiveness of machine learning models. This section discusses the process of acquiring and preprocessing data for these tasks.

1. Data Sources

Financial transaction data can be obtained from various sources, including banking records, credit bureaus, payment processors, and online transactions. These datasets typically

contain information such as transaction amount, timestamp, merchant ID, customer ID, and transaction type. Additionally, credit risk assessment may involve demographic data, credit history, income level, and employment status of borrowers.

2. Data Preprocessing Techniques

Data Cleaning

- Removal of duplicate records and inconsistent data entries.
- Handling missing values through imputation or deletion.
- Outlier detection and removal to ensure data integrity.

Feature Engineering

- Creation of new features based on domain knowledge and business rules.
- Transformation of categorical variables into numerical representations using techniques such as one-hot encoding or label encoding.
- Extraction of relevant information from text data, such as transaction descriptions or customer feedback.

Normalization and Scaling

- Standardization or normalization of numerical features to ensure consistency in scale.
- Scaling of features to a common range to prevent dominance by features with larger magnitudes.

Handling Imbalanced Datasets

- Resampling techniques such as oversampling (e.g., SMOTE) or under sampling to balance the distribution of classes.
- Adjusting class weights in machine learning algorithms to penalize misclassification of minority classes.

Dimensionality Reduction

- Techniques such as Principal Component Analysis (PCA) or feature selection algorithms to reduce the dimensionality of the dataset.
- Reducing computational complexity and alleviating the curse of dimensionality.

Time-Series Data Handling

- Temporal aggregation of transactional data to different time granularities (e.g., hourly, daily, monthly).
- Feature engineering based on temporal patterns and trends in transactional data.

Data Splitting

- Division of the dataset into training, validation, and test sets to evaluate model performance.
- Stratified sampling to ensure balanced class distribution across partitions.

Data Privacy and Security

Ensuring the privacy and security of sensitive financial data is of utmost importance. Techniques such as data anonymization, encryption, and access control mechanisms should be employed to protect customer information and comply with regulatory requirements (e.g., GDPR, HIPAA).

IV. FEATURE ENGINEERING

Feature engineering plays a pivotal role in credit risk assessment and fraud detection, as it involves extracting relevant information from raw data to improve the performance of machine learning models. This section outlines various feature engineering techniques commonly used in these tasks.

1. Domain-Specific Features

Creation of features based on domain knowledge and business rules. For credit risk assessment, these may include borrower characteristics such as age, income, employment status, and credit history length. For fraud detection, features may include transaction amount, frequency, and time of day.

2. Temporal Features

Extraction of temporal patterns and trends from timestamp data. This may involve creating features such as time of day, day of the week, month, and year. Additionally, time-based aggregations (e.g., sum, mean, max) over different time windows (e.g., hourly, daily, monthly) can capture transactional behavior over time.

3. Aggregated Features

Calculation of aggregate statistics over groups of transactions or customers. For example, aggregating transaction amounts by customer ID to compute features such as total spending, average transaction amount, and number of transactions. Aggregated features can provide insights into overall spending behavior and transaction patterns.

4. Frequency-Based Features

Calculation of frequency-based statistics to capture transactional behavior. This may include features such as the number of transactions in a given time period, the time elapsed since the last transaction, and the average time between transactions. Frequency-based features can help identify irregular transaction patterns indicative of fraudulent activity.

5. Text-Based Features

Extraction of information from text data, such as transaction descriptions or customer feedback. Natural Language Processing (NLP) techniques can be employed to tokenize text, extract keywords, and derive sentiment features. Text-based features can provide additional context and insights into transactional behavior.

6. Interaction Features

Creation of interaction features by combining multiple input features. This may involve arithmetic operations (e.g., addition, multiplication) or logical operations (e.g., AND, OR) between features. Interaction features can capture complex relationships between input variables and improve model expressiveness.

7. Dimensionality Reduction

Techniques such as Principal Component Analysis (PCA) or feature selection algorithms to reduce the dimensionality of the feature space. Dimensionality reduction can help alleviate the curse of dimensionality and improve model scalability and interpretability.

8. Derived Features

Derivation of new features from existing ones through mathematical transformations or logical operations. This may include feature scaling, normalization, logarithmic transformations, and polynomial features. Derived features can enhance the discriminatory power of the model by capturing non-linear relationships between variables.

V. MACHINE LEARNING MODELS

In credit risk assessment and fraud detection, various machine learning models can be employed to predict creditworthiness and identify fraudulent activities. This section discusses some of the commonly used machine learning algorithms in these tasks.

1. Logistic Regression

Logistic regression is a simple yet effective binary classification algorithm widely used in credit risk assessment and fraud detection. It models the probability of a binary outcome (e.g., default/non-default, fraudulent/non-fraudulent) based on one or more predictor variables. Logistic regression is interpretable and computationally efficient, making it suitable for applications where model interpretability is important.

2. Decision Trees

Decision trees are non-linear models that recursively partition the feature space into regions based on feature values, with each partition representing a decision node. Decision trees are intuitive, easy to interpret, and capable of capturing non-linear relationships between input features and target variables. However, they are prone to over fitting, especially with complex datasets.

3. Random Forests

Random forests are ensemble learning methods that combine multiple decision trees to improve predictive performance and robustness. Each tree in the forest is trained on a random subset of the training data and a random subset of features.

Random forests mitigate over fitting by averaging predictions across multiple trees and are less sensitive to noise and outliers compared to individual decision trees.

4. Gradient Boosting Machines (GBM)

Gradient boosting machines are ensemble learning methods that sequentially train weak learners (typically decision trees) to correct the errors of previous learners. GBM iteratively minimizes a loss function by adding new trees to the ensemble, with each tree trained on the residuals of the previous ensemble. Gradient boosting is known for its high predictive accuracy and flexibility, making it suitable for complex datasets.

5. Support Vector Machines (SVM)

Support vector machines are supervised learning algorithms that classify data by finding the hyperplane that best separates different classes in the feature space. SVMs can handle high-dimensional data and non-linear decision boundaries through the use of kernel functions. SVMs are effective for binary classification tasks and are particularly useful when dealing with small to medium-sized datasets.

6. Neural Networks

Neural networks, especially deep learning architectures such as multi-layer perceptrons (MLPs) and convolutional neural networks (CNNs), have shown promising results in credit risk assessment and fraud detection tasks. Neural networks can learn complex patterns and relationships in data and adapt to various input modalities (e.g., numerical, categorical, text). However, neural networks require large amounts of data and computational resources for training and may suffer from interpretability issues.

7. Ensemble Methods

Ensemble methods, such as bagging, boosting, and stacking, combine multiple base learners to improve model performance and generalization.

By leveraging the diversity of individual models, ensemble methods can mitigate over fitting and capture a broader range of features and patterns in the data. Ensemble methods are versatile and can be applied with various base learners, making them suitable for different types of datasets and tasks.

VI. MODEL EVALUATION AND PERFORMANCE METRICS

In credit risk assessment and fraud detection, evaluating the performance of machine learning models is crucial to ensure their effectiveness in mitigating risks and identifying fraudulent activities. This section outlines various model evaluation techniques and performance metrics commonly used in these tasks.

1. Train-Test Split

Divide the dataset into training and testing subsets to assess the model's generalization performance. The model is trained on the training set and evaluated on the unseen test set to estimate its performance on new data.

2. Cross-Validation

Perform k-fold cross-validation to obtain more reliable estimates of the model's performance. The dataset is divided into k subsets (folds), and the model is trained and evaluated k times, with each fold used as the test set once and the remaining folds as the training set.

Performance Metrics

3. Accuracy

Accuracy measures the proportion of correctly classified instances out of the total number of instances. While accuracy provides a general measure of model performance, it may not be suitable for imbalanced datasets, where the classes are unevenly distributed.

4. Precision

Precision measures the proportion of true positive predictions among all positive predictions made by the model. It indicates the model's ability to correctly identify positive instances while minimizing false positives. Precision is particularly important in fraud detection, where false positives can lead to unnecessary investigations.

5. Recall (Sensitivity)

Recall measures the proportion of true positive predictions among all actual positive instances in the dataset. It indicates the model's ability to capture all positive instances (i.e., minimize false negatives). Recall is crucial in credit risk assessment and fraud detection to ensure that no fraudulent activities go undetected.

6. F1-Score

F1-score is the harmonic mean of precision and recall, providing a balance between the two metrics. It is calculated as the weighted average of precision and recall, with higher values indicating better overall performance. F1-score is particularly useful in imbalanced datasets where both precision and recall are important.

7. Receiver Operating Characteristic (ROC) Curve

ROC curve plots the true positive rate (sensitivity) against the false positive rate (1-specificity) at various threshold settings. It provides insights into the trade-off between sensitivity and specificity and helps visualize the model's discrimination ability across different threshold values.

8. Area under the ROC Curve (ROC-AUC)

ROC-AUC quantifies the overall discriminatory power of the model by calculating the area under the ROC curve. A higher

ROC-AUC score indicates better discrimination between positive and negative instances, with a score of 0.5 indicating random performance and 1.0 indicating perfect discrimination.

9. Lift Curve

Lift curve measures the ratio of the model's performance to random performance at different percentile ranges of the dataset.

It helps assess the model's ability to prioritize instances with higher probabilities of being positive, thereby maximizing the detection of fraudulent activities.

10. Confusion Matrix

Confusion matrix provides a tabular representation of the model's predictions versus the actual class labels. It consists of four quadrants: true positives (TP), false positives (FP), true negatives (TN), and false negatives (FN), which are used to calculate various performance metrics.

VII. CASE STUDIES AND EXPERIMENTS

Case studies and experimental analyses are essential components of research in credit risk assessment and fraud detection using machine learning techniques.

They provide real-world insights into the practical application and performance of various models. Here are hypothetical case studies and experiments that illustrate the effectiveness of machine learning in these domains:

1. Case Study: Credit Risk Assessment

- **Objective:** Evaluate the performance of machine learning models in predicting credit risk for loan applicants.
- **Dataset:** Utilize a dataset containing historical loan application data, including borrower attributes (e.g., income, employment status), credit history, and loan outcomes (default/non-default).
- **Experiment:** Train and evaluate multiple machine learning models, including logistic regression, random forests, and gradient boosting machines, using cross-validation techniques. Assess model performance using metrics such as accuracy, precision, recall, and ROC-AUC.
- **Results:** Compare the performance of different models and identify the most effective approach for credit risk assessment. Analyze the impact of feature engineering techniques and data preprocessing methods on model performance.

2. Case Study: Fraud Detection

- **Objective:** Develop a fraud detection system to identify fraudulent transactions in real-time.

- **Dataset:** Utilize a dataset containing transactional data, including transaction amount, timestamp, merchant ID, and customer ID, with labeled instances of fraudulent and non-fraudulent transactions.
- **Experiment:** Train and deploy machine learning models, such as logistic regression, decision trees, and neural networks, to classify transactions as fraudulent or non-fraudulent. Evaluate model performance using metrics such as precision, recall, F1-score, and ROC-AUC.
- **Results:** Assess the effectiveness of different machine learning algorithms in detecting fraudulent activities. Analyze the trade-offs between model performance and computational efficiency for real-time fraud detection applications.

3. Case Study: Ensemble Learning for Risk Assessment

- **Objective:** Investigate the use of ensemble learning techniques for improving the accuracy and robustness of credit risk assessment models.
- **Dataset:** Utilize a large-scale dataset containing diverse features related to borrower attributes, credit history, and economic indicators.
- **Experiment:** Train ensemble models, such as random forests and gradient boosting machines, using various feature sets and hyper parameter configurations. Evaluate model performance using cross-validation and assess the impact of ensemble methods on predictive accuracy.
- **Results:** Compare the performance of ensemble models with individual classifiers and baseline models. Analyze the contribution of different base learners to the ensemble's predictive performance and identify factors influencing model robustness.

4. Case Study: Explainable AI for Fraud Detection

- **Objective:** Develop an explainable AI system for fraud detection to provide interpretable insights into model predictions.
- **Dataset:** Utilize a dataset containing transactional data and customer attributes, with labeled instances of fraudulent and non-fraudulent transactions.
- **Experiment:** Train machine learning models, such as logistic regression and decision trees, using interpretable feature representations. Use techniques such as SHAP (SHapley Additive exPlanations) values and LIME (Local Interpretable Model-agnostic Explanations) to explain model predictions and identify important features contributing to fraud detection.
- **Results:** Provide interpretable explanations for model predictions, highlighting key factors influencing the likelihood of fraudulent transactions. Assess the trade-offs between model interpretability and predictive performance for fraud detection applications.

VIII. CHALLENGES AND FUTURE DIRECTIONS

Despite the advancements in machine learning for credit risk assessment and fraud detection, several challenges persist, and there are numerous avenues for future research and development. Here are some key challenges and potential directions for future work in these domains:

1. Imbalanced Datasets

- **Challenge:** Imbalanced datasets, where the number of positive instances (e.g., fraudulent transactions) is much smaller than negative instances, pose a significant challenge for machine learning models.
- **Future Direction:** Explore advanced techniques for handling imbalanced datasets, such as oversampling, under sampling, cost-sensitive learning, and synthetic data generation.

2. Model Interpretability

- **Challenge:** Complex machine learning models, such as neural networks and ensemble methods, often lack interpretability, making it difficult to understand the factors driving model predictions.
- **Future Direction:** Develop explainable AI techniques that provide interpretable explanations for model predictions, enabling stakeholders to trust and understand model decisions.

3. Dynamic Market Conditions

- **Challenge:** Financial markets are dynamic and constantly evolving, requiring adaptive models that can quickly adapt to changing conditions and emerging risks.
- **Future Direction:** Investigate adaptive machine learning approaches, such as online learning and reinforcement learning, that can continuously update models based on incoming data and feedback.

4. Privacy and Regulatory Compliance

- **Challenge:** Financial data is highly sensitive, and there are stringent regulations (e.g., GDPR, CCPA) governing the collection, storage, and use of personal information.
- **Future Direction:** Develop privacy-preserving machine learning techniques, such as federated learning, differential privacy, and homomorphic encryption, to ensure compliance with regulations while preserving data privacy.

5. Real-Time Processing

- **Challenge:** Real-time processing of financial transactions requires low-latency and high-throughput systems capable of quickly detecting fraudulent activities without introducing significant delays.

- **Future Direction:** Investigate scalable and efficient machine learning algorithms and architectures optimized for real-time processing, leveraging techniques such as stream processing and distributed computing.

6. Adversarial Attacks

- **Challenge:** Adversarial attacks aim to deceive machine learning models by introducing subtle perturbations to input data, leading to misclassifications and vulnerabilities in fraud detection systems.
- **Future Direction:** Research robust machine learning techniques that are resilient to adversarial attacks, such as adversarial training, feature obfuscation, and model diversification.

7. Cross-Domain Generalization

- **Challenge:** Models trained on data from one financial institution or market may not generalize well to other institutions or markets due to differences in data distribution and business practices.
- **Future Direction:** Investigate transfer learning and domain adaptation techniques that can leverage knowledge from related domains or datasets to improve model generalization across different contexts.

8. Ethical Considerations

- **Challenge:** Machine learning models used in credit risk assessment and fraud detection may inadvertently perpetuate biases and discrimination, leading to unfair outcomes for certain demographic groups.
- **Future Direction:** Develop fair and ethical machine learning frameworks that address biases, promote transparency, and ensure accountability in decision-making processes.

IX. CONCLUSION

In conclusion, the application of machine learning in credit risk assessment and fraud detection represents a significant advancement in the financial industry, offering opportunities to enhance risk management practices and protect against fraudulent activities. This research paper has explored various aspects of machine learning in these domains, including data acquisition and preprocessing, feature engineering, model selection, evaluation metrics, case studies, challenges, and future directions.

Through the utilization of diverse datasets and sophisticated algorithms, machine learning models have demonstrated their effectiveness in predicting creditworthiness, identifying fraudulent transactions, and mitigating risks in financial transactions. From logistic regression to deep learning architectures, a wide range of machine learning techniques

have been employed to address complex challenges and extract actionable insights from raw data.

However, several challenges remain, including imbalanced datasets, model interpretability, dynamic market conditions, privacy concerns, real-time processing requirements, adversarial attacks, cross-domain generalization, and ethical considerations. Addressing these challenges and exploring future research directions will be essential for advancing the field and developing more robust and reliable solutions.

Overall, machine learning offers tremendous potential to revolutionize credit risk assessment and fraud detection in the financial industry, enabling more informed decision-making, improving operational efficiency, and safeguarding against financial losses. By fostering collaboration between researchers, practitioners, and policymakers, we can leverage the power of machine learning to build a more resilient and equitable financial ecosystem for the benefit of society as a whole.

REFERENCES

1. Altman, E. I. (1968). Financial ratios, discriminant analysis and the prediction of corporate bankruptcy. *The Journal of Finance*, 23(4), 589-609.
2. Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5-32.
3. Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 785-794).
4. Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The Elements of Statistical Learning: Data Mining, Inference, and Prediction* (2nd ed.). Springer.
5. Lipton, Z. C. (2016). The mythos of model interpretability. *Queue*, 14(5), 30-57.
6. Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should I trust you?" Explaining the predictions of any classifier. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 1135-1144).
7. Smola, A. J., & Schölkopf, B. (2004). A tutorial on support vector regression. *Statistics and Computing*, 14(3), 199-222.
8. Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: A simple way to prevent neural networks from overfitting. *The Journal of Machine Learning Research*, 15(1), 1929-1958.
9. Van Vlasselaer, V., Bravo, C., Eliassi-Rad, T., Akoglu, L., Snoeck, M., Baesens, B., & Daelemans, W. (2015). Detection of vote manipulation in online rating systems using supervised learning. *Decision Support Systems*, 75, 66-77.

10. Zou, H., & Hastie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 67(2), 301-320.