

ANCRA™

Click-Flow Specification

Interactive Navigation & Control Behaviour

Every button, link, tab, field and control across the student and faculty experience.

PURPOSE

This document specifies **intended product behaviour for the self-hosted build**. It is written for the developer implementing each page. Where the current application diverges from the intended flow, that divergence is marked rather than silently adopted as a requirement. Vendor-specific implementation details from the prototype platform are translated to neutral target-state language throughout.

DOCUMENT

ANCRA Click-Flow Specification

SYSTEM

ANCRA™ — Learning Operating System

DOC TYPE

Interaction & Navigation Spec

PREPARED FOR

Engineering / Build Team

SURFACES COVERED

44 surfaces · 45 routes · 24 API endpoints

COMPANION DOCUMENT

ANCRA User Flow
ANCRA Functional Requirements

Every interactive control in ANCRA is documented as a small connected flow: what the user clicks, what the system does, and where each outcome leads. Shapes and colours carry fixed meaning — they are not decorative.

Shape & colour vocabulary



Behaviour classification

LABEL	MEANING	HOW THE DEVELOPER SHOULD TREAT IT
INTENDED	Supported by the ANCRA product specification and User Flow.	Build this. The current application may or may not already do it.
OBSERVED	What the current application actually does today.	Reference only. Shown where it differs from Intended. Never a target.
DECISION	Application and specification disagree, or behaviour is undefined.	Do not guess. Requires a product decision before building.
PROPOSED	Needed to complete the experience, not yet approved.	Awaiting sign-off. Drawn dashed.
DEAD	Control renders in the UI but has no handler attached.	Wire it to the flow specified here, or remove it from the page.

READ THIS FIRST — SCALE OF THE DEAD-CONTROL PROBLEM

ANCRA renders **65 buttons that have no handler attached** and **13 form fields whose values cannot be read back**. This is not a scattering of minor omissions. It includes **Approve** on faculty submissions, **Sign & Return** on grading, **Publish** on lesson authoring, **Save & Sign** on the student portfolio, and **Send Packet** on graduation.

Every one of those is an action a user will reasonably believe succeeded. The full register is on pages 12–13. **No flow in this document should be built without first resolving whether the control it describes is meant to exist.**


TARGET-STATE LANGUAGE

This document describes the **self-hosted** product. Prototype-platform specifics are translated: a vendor AI key becomes the **configured AI service**; seeded demonstration records are excluded from intended flows. Where a replacement capability does not yet exist, that is stated rather than assumed. The full translation table is on the final page.

ANCRA has two personas — student and faculty — controlling which of the 45 routes are meaningful and what each surface displays. How a user becomes one or the other is the single most consequential behaviour in the application.

How the persona is currently selected

OBSERVED




OBSERVED — THERE IS NO AUTHENTICATION

The ANCRA backend contains **no authentication construct of any kind**: no session handling, no token verification, no credential check, and no authorisation dependency on any of its 24 endpoints. Persona is a client-side preference stored in the browser and echoed to the server as a query parameter.

Consequently **every faculty surface is reachable by any visitor** — the command centre, the student roster, grading, approvals, cohort analytics and the entire authoring suite — by clicking a toggle that is permanently visible in the top bar. No flow in this document should be read as implying otherwise until the identity model below is built.

Intended persona model

PROPOSED



DECISION REQUIRED — IS THE PERSONA TOGGLE A DEMONSTRATION DEVICE?

A visible student/faculty switch is genuinely useful for showing the product. It is also the mechanism by which any visitor grants themselves faculty access. **Decide:** remove it in favour of an ANCRID-asserted role; retain it only behind an explicit demonstration-environment flag; or keep it and accept that ANCRA has no access control. The third option should be chosen deliberately, not by default.

Every route in ANCRA. The shell is common to both personas; the destination set differs. All routes are reachable regardless of the active persona (see page 02).





FIGURE 1 — ALL 45 ROUTES. PERSONA AFFECTS WHAT IS DISPLAYED, NOT WHAT IS REACHABLE.

Three surfaces are present on every authenticated screen: the top bar, the command palette, and the AIAH dock. They are the only navigation available — ANCRA has no persistent sidebar.

Command palette

INTENDED




Top bar and AIAH dock

CONTROL	STATE	BEHAVIOUR
Palette trigger	Wired	Opens the command palette overlay.
Persona toggle	Wired	Two-button switch, student / faculty. Changes the entire application. See page 02.
Notification bell	DEAD	No handler Renders with an indicator dot. Clicking does nothing. No notification surface exists anywhere in ANCRA.
AIAH dock	Wired	Opens a streaming assistant panel. Sends the prompt to the configured AI service and streams the reply into the transcript.
AIAH history	Partial	A history endpoint exists and sessions are persisted, but the transcript is never restored — reopening the dock always starts empty. DECISION


DECISION REQUIRED — AIAH CONVERSATIONS ARE WRITTEN BUT NEVER READ

Assistant exchanges are stored server-side and a retrieval endpoint exists, yet no surface calls it. A student who closes the dock loses the conversation, while the record persists in the database. Either restore the transcript on open, or stop persisting it — the current arrangement has the storage cost and the privacy footprint of history with none of the benefit.

This is the path a student takes to consume content, and the reason ANCRA exists. It is three routes deep.



Inside the lesson player



OBSERVED — THE CENTRAL LEARNING INTERACTION DOES NOT FUNCTION

The lesson player mounts **no audio or video element**. Pressing play sets a flag that applies a small CSS transform to a still poster image. There is no media source, no timeline, no progress event and no completion signal.

This has a consequence beyond the player itself: because no lesson can be completed, **every downstream progress indicator — journey completion, graduation readiness, the portfolio score — is necessarily derived from seeded values rather than student activity**. Specifying media playback is the prerequisite for those surfaces meaning anything.

Seven student destinations are read-only record lists behaving identically. They are specified once here rather than seven times.



DESTINATION	ENDPOINT	CONTROLS	NOTES
Assignments	/student/assignments	None	Read-only. A student cannot submit an assignment from this surface.
Calendar	/student/calendar	None	Read-only. No event creation, RSVP or reminder.
Achievements	/student/achievements	None	Badge and milestone display.
Portfolio	/student/portfolio	None	Display only. Editing lives in Portfolio Builder (page 07).
Teams	/student/teams	None	Team membership display. No join or leave.
30 Song Project	/student/songs	None	Progress across the songwriting programme.
Progress	—	None	Renders entirely from values passed in; issues no request of its own.

DECISION REQUIRED — THESE SURFACES ARE ENTIRELY PASSIVE

None of the seven permits any action. A student can see an assignment but not submit it, see a calendar but not respond to an event, see a team but not join one. **Confirm the intent:** if these records are produced by faculty action or by other ecosystem modules, each empty state should say which, so the student knows where the record comes from. If a student is meant to act here, those actions need specifying — they do not currently exist.

APPLIES TO ALL SEVEN — NO FAILURE STATE

None of these surfaces distinguishes an empty record from a failed request. A student whose assignment list fails to load sees the same screen as a student with no assignments. For an academic product this is a meaningful misrepresentation and should be corrected across the pattern in one change.

Five surfaces present the student with consequential actions. **Every terminal action on this page is currently a dead control.**

Portfolio Builder — assembling and submitting work



SURFACE	TERMINAL ACTION	CONSEQUENCE OF IT BEING DEAD
Portfolio Builder	Save & Sign DEAD	Assembled portfolio is never submitted or stored. Lost on navigation.
Graduation	Send Packet DEAD	The graduation submission — the culmination of the programme — does nothing.
Graduation	Schedule ANCRLAB session DEAD	No booking is made and no request reaches ANCRLAB.
Peer Reviews	Review, Reply, Listen DEAD	A peer review can be read but never given, answered or listened to.
Creative Projects	New Project, Continue DEAD	Projects can neither be created nor resumed.
Dashboard	RSVP, Add to Calendar DEAD	Events surface on the dashboard but cannot be acted on.
Creator Passport	Share control DEAD	The passport cannot be shared outward.

DECISION REQUIRED — NO STUDENT SUBMISSION PATH EXISTS ANYWHERE

Taken together, a student using ANCRA today can browse everything and submit nothing. Assignments cannot be handed in, portfolios cannot be signed, peer reviews cannot be written, projects cannot be started, and the graduation packet cannot be sent.

This is a coherent gap rather than seven separate defects: **the application has no student-submission capability at all.** It should be scoped and specified as one workstream, with a decision on where submissions are stored and who is notified when one arrives.

Seven authoring tools share an identical structure and an identical defect. They are specified once. **None of them can currently produce anything.**

The shared authoring pattern

OBSERVED



TOOL	DEAD CONTROLS (EXACT LABELS)	UNREADABLE FIELDS
Lesson Builder	Publish to Studio Experience · Upload · Add · Run AIAH assist	4 — title, subtitle, 2 chapter fields
Rubrics	New Rubric · Add criterion · Insert	3 — criterion, weight, description
Assignment Builder	Assign to cohort · Open in Rubrics	2 — title, brief
Experience Builder	Preview student view · Publish · Apply all	1 — experience title
Grading	Use as starting point · Sign & Return	1 — feedback textarea
Curriculum Builder	Add block	— canvas state never persists
Creative Teams	New Team	—

OBSERVED — FACULTY CANNOT AUTHOR, GRADE OR APPROVE

Across the suite: **18 dead controls** and **11 unreadable fields**. The consequences are specific. A lesson cannot be published. A rubric cannot be created. An assignment cannot be issued to a cohort. **A grade cannot be returned to a student** — the **Sign & Return** control is dead and the feedback textarea cannot be read. On the Approvals surface, **Approve** is likewise dead.

A faculty member can compose feedback, press Sign & Return, receive no error, and reasonably believe the student has been graded. Nothing was sent and nothing was stored.

AI Course Builder


OBSERVED



DECISION REQUIRED — SIMULATED GENERATION

The AI Course Builder shows a loading state for a fixed 1.4 seconds and then reveals fixed content. ANCRA has a working AI integration used by the AIAH dock, so the capability exists. **Decide:** connect this tool to the configured AI service, or remove the simulated generation. It should not ship presenting fixed text as a generated draft.

Command Centre and Approvals



SURFACE	ENDPOINT	CONTROLS AND STATE
Command Centre	/faculty/dashboard	Review, Schedule, Dismiss — all DEAD.
Approvals	—	Preview and Approve — both DEAD. Nothing can be approved.
Students	/faculty/students	Roster with a search field. Read-only.
Reviews	/faculty/reviews	Read-only list.
Cohorts	/faculty/cohorts	Read-only list.
Analytics	/faculty/analytics	Read-only. DECISION Served from a fixed payload rather than computed from student activity.

DECISION REQUIRED — THE APPROVAL CHAIN IS ENTIRELY NON-FUNCTIONAL


Approvals is the surface through which faculty accept student work. Both of its controls are dead. Combined with dead grading (page 08) and the absence of any student submission path (page 07), the full submit → review → approve → grade cycle does not exist in any part.

That cycle is the core academic workflow of a learning platform. It should be treated as a single specification and build effort rather than as fifteen individual dead buttons.

DECISION REQUIRED — ANALYTICS ARE NOT DERIVED FROM ACTIVITY

Cohort analytics render from a fixed payload. Because no lesson can be completed (page 05) and no work can be submitted (page 07), there is currently no activity from which real analytics could be computed. Analytics should be specified after the submission and completion paths exist, or the surface should state plainly that figures are illustrative.

ANCRA presents the surrounding ANCR modules through hub and module routes. All follow one pattern: a described surface with no working outbound path.



MODULE SURFACE	DEAD CONTROLS	NOTES
ANCRLAB	Open the DAW · Upload stems · Book room · Export to INHEIRA	The most action-rich module surface; none of it functions.
ANCRSync	3 controls, plus an unreadable input	Collaboration entry point.
COHEIR	3 controls	Mentorship entry point.
INHEIRA	2 controls	Publishing entry point.
ANCRID	1 control	Identity entry point.
Coming Soon	Notify me at launch · Read the spec	Presented as available actions on an unavailable module.
COHEIR Suite	RSVP · Recording via ANCRVIEW · session slots	Hub surface with three dead actions.
Ecosystem Hub	2 controls	Generic module hub.

DECISION REQUIRED — WHAT SHOULD A MODULE CARD DO?

These surfaces are ANCRA's expression of the connected ecosystem, and they are the natural place for the cross-module navigation the ANCR architecture describes. Three options: open the real module carrying the user's session; deep-link to a specific view within it; or present the module as informational only and remove the action controls. **The current state — actions that look live and do nothing — is the one option that should not ship.**

INTENDED — “COMING SOON” SHOULD NOT OFFER ACTIONS

A module that has not launched should not present a clickable **Notify me at launch** control unless that notification is actually registered somewhere. Either wire it to a real waitlist or render the state without actions.

Every control that currently does something, with its result. Dead controls are registered separately on pages 12–13.

SURFACE	CONTROL	TYPE	RESULT
Shell	Palette trigger	Button	Opens the command palette overlay.
	Persona toggle	Two-state	Switches student / faculty. Persists to browser storage. Changes the whole application.
	AIAH dock	Panel	Opens the assistant; prompt is sent to the configured AI service and the reply streams in.
Command palette	Query field	Text input	Filters 16 result groups as the user types.
	Result row	Button	Navigates to that destination and closes the palette.
Learning Journey	Journey card	Card	Opens the corresponding Studio Experience.
Experience	Lesson row	Card	Opens the Lesson Player for that lesson.
Lesson Player	Play	Button	Sets a playing flag. Applies a CSS transform to the poster image. No media plays — see page 05.
	Pause	Button	Clears the playing flag.
	Chapter row	Button	Sets the current chapter. The only fully functional control on the page.
Portfolio Builder	Work toggle	Button	Adds or removes a work from the selection, held in view state only.
Peer Reviews	Tab	Button	Switches between review tabs.
COHEIR Suite	Tab	Button	Switches hub sections.
AI Companion	Prompt field + send	Input	Sends to the configured AI service; response streams into the transcript.
Faculty — Rubrics	Rubric row	Button	Selects which rubric is displayed. Selection only — no editing takes effect.
Faculty — Grading	Student row	Button	Selects which submission is displayed.
Faculty — Assignment Builder	Kind selector	Button	Sets the assignment type in view state.
Faculty — AI Course Builder	Compose draft	Button	Runs a 1.4-second timer then reveals fixed content. No AI service is called — see page 08.
Faculty — Students	Search field	Text input	Filters the roster.
Ecosystem Hub	Module card	Card	Navigates to a module route inside ANCRA.
Settings	2 controls	Button	Local preference toggles.

OBSERVATION — TWENTY-ONE WORKING CONTROLS AGAINST SIXTY-FIVE DEAD ONES

Of the working controls above, the large majority are **navigation and view-state selection** — opening a screen, switching a tab, choosing which record to display. Only three perform an operation with any external effect, and two of those (Play, Compose draft) do not do what their label implies.

Stated plainly: **ANCRA can currently be navigated but not used**. That framing should drive prioritisation more than any individual control in this register.

Controls that render in the interface with no handler attached. Each requires a decision: wire it to the flow specified in this document, or remove it from the page.

SURFACE	CONTROL LABEL	DECISION REQUIRED
Top bar	Notification bell	No notification surface exists anywhere in ANCRA. Build one, or remove the bell.
Module shell	1 control	Shared across module routes — see page 10.
Dashboard	RSVP	Requires an event-response capability. None exists.
	Add to Calendar	Calendar is read-only. Requires a write path.
Lesson Player	Bookmark	Requires a per-student bookmark store.
	Discussion	Requires a lesson discussion surface. None exists.
	Share	Define share target — internal link, or outward.
Portfolio Builder	Save & Sign	The portfolio submission action. Highest-priority student control.
	Preview	Requires a student-facing preview of the assembled portfolio.
	Insert work (named suggestion)	Should add the named work to the selection.
Peer Reviews	Review	The action of giving a peer review. No authoring surface exists.
	Reply	Requires a threaded response capability.
	Listen	Requires audio playback — same absent capability as the Lesson Player.
	2 further controls	Unlabelled icon controls on review rows.
Graduation	Send Packet	The graduation submission. Terminal action of the entire programme.
	Schedule ANCRLAB session	Requires a booking path into ANCRLAB. No integration exists.
Creative Projects	New Project	Requires project creation. No endpoint exists.
	Continue	Requires resumable project state.
Capstones	1 control	Capstone action, unspecified.
Creator Passport	Share control	Define whether the passport is externally shareable, and to whom.
Messages	1 control + unreadable input	A message cannot be composed or sent.

PRIORITY WITHIN THIS PAGE

Three controls carry materially more weight than the rest: **Save & Sign** (portfolio submission), **Send Packet** (graduation submission), and **Review** (peer review authoring). Each is the terminal action of a student workflow, and each currently fails silently. If only part of this register is addressed, it should be these three.

SURFACE	CONTROL LABEL	DECISION REQUIRED
Command Centre	Review	Should open the item in its review surface.
	Schedule	Requires a scheduling capability. None exists.
	Dismiss	Requires alert state to persist. The queue currently cannot change.
Approvals	Preview	Should open the submitted work.
	Approve	The academic approval action. Nothing can currently be approved.
	1 further control	Unlabelled icon control on the approval row.
Grading	Use as starting point	Should populate feedback from a rubric or prior comment.
	Sign & Return	The grade-return action. Compounded by an unreadable feedback field.
Lesson Builder	Publish to Studio Experience	The lesson publication action. No authoring endpoint exists.
	Upload	Requires media storage. No upload path exists anywhere in ANCRA.
	Add	Should append a chapter.
	Run AIAH assist	ANCRA has a working AI integration; this could be wired to it.
	1 block control	Content block action.
Rubrics	New Rubric	Rubric creation.
	Add criterion	Should append a criterion row.
	Insert	Should insert the rubric into an assignment.
Assignment Builder	Assign to cohort	The assignment issue action.
	Open in Rubrics	Cross-navigation to the rubric tool.
Experience Builder	Preview student view	Requires a student-view renderer.
	Publish	The experience publication action.
	Apply all	Bulk application of settings.
Curriculum Builder	Add block	Canvas state is never persisted regardless.
Creative Teams	New Team	Team creation.
AI Course Builder	Send to Builder	Should hand the draft to the Lesson Builder.
ANCRLAB	Open the DAW · Upload stems · Book room · Export to INHEIRA	All four require real ANCRLAB integration.
ANCRSync	3 controls	Require ANCRSync integration.
COHEIR	3 controls	Require COHEIR integration.
INHEIRA	2 controls	Require INHEIRA integration.
ANCRID	1 control	Requires ANCRID integration.
Coming Soon	Notify me at launch · Read the spec	Wire to a real waitlist and a real document, or remove.
COHEIR Suite	RSVP · Recording via ANCRVIEW · slot controls	Require event and recording capabilities.
Ecosystem Hub	2 controls	See page 10.

GROUPING FOR DELIVERY

The faculty half of this register resolves into **three coherent workstreams** rather than thirty-odd fixes: an **authoring pipeline** (Lesson Builder, Rubrics, Assignment Builder, Experience Builder, Curriculum Builder — all needing state binding and a destination endpoint); an **assessment cycle** (Approvals, Grading, Command Centre); and **ecosystem integration** (all module surfaces, which cannot be wired until the corresponding modules expose entry points).

Consolidated from every page. Each needs a product decision before the affected surface can be built correctly. Ordered by consequence.

AREA	QUESTION	WHY IT MATTERS
Identity	ANCRA has no authentication and persona is a user-selectable toggle.	Every faculty surface — grading, approvals, rosters, analytics — is reachable by any visitor. Blocks any real deployment.
Submission	No student submission path exists anywhere in the application.	Assignments, portfolios, peer reviews, projects and graduation packets can all be composed but never submitted.
Assessment	Approve, Sign & Return and the whole Command Centre queue are dead.	Faculty cannot approve, grade or clear an alert. The academic cycle has no working step.
Authoring	Seven authoring tools have unreadable fields and unwired save controls.	No lesson, rubric, assignment or experience can be created. Needs a destination endpoint first.
Media	The lesson player mounts no audio or video element.	The core learning interaction does not function, and no completion can be recorded.
Progress	Progress, graduation readiness and portfolio scores derive from seeded values.	Cannot be real until lesson completion and submission exist. Sequence accordingly.
Upload	No file upload capability exists anywhere in ANCRA.	Blocks lesson media, stem upload, portfolio artefacts and assignment attachments.
AI Course Builder	Simulated generation via a fixed timer.	Presents fixed text as a generated draft. ANCRA already has a working AI integration to connect instead.
AIAH history	Conversations are stored but the transcript is never restored.	Storage cost and privacy footprint of history with none of the benefit.
Ecosystem	Module surfaces present actions with no outbound path.	18 dead controls. Requires module entry points to exist before wiring.
Command palette	Nine of sixteen result groups are fixed in-code catalogues.	Cannot reflect real content; results will diverge from the application as it grows.
Analytics	Faculty analytics render from a fixed payload.	No real activity exists to compute from yet. Specify after submission and completion land.
Failure states	No record surface distinguishes empty from failed-to-load.	An outage is presented to a student as an empty assignment list.
Not-found handling	Unknown experience returns 404; unknown lesson renders empty.	Inconsistent handling of the same class of error across two adjacent routes.
Notifications	A bell renders with an indicator but no notification surface exists.	Implies unread activity that cannot be viewed.
Coming soon	Unlaunched modules present clickable actions.	Offers a waitlist signup that registers nothing.

SUGGESTED SEQUENCE

Several of these are prerequisites for others and should not be scheduled in parallel. **Identity** first, since nothing else can be safely deployed without it. Then **media playback and file upload** together, as both are infrastructure that several surfaces depend on. Then the **submission and assessment cycle** as one workstream, since a submission with nowhere to go is not useful. **Progress and analytics last** — they can only be truthful once real activity exists to compute from.

The prototype was built on a hosted development platform. This document uses neutral, target-state language. Where a replacement capability does not exist, that is stated rather than assumed.

PROTOTYPE IMPLEMENTATION	DOCUMENTED AS	STATUS FOR THE SELF-HOSTED BUILD
Hosted AI service key	Configured AI service	Working today for the AIAH dock and AI Companion. Provider and account must be chosen for the self-hosted build.
Persona query parameter	ANCRID-asserted role	DECISION No identity provider is connected. See page 02 — this is the blocking item.
—	Approved media storage service	DECISION No upload capability exists at all. Blocks lesson media, stems and portfolio artefacts.
Seeded demonstration records	—	Excluded from intended flows. Every surface must handle a genuinely empty account.
Fixed in-code catalogues (palette, analytics)	—	Excluded. Must be replaced by live queries before either surface is truthful.

BLOCKING DEPENDENCY — NO UPLOAD CAPABILITY

ANCRA has no file upload anywhere: not for lesson media, not for stems, not for portfolio artefacts, not for assignment attachments. Several flows in this document are specified against an approved media storage service that does not yet exist. **This is a prerequisite for the learning and authoring surfaces to function at all, and should be resolved before either is scheduled.**

Relationship to the other ANCRA documents

- **ANCRA User Flow** — the journey-level narrative this document implements at control level.
- **ANCRA Functional Requirements** — endpoint behaviour, request and response contracts, and test coverage for the current build. Where this document says a control is dead, that document records the corresponding backend gap.
- **ANCRID Click-Flow Specification** — the companion document for the identity layer, and the source of the persona model proposed on page 02.

HOW THIS DOCUMENT WAS PRODUCED

Every control label, handler binding and dead control in this specification was extracted directly from the application source rather than observed in a running build or inferred from the interface. The counts are exact: **65 controls with no handler, 13 fields whose values cannot be read, 21 working controls**. The same method applies to the remaining ANCR applications.