

PRODUCT & TECHNICAL SPECIFICATION



CREATIVE RELATIONSHIPS & OPPORTUNITY NETWORK

Connect the people. Remember the relationship. Create the opportunity.

DOCUMENT CODE	ANCRLINQ-PTS-001
VERSION	1.0
DATE	August 21, 2026
PRODUCT OWNER	Danielle Nichol Stephens McMillan
ECOSYSTEM	CCDPα powered by ANCRα
STATUS	Approved product baseline / engineering source of truth
CLASSIFICATION	Internal product and technical reference

PRODUCT PROMISE

Connect the people. Remember the relationship. Create the opportunity.

This specification defines ANCRLINQ product scope, behavior, workflows, data, permissions, integrations, engineering requirements and acceptance criteria. It supersedes informal build prompts as the implementation reference.

TABLE OF CONTENTS

1. EXECUTIVE SUMMARY

ANCRLINQЯ is the privacy-first creative relationship and opportunity network inside the ANCR ecosystem. It combines contact management, professional relationship history, creative-industry directories, gig intelligence, opportunity pipelines, consent-based introductions, follow-ups, global network context and relationship education in one product.

The product serves students inside CCDP/ ANCR and is designed to extend commercially to individual professionals, teams and institutions. ANCRID supplies identity and access context; ANCRLINQ owns relationship, contact, opportunity and interaction data.

- Primary value: help creatives build and maintain genuine professional relationships instead of accumulating disconnected contacts.
- Education value: teach relationship intelligence, professional communication, consent, boundaries and global awareness.
- Institutional value: provide privacy-safe program summaries without exposing private student notes or ranking people.
- Commercial value: support professional, team and institutional relationship operations without becoming payroll, social media or a mass-marketing CRM

2. PRODUCT IDENTITY AND BOUNDARIES

ITEM	DEFINITION
Product name	ANCRLINQЯ
Descriptor	Creative Relationships & Opportunity Network
Parent ecosystem	CCDPЯ powered by ANCRЯ
Identity provider	ANCRIDЯ
Lead demo persona	Maya Thompson —Student Creator
Commercial tiers	Student, Professional, Team, Institution

ANCRLINQ is:

- A relationship system of record for creative careers.
- A consent-aware introduction and referral tool.
- A creative opportunity and gig pipeline.
- A student learning environment for relationship intelligence.
- A shared workspace with clear ownership and visibility rules.

ANCRLINQ is not:

- A payroll or full HR platform.

- A public popularity ranking system.
- A contact-scraping or unauthorized data-enrichment tool.
- A social network feed.
- A mass-email automation product.
- A replacement for ANCRID, Passport, ANCR HQ or a dedicated contract/accounting system.

3. USERS, ROLES AND ACCESS MODES

MODE	PRIMARY USERS	CORE ACCESS
Student	CCDP learners and emerging creatives	Personal contacts, approved directory, Gig Book, opportunities, introductions, learning and follow-ups.
Professional	Independent creatives and working professionals	Advanced contact tools, exports, opportunity pipeline, relationship history and professional workspace.
Team	Creative teams and organizations	Shared contacts, owners, permissions, assignments, team follow-ups and audit history.
Institution	Authorized program administrators and faculty	Institutional directory, program workspaces, aggregate reporting and permission-controlled student support views.

ROLE-001 Every authenticated user shall have one ANCRID identity and one or more ANCRINQ roles.

ROLE-002 Mode switching in demonstration builds shall visibly change available features and permissions.

ROLE-003 A personal contact shall not become an institutional or team contact without explicit sharing action.

ROLE-004 Institutional administrators shall default to aggregate reporting and require elevated permission for student-level detail.

ROLE-005 All permission changes shall create an audit event.

4. INFORMATION ARCHITECTURE

NAVIGATION	PURPOSE
Home	Dashboard, relationship activity, next actions and reconnect suggestions.

NAVIGATION	PURPOSE
My Contacts	Personal contact records, search, filters, tags, favorites and archive.
Industry LINQ	Permissioned professional and institutional directory.
Gig Book	Promoters, venues, agents, studios, crew, vendors and engagement intelligence.
Organizations	Connected organization records and primary contacts.
Opportunities	Relationship-connected pipeline in Kanban, table and calendar views.
Introductions	Consent, context, approval, email drafts and outcome tracking.
Relationship History	Chronological interactions across people, organizations, projects and opportunities.
Follow-Ups	Due, overdue, waiting, snoozed and completed relationship actions.
Global Network	City, country, language and time-zone relationship context.
Learning	Relationship Intelligence curriculum and progress.
Team Workspaces	Shared records, owners, roles and activity history.
Imports	CSV mapping, preview, duplicate review and undo.
Settings	Profile, privacy, notifications, tiers and integration preferences.

5. CORE FUNCTIONAL REQUIREMENTS

✦ 5.1 Home Dashboard

HOME-001 Display total contacts, follow-ups due, active opportunities and pending introductions.

HOME-002 Display Relationship Activity Overview using Active, Connected, Reconnect Soon and No Recent Activity; do not show numeric people scores.

HOME-003 Display recently contacted people, suggested next actions, global network preview and learning continuation.

HOME-004 Display a weekly Who to Reconnect With list with transparent reasons and user controls.

HOME-005 Provide Quick Add, Import and Log Interaction actions.

✦ 5.2 Contacts

CON-001 Create, view, edit, favorite, tag, search, filter, archive, restore and export contacts.

CON-002 Support identity, professional, contact-method, relationship, communication-preference, cultural, privacy and consent fields.

CON-003 Display contact-level activity status without public ranking or judgment.

CON-004 Provide a relationship timeline filtered by interaction type, date range, organization, project, opportunity, creator and visibility.

CON-005 Require confirmation before merging duplicate records.

CON-006 Use recoverable archive and trash before permanent deletion.

✦ 5.3 Industry INQ

DIR-001 Filter permissioned profiles by discipline, role, organization, city, country, language, availability, verification and collaboration interest.

DIR-002 Clearly distinguish personal contacts, public professional profiles, institutional profiles and private team contacts.

DIR-003 Hide private contact information unless access is authorized.

DIR-004 Support Request Connection, Request Introduction and Save to Contacts.

✦ 5.4 Gg Book

GIG-001 Track promoters, talent buyers, agents, venues, studios, festivals, production contacts, crew, vendors, media and travel contacts.

GIG-002 Support market, capacity, disciplines, opportunity type, budget range, payment status, contract/tax status, technical needs, last/next booking and private notes.

GIG-003 Keep reliability and payment notes factual, private and access-controlled.

GIG-004 Prohibit public ratings or defamatory labels.

6. OPPORTUNITY, INTRODUCTION AND FOLLOW-UP WORKFLOWS

✦ 6.1 Opportunity Pipeline

STAGE	EXPECTED BEHAVIOR
Discovered	User may view, edit, assign, add next action and advance when permitted.
Evaluating	User may view, edit, assign, add next action and advance when permitted.
Introduction Needed	User may view, edit, assign, add next action and advance when permitted.

STAGE	EXPECTED BEHAVIOR
Contacted	User may view, edit, assign, add next action and advance when permitted.
Conversation	User may view, edit, assign, add next action and advance when permitted.
Materials Requested	User may view, edit, assign, add next action and advance when permitted.
Proposal Submitted	User may view, edit, assign, add next action and advance when permitted.
Negotiation	User may view, edit, assign, add next action and advance when permitted.
Confirmed	User may view, edit, assign, add next action and advance when permitted.
Completed	User may view, edit, assign, add next action and advance when permitted.
Declined	User may view, edit, assign, add next action and advance when permitted.
Closed	User may view, edit, assign, add next action and advance when permitted.

OPP-001 Support Gig, Audition, Residency, Internship, Employment, Collaboration, Commission, Licensing, Sync, Grant, Sponsorship, Partnership, Speaking, Teaching and Vendor Opportunity types.

OPP-002 Connect every opportunity to zero or more contacts, organizations, projects, introductions and follow-ups.

OPP-003 Support Kanban, table and calendar views with permissions preserved across views.

OPP-004 Record stage changes in audit and relationship history.

✦ 6.2 Consent-Approved Introductions

- User identifies both parties, connector, purpose and context.
- System requests permission before sharing private contact details.
- Each party approves or declines.
- After approval, connector generates an editable introduction email draft.
- Connector previews, edits, copies or saves the draft; the system never sends automatically.
- Connector marks sent and records outcome in Relationship History.

INT-001 Offer Warm Professional, Concise and Formal draft tones.

INT-002 Never include private notes in a generated draft.

INT-003 Never expose contact information without sharing consent.

INT-004 Track Draft, Permission Requested, Approved, Declined, Introduction Sent, Accepted and Completed states.

✦ 6.3 Smart Reconnect Nudges

REC-001 Generate weekly or monthly reconnect suggestions using interaction recency, prior cadence, shared projects, active opportunities, incomplete follow-ups, milestones and user priorities.

REC-002 Show a plain-language reason for every suggestion.

REC-003 Support Remind Later, Dismiss, Exclude Contact, Log Interaction and Create Follow-Up.

REC-004 Allow frequency, quiet period and opt-out controls.

REC-005 Never send a message automatically or infer personality, status, popularity or attractiveness.

7. ORGANIZATIONS, GLOBAL NETWORK AND LEARNING

✦ 7.1 Organizations

ORG-001 Support venue, studio, label, publisher, agency, management, production, education, arts, festival, media, sponsor, vendor and cultural-institution types.

ORG-002 Connect locations, primary contacts, opportunities, gigs, agreements, interactions and permissions.

ORG-003 Support a relationship owner and visibility classification.

✦ 7.2 Global Network

GLB-001 Display relationship distribution by city and country with languages and time zones.

GLB-002 Surface travel-linked contacts and cultural/pronunciation notes.

GLB-003 Preserve an integration boundary with Passport for destination, cultural and travel-readiness context.

GLB-004 Use fictional demonstration data and never fabricate endorsements or credentials.

✦ 7.3 Relationship Intelligence Learning

- Building a Professional Contact System
- Introducing Yourself
- Following Up Without Becoming Intrusive
- Maintaining Professional Relationships
- Requesting and Giving Introductions
- Credit and Acknowledgment
- Professional Boundaries
- Global Communication and Cultural Awareness

- Protecting Private Information
- Turning Contacts Into Genuine Professional Relationships

LRN-001 Each module shall support lesson content, scenarios, knowledge checks, reflections, progress and a completion badge.

LRN-002 The curriculum shall state that people are relationships, not transactions.

LRN-003 Faculty and institution views shall expose learning progress only according to role and policy.

8. INSTITUTIONAL REPORTING

Institutional Reporting is available only in Institution mode to authorized administrators. Reporting defaults to aggregate program-level information.

SUMMARY	FILTERS
Participating students; completed profiles; approved relationships; new relationships	Program, cohort, term
Active/confirmed opportunities; opportunities by type and stage; completed gigs	Discipline, opportunity type/stage, date range
Introductions requested/completed; follow-ups completed	Program, cohort, date range
Course progress; organizations engaging; cities/countries represented	Program, cohort, discipline, date range

RPT-001 Do not expose private notes, phone numbers, emails, addresses or private Gig Book notes.

RPT-002 Do not publish student rankings or leaderboards.

RPT-003 Require elevated permission before student-level drill-down.

RPT-004 Support CSV and printable-report exports with audit events.

RPT-005 Label metrics as developmental and organizational indicators, not judgments.

9. DATA MODEL

ENTITY	KEY RESPONSIBILITY
User	ANCRID reference, role, mode, institution, preferences.
Contact	Person identity, professional profile, relationship metadata and visibility.

ENTITY	KEY RESPONSIBILITY
ContactMethod	Email, phone, website and social channel with consent/ visibility.
Organization	Organization identity, locations, type and relationship owner.
Relationship	User-to-contact context, activity status, priority and sharing state.
Interaction	Typed event in chronological history.
FollowUp	Task, recurrence, due state and related records.
Opportunity	Type, stage, value, deadline, next action and connections.
Introduction	Parties, connector, consent states, draft and outcome.
Gig	Engagement-specific relationship and operational details.
Project	Shared creative project and participants.
Workspace	Team/institution container and policy.
WorkspaceMember	Role and permission assignment.
SharedContactPermission	Field/record visibility and consent.
ImportJob	Source, mapping, preview, results and undo state.
DuplicateCandidate	Potential match evidence and user resolution.
LearningModule / Progress	Curriculum content and completion state.
Notification	In-app notification and preference state.
AuditEvent	Actor, action, target, timestamp and context.
SubscriptionTier	Student, Professional, Team or Institution entitlement.

10. API AND SERVICE REQUIREMENTS

All server routes use the `/api` prefix. The exact endpoint naming may follow repository conventions, but the following capabilities are required.

API GROUP	REQUIRED OPERATIONS
Identity	Get current user; modes; roles; permissions.
Dashboard	Aggregates; next actions; reconnect list.
Contacts	CRUD; archive/restore; search/filter; sharing; timeline.
Organizations	CRUD; contacts; relationship owner; history.

API GROUP	REQUIRED OPERATIONS
Interactions	Create; list; filter; visibility.
Follow-Ups	CRUD; complete; snooze; recurrence.
Opportunities	CRUD; stage transition; view modes.
Introductions	Create; consent; draft; save; mark sent; complete.
Gig Book	CRUD; search; permissioned private notes.
Network	Directory search; connection request; global summaries.
Workspaces	CRUD; members; roles; shared records.
Imports	Upload; map; preview; commit; duplicates; undo.
Learning	Modules; progress; checks; badges.
Reporting	Authorized aggregate filters and exports.
Notifications	List; read; preferences; quiet periods.
Audit	Authorized immutable activity query.

API-001 Use consistent success and error envelopes.

API-002 Validate all identifiers and user input server-side.

API-003 Enforce authorization server-side; never rely on hidden UI.

API-004 Use idempotency or duplicate protection for high-risk mutations.

API-005 Do not automatically retry mutating requests.

API-006 Return safe loading, empty, validation and error states to clients.

11. TECHNICAL ARCHITECTURE

LAYER	TARGET BASELINE
Frontend	React, React Router, Tailwind CSS, shadcn/ui, Framer Motion, Lucide React for functional controls, Sonner, TanStack Query and Axios.
Backend	FastAPI, Pydantic and asynchronous service/repository patterns.
Database	MongoDB with explicit indexes, unique constraints where appropriate and seeded demonstration data.
Identity	Simulated ANCRID in prototype; replace with real ANCRID SSO/OIDC in production.

LAYER	TARGET BASELINE
Deployment	Environment-specific frontend/backend URLs, secret management, logs, monitoring and CI/CD.
Shared services	ANCRID, notifications, permissions, subscription entitlements and cross-app navigation should be shared rather than rebuilt per app.

ARC-001 Separate presentation, domain/service and persistence concerns.

ARC-002 Preserve repository history and tag the approved Emergent baseline before refactoring.

ARC-003 Replace hard-coded demonstration data with seeded records and real persistence.

ARC-004 Document environment variables and never commit secrets.

ARC-005 Add health checks, structured logs and error monitoring before production launch.

12. SECURITY, PRIVACY AND TRUST

SEC-001 Encrypt network traffic in transit and sensitive production data at rest.

SEC-002 Apply least-privilege role-based and record/field-level access.

SEC-003 Mask sensitive values where full display is unnecessary.

SEC-004 Maintain immutable audit records for sharing, exports, permission changes and institutional drill-down.

SEC-005 Provide data export, correction and deletion-request workflows.

SEC-006 Do not sell contact data, scrape email, secretly record communications or perform unauthorized enrichment.

SEC-007 Do not expose private contact details in public or institutional directories.

SEC-008 Treat personal contacts as user-controlled data; sharing does not transfer ownership.

SEC-009 Use secure session, CSRF/XSS/injection protections and rate limits appropriate to the deployed architecture.

SEC-010 Complete security review, privacy review and legal policy review before commercial production.

13. NONFUNCTIONAL REQUIREMENTS

AREA	REQUIREMENT
Accessibility	WCAG2.2 AA; keyboard navigation; visible focus; ARIA; reduced motion; text scaling; mobile touch targets.

AREA	REQUIREMENT
Performance	Responsive initial experience; paginated/ virtualized large lists; indexed search and filters; optimized images.
Reliability	Graceful loading/ empty/ error states; recoverable mutations; retry safe reads only; health monitoring.
Responsiveness	Desktop, tablet and mobile layouts; usable navigation and filters at all supported breakpoints.
Observability	Structured logs, error tracking, performance monitoring, audit events and privacy-safe analytics.
Data quality	Duplicate detection, validation, normalized contact methods and clear provenance.
Internationalization	Unicode-safe names, city/ country/ time zone/ language fields and future localization readiness.

14. BRAND AND LOGO IMPLEMENTATION

The logo is a governed asset, not generative UI. The app must use the approved production file or an approved vector equivalent.

BRD-001 Primary name is ANCRLINQ₁; LINQ is the visual hero and ANCR is the parent signature.

BRD-002 The ANCR A uses a high-contrast satin-platinum outer triangle with the approved internal spectrum.

BRD-003 The connector begins at the N terminal, enters/ defines Q and ends at the orange node.

BRD-004 Spectrum order is fixed: #0CICE6 → #A408B3 → #EB0070 → #FB4B24.

BRD-005 Dark-background lockup uses white/ platinum lettering. Do not invert or recolor without an approved variant.

BRD-006 Logo containers must be transparent with no white box, border, shadow, filter, blend mode or forced thumbnail crop.

BRD-007 Use `object-fit: contain`, preserve aspect ratio and provide a text fallback.

BRD-008 `Logo.jsx` may reference an SVG/ PNG asset but shall not redraw or reinterpret the logo.

BRD-009 Create compact, standard and hero lockups; omit the descriptor/ slogan at sizes where they cannot remain legible.

BRD-010 Do not use checkerboard previews as production assets; transparent files must contain a real alpha channel.

LOOKUP	INTENDED USE	CONTENT
Compact	Sidebar, mobile header, favicon family	ANCR parent mark + LINQ; no descriptor/slogan.
Standard	App sign-in, website header, product cards	ANCR + LINQ + descriptor when legible.
Hero	Website hero, deck cover, launch graphics	ANCR + LINQ + descriptor + brand promise.

15. DEMONSTRATION DATA AND CONTENT RULES

- Use fictional people and organizations only unless written permission and a production data policy exist.
- Seed at least 30 diverse contacts, 12 organizations, 10 gigs, 12 opportunities, 8 follow-ups, 6 introductions, 25 interactions and 3 workspaces.
- Represent multiple disciplines, locations, languages, ages and backgrounds without stereotypes.
- Remove all TEST_UI, TEST, test festival and developer records from any presentation baseline.
- Label placeholders, simulated services and demonstration-only integrations accurately.

16. PRODUCTION INTEGRATIONS AND BACKLOG

PRIORITY	ITEM	PRODUCTION CONDITION
P0	Repository preservation and technical audit	Tag approved baseline; inventory hard-coded/demo behavior.
P0	Real ANCR IDSSO	OIDC/OAuth design, MFA policy, session and role mapping.
P0	Security and privacy hardening	Threat model, access tests, encryption, retention, policies.
P0	Production data layer	Indexes, migrations/seed strategy, backups and recovery.
P1	Shared ANCR navigation and notifications	Single ecosystem services and consistent entitlements.
P1	Institutional reporting	Aggregate privacy rules, exports and authorization tests.
P1	Email integration	Explicitly authorized send provider; drafts remain user-controlled.
P1	Passport integration	Travel/cultural context without duplicating Passport ownership.
P2	Commercial billing	Subscription entitlements, taxes, invoicing and billing support.

PRIORITY	ITEM	PRODUCTION CONDITION
P2	Authorized contact integrations	Google/Microsoft/phone imports with consent and revocation.
P2	Advanced intelligence	Transparent explainable assistance; no opaque people ranking.

17. ACCEPTANCE CRITERIA

- Approved logo renders on dark app surfaces without a white/checkerboard box and remains legible in compact mode.
- Users can add, edit, favorite, archive and restore contacts; changes persist after refresh.
- Contact timelines filter correctly by type and date range, alone and in combination.
- Opportunity records can be created and advanced with history/audit entries.
- Introduction drafts appear only after required consent and remain editable; no automatic send occurs.
- Reconnect suggestions show an explainable reason and respect dismiss, exclude, quiet-period and opt-out controls.
- Student, Professional, Team and Institution modes expose correct features and server-enforced permissions.
- Institution reporting defaults to aggregate metrics and never leaks private notes or contact methods.
- CSV import supports mapping, preview, duplicate review, user-confirmed merge and undo.
- Private contacts never become workspace/institution records without explicit sharing.
- All pages have loading, empty, validation, success and failure states.
- Keyboard, screen reader, reduced motion, contrast and mobile-touch checks pass WCAG 2.2 AA acceptance.
- No TEST or developer records appear in the final seeded demonstration.
- No critical console errors, unhandled API failures or broken navigation remain.

18. ENGINEERING HANDOFF CHECKLIST

- GitHub repository and tagged Emergent baseline
- README and environment-variable reference
- Architecture and data-model diagrams
- API documentation and example payloads
- Seed-data script and reset instructions
- ANCR LINQ logo asset package and usage rules
- Role/permission matrix
- Privacy and security review findings
- Automated unit, integration and end-to-end test results

- Deployment, backup, rollback and monitoring runbooks
- Known limitations and prioritized production backlog
- Product-owner acceptance sign-off

19. GOVERNANCE AND CHANGE CONTROL

This document is the baseline product specification. Engineering may refine implementation details, but changes to product scope, data ownership, privacy, user roles, brand identity or cross-app boundaries require product-owner approval and a versioned specification update.

CHANGE TYPE	APPROVAL
Implementation detail without product behavior change	Engineering lead
Workflow or acceptance-criteria change	Product owner + product/engineering lead
Privacy, consent or data-ownership change	Product owner + legal/privacy review
ANCRID, billing or institutional integration change	Product owner + architecture/security review
Logo, name or brand-system change	Product owner / approved brand authority

END OF SPECIFICATION