

WORKFLOW SPECIFICATION



CREATIVE RELATIONSHIPS & OPPORTUNITY NETWORK

Connect the people. Remember the relationship. Create the opportunity.

DOCUMENT CODE	ANCRLINQ-WF-001
VERSION	1.0
DATE	August 21, 2026
PRODUCT OWNER	Danielle Nichol Stephens McMillan
RELATED SPECIFICATION	ANCRLINQ-PTS-001
STATUS	Approved workflow baseline

PURPOSE

Define the required sequence, decisions, permissions, state changes, failure handling and audit events for ANCRLINQ's critical user journeys.

TABLE OF CONTENTS

TABLE OF CONTENTS	2
1. WORKFLOW OPERATING PRINCIPLES.....	3
2. WORKFLOW 01 – ENTER ANCRLINQ AND RESOLVE MODE.....	3
3. WORKFLOW 02 – CREATE AND MAINTAIN A CONTACT.....	4
4. WORKFLOW 03 – IMPORT CONTACTS AND RESOLVE DUPLICATES.....	5
5. WORKFLOW 04 – LOG INTERACTION AND FILTER TIMELINE.....	6
6. WORKFLOW 05 – CREATE, SNOOZE AND COMPLETE A FOLLOW-UP.....	7
7. WORKFLOW 06 – WEEKLY SMART RECONNECT SUGGESTIONS.....	8
8. WORKFLOW 07 – CREATE AND ADVANCE AN OPPORTUNITY	9
9. WORKFLOW 08 – CONSENT-BASED INTRODUCTION AND EMAIL DRAFT	10
10. WORKFLOW 09 – CREATE AND USE A GIG BOOK RECORD.....	11
11. WORKFLOW 10 – SHARE A CONTACT WITH A WORKSPACE	11
12. WORKFLOW 11 – INSTITUTION REPORTING	12
13. WORKFLOW 12 – RELATIONSHIP INTELLIGENCE LEARNING	13
14. WORKFLOW 13 – ARCHIVE, RESTORE AND DELETE DATA.....	14
15. WORKFLOW 14 – GLOBAL NETWORK AND PASSPORT BOUNDARY.....	15
16. CROSS-WORKFLOW NOTIFICATION RULES.....	16
17. QA SCENARIO MATRIX	16
18. WORKFLOW ACCEPTANCE CHECKLIST	17
19. WORKFLOW CHANGE CONTROL.....	17

1. WORKFLOW OPERATING PRINCIPLES

- ANCRID establishes identity, role, institution and entitlement before ANCRLINQ data is shown.
- Personal contacts remain private unless the user explicitly shares them.
- Consent is a stateful workflow, not a one-time checkbox.
- No email, message, introduction or reconnect communication is sent automatically.
- People are not publicly scored, ranked or labeled.
- Every high-impact mutation produces an audit event and a recoverable outcome where feasible.
- All workflows must expose loading, empty, validation, success and failure states.

STATUS FAMILY	STANDARD STATES
Record lifecycle	Draft → Active → Archived → Restored / Pending Deletion → Deleted
Introduction	Draft → Permission Requested → Approved / Declined → Sent → Accepted → Completed
Opportunity	Discovered → Evaluating → Introduction Needed → Contacted → Conversation → Materials Requested → Proposal Submitted → Negotiation → Confirmed → Completed / Declined / Closed
Follow-up	Open → Due → Overdue / Snoozed → Completed / Cancelled
Import	Uploaded → Mapping → Preview → Duplicate Review → Committed → Undo Available / Failed

2. WORKFLOW 01 – ENTER ANCRLINQ AND RESOLVE MODE

FIELD	WORKFLOW DEFINITION
Primary actor	Authenticated user
Trigger	User launches ANCRLINQ from ANCR navigation or direct URL.
Preconditions	Valid ANCRID session or simulated demo identity.
Successful output	Correct mode, workspace context, navigation and permissions are loaded.

1. Client requests current identity and entitlements from ANCRID boundary.
2. Server resolves active roles, institution/team memberships and subscription tier.
3. System selects last-used authorized mode; otherwise defaults to Student for demo user.

4. Server returns permission matrix and allowed workspaces.
5. Client renders only authorized navigation and actions.
6. Dashboard loads privacy-safe aggregates and user-specific next actions.

DECISION / EXCEPTION	SYSTEM RESPONSE
Session missing or expired	Redirect to ANCRID sign-in; do not expose cached private records.
Requested mode unauthorized	Return 403, retain current authorized mode and explain the restriction.
Multiple institutions/workspaces	Prompt user to select an authorized context.
Permission service unavailable	Fail closed for shared/institutional data; allow only safely cached non-sensitive shell.

Audit events

- Login/session resolution
- Mode change
- Workspace/institution context change
- Authorization failure

3. WORKFLOW 02 – CREATE AND MAINTAIN A CONTACT

FIELD	WORKFLOW DEFINITION
Primary actor	Student, Professional or authorized workspace contributor
Trigger	User selects Quick Add or Add Contact.
Preconditions	Authenticated user with contact-create permission.
Successful output	New personal contact exists with appropriate visibility and next-action options.

1. Open contact form with Personal as default ownership and Private as default visibility.
2. Collect identity and professional fields; contact methods remain optional and separately permissioned.
3. Validate name and any supplied email, phone, URL and date values.
4. Search likely duplicates using email, phone, name, organization and social profile.
5. If a likely duplicate exists, show compare view; user selects Merge, Keep Separate or Cancel.
6. Save contact and create relationship record owned by the user.
7. Offer Log First Interaction, Create Follow-Up, Add to Project or Share with Workspace.

8. Refresh contact list and dashboard aggregates.

DECISION / EXCEPTION	SYSTEM RESPONSE
Required name missing	Block save and focus the invalid field.
Likely duplicate	Never auto-merge; require explicit user choice.
Share selected during creation	Launch the sharing workflow after personal record is safely saved.
API failure	Keep entered values locally in form state; show retry without creating duplicates.

Audit events

- Contact created/edited
- Duplicate decision
- Visibility changed
- Contact archived/restored

4. WORKFLOW 03 – IMPORT CONTACTS AND RESOLVE DUPLICATES

FIELD	WORKFLOW DEFINITION
Primary actor	Authorized user
Trigger	User selects Imports and uploads a CSV.
Preconditions	CSV import permission; supported file type and size.
Successful output	Validated records are committed with an import summary and undo window.

1. Upload CSV to a temporary import job; do not create contacts yet.
2. Parse header row and show field-mapping screen.
3. User maps source columns to ANCRLINQ fields and chooses defaults for category, ownership and visibility.
4. Validate rows and separate valid, warning and rejected rows.
5. Show preview with counts and representative records.
6. Generate duplicate candidates and present side-by-side evidence.
7. User chooses Merge, Keep Existing, Create Separate or Skip for each candidate/batch rule.
8. User confirms import.
9. Server commits transactionally where supported and returns created, merged, skipped and failed counts.
10. Offer downloadable error report and time-limited Undo Import action.

DECISION / EXCEPTION	SYSTEM RESPONSE
Unsupported or malformed file	Reject safely with correction guidance; retain no committed contacts.
Missing required mapped field	Block commit until mapped or row explicitly skipped.
Partial commit failure	Report exact outcomes; undo only records created/modified by this job.
Undo requested	Reverse eligible import changes while preserving unrelated later edits.

Audit events

- Import uploaded/mapped/committed
- Duplicate merge decisions
- Import undone
- Error report generated

5. WORKFLOW 04 – LOG INTERACTION AND FILTER TIMELINE

FIELD	WORKFLOW DEFINITION
Primary actor	Contact owner or authorized collaborator
Trigger	User selects Log Interaction from dashboard or contact.
Preconditions	View permission for contact; create-interaction permission.
Successful output	Interaction appears in relationship timeline and drives follow-up/activity updates.

1. Resolve contact and optional organization, project, opportunity or gig context.
2. User chooses interaction type and date/time, then adds summary, participants, attachments and visibility.
3. User indicates whether follow-up is required and sets due date if applicable.
4. Validate visibility against workspace permissions.
5. Save interaction; create follow-up if requested.
6. Update last-interaction date and relationship activity status.
7. Display interaction in timeline.
8. Timeline filters allow type, preset/custom date range, organization, project, opportunity, creator, follow-up requirement and visibility.

DECISION / EXCEPTION	SYSTEM RESPONSE
Backdated interaction	Accept valid date and recalculate activity chronology.
Private interaction in shared context	Keep visible only to owner/authorized roles; do not leak summary.
Attachment fails	Allow interaction save without attachment and report attachment failure.
No filter results	Show clear empty-filter state and Clear Filters action.

Audit events

- Interaction created/edited/deleted
- Visibility changed
- Timeline export if supported

6. WORKFLOW 05 – CREATE, SNOOZE AND COMPLETE A FOLLOW-UP

FIELD	WORKFLOW DEFINITION
Primary actor	Contact owner or assigned workspace member
Trigger	User creates a follow-up or an interaction requires one.
Preconditions	Permission to view related records and create tasks.
Successful output	Follow-up reaches a tracked final or deferred state.

1. Select contact and optional opportunity/project/organization.
2. Enter action, due date, priority, recurrence and reminder preference.
3. Save as Open; system moves it to Due or Overdue based on time.
4. Notification service surfaces it according to user preference and quiet periods.
5. User completes, snoozes, reschedules or cancels.
6. On completion, prompt user to log an interaction.
7. Update dashboard and reconnect logic.

DECISION / EXCEPTION	SYSTEM RESPONSE
Assigned user loses record access	Unassign safely and notify owner/admin without exposing private details.
Recurring follow-up completed	Create next occurrence according to recurrence rule.
Overdue	Highlight action, never shame or publicly rank the user.

DECISION / EXCEPTION	SYSTEM RESPONSE
Notifications disabled	Keep task in app; do not send external notification.

Audit events

- Follow-up created/assigned/rescheduled/snoozed/completed/cancelled

7. WORKFLOW 06 — WEEKLY SMART RECONNECT SUGGESTIONS

FIELD	WORKFLOW DEFINITION
Primary actor	User with reconnect nudges enabled
Trigger	Weekly/monthly scheduled evaluation or manual refresh.
Preconditions	At least one eligible relationship; preference and quiet-period checks pass.
Successful output	Explainable, dismissible reconnect list is shown.

- Evaluate only user-accessible relationships.
- Score eligibility internally using recency, prior cadence, shared projects, active opportunities, incomplete follow-ups, milestones and user priorities.
- Exclude blocked, archived, opted-out and individually excluded contacts.
- Generate plain-language reason for each suggestion.
- Display ranked task priority without displaying a numeric score on people.
- User selects Log Interaction, Create Follow-Up, Remind Later, Dismiss or Exclude Contact.
- Record action and suppress/adjust future suggestions accordingly.

DECISION / EXCEPTION	SYSTEM RESPONSE
No eligible contacts	Show positive empty state; do not manufacture suggestions.
Suggestion dismissed	Hide for current cycle and learn only the explicit dismissal preference.
Contact excluded	Persist exclusion until user reverses it.
Quiet period active	Do not send summary; in-app list may remain available.

Audit events

- Suggestion generated
- Reason displayed

- Dismiss/remind/exclude action
- Preference changed

8. WORKFLOW 07 — CREATE AND ADVANCE AN OPPORTUNITY

FIELD	WORKFLOW DEFINITION
Primary actor	Student, Professional or authorized team member
Trigger	User selects New Opportunity or converts a directory/gig lead.
Preconditions	Create permission; accessible related records.
Successful output	Opportunity is saved and progresses through controlled stages.

1. Choose opportunity type and initial stage.
2. Add title, contact, organization, project, source, value/budget, deadline, materials and next action.
3. Validate required fields and visibility.
4. Save and create related follow-up when a next action has a due date.
5. Display in Kanban, table and calendar views.
6. Authorized user advances stage; system prompts for stage-specific missing information.
7. Record transition in history and audit log.
8. On Confirmed or Completed, optionally create/update Gig Book record and milestone.

DECISION / EXCEPTION	SYSTEM RESPONSE
Introduction required	Move to Introduction Needed and launch introduction request.
Stage move unauthorized	Prevent transition and preserve current state.
Past deadline	Allow save with warning and clear overdue indicator.
Declined/Closed	Require outcome reason category; private notes remain optional.

Audit events

- Opportunity created/edited
- Stage transition
- Assignment/visibility change
- Opportunity closed/reopened

9. WORKFLOW 08 – CONSENT-BASED INTRODUCTION AND EMAIL DRAFT

FIELD	WORKFLOW DEFINITION
Primary actor	Connector / requesting user
Trigger	User requests an introduction between two people.
Preconditions	User can identify both parties; at least one approved communication route for consent.
Successful output	Consent-approved introduction draft is created, edited and marked sent/completed by the user.

1. Select Person A, Person B, connector, purpose, context and desired next step.
2. System verifies that private information is not yet disclosed.
3. Send or record permission request according to configured channel; demonstration mode simulates the request.
4. Track each party's response independently.
5. If both approve, unlock draft generation; otherwise retain no-send state.
6. User selects Warm Professional, Concise or Formal tone.
7. Generate editable subject and body using only approved professional information and supplied context.
8. User previews and edits draft.
9. User copies/saves draft or uses a future authorized email integration.
10. User marks Sent; system adds history event and follow-up.
11. Track Accepted and Completed outcomes.

DECISION / EXCEPTION	SYSTEM RESPONSE
Either party declines	Set Declined; disclose no private contact information.
Consent expires or changes	Return to Permission Requested and block sending.
Draft contains a private field	Remove field and flag before preview.
Email integration absent	Offer Copy Draft and Mark as Sent; never pretend email was delivered.

Audit events

- Introduction requested
- Consent approved/declined/expired
- Draft generated/edited/saved
- Marked sent/accepted/completed

10. WORKFLOW 09 — CREATE AND USE A GIG BOOK RECORD

FIELD	WORKFLOW DEFINITION
Primary actor	Contact owner or authorized workspace member
Trigger	User saves a venue/promoter/agent/studio/crew/vendor relationship to Gig Book.
Preconditions	Related contact or organization exists, or user is permitted to create it.
Successful output	Engagement intelligence is stored with private operational notes protected.

1. Select or create the related contact and organization.
2. Enter market, capacity, disciplines, engagement type, budget, contract/tax/payment status, technical and hospitality notes.
3. Classify each sensitive note as Private, Shared with Selected Workspace, or Restricted Role.
4. Save record and connect related gigs/opportunities.
5. After an engagement, update last booking, payment status and factual outcome.
6. Create next follow-up or opportunity when appropriate.

DECISION / EXCEPTION	SYSTEM RESPONSE
Potentially defamatory free text	Display factual-note guidance; restrict visibility; allow moderation/reporting policy.
Payment issue	Store factual status privately; never publish a public rating.
Record shared	Expose only fields allowed by sharing policy.
Contact archived	Retain historical gig record while hiding it from active contact lists.

Audit events

- Gig record created/edited
- Sensitive field visibility changed
- Booking/payment status changed
- Record shared

11. WORKFLOW 10 — SHARE A CONTACT WITH A WORKSPACE

FIELD	WORKFLOW DEFINITION
Primary actor	Personal contact owner
Trigger	User selects Share with Workspace.
Preconditions	User owns contact and has share permission in destination workspace.
Successful output	A permissioned shared reference exists without transferring personal ownership.

1. Select destination workspace and intended recipients/roles.
2. Choose record-level and field-level visibility.
3. Review contact-sharing consent status.
4. If required, request/record consent before sharing contact methods.
5. Preview exactly what workspace members will see.
6. Confirm share.
7. Create SharedContactPermission while retaining personal owner.
8. Allow owner/admin to reduce or revoke access later.

DECISION / EXCEPTION	SYSTEM RESPONSE
Consent absent for contact methods	Share approved profile fields only; mask private contact methods.
Recipient role changes	Recalculate access immediately.
Owner revokes	Remove shared access while retaining workspace history references as policy permits.
Attempt to copy into institution ownership	Block unless a separate authorized institutional record is intentionally created.

Audit events

- Share previewed/confirmed
- Fields granted/removed
- Access revoked
- Institutional copy intentionally created

12. WORKFLOW 11 – INSTITUTION REPORTING

FIELD	WORKFLOW DEFINITION
Primary actor	Authorized Institution administrator
Trigger	Administrator opens Institutional Reporting.
Preconditions	Institution mode; reporting permission; selected institution/program context.
Successful output	Privacy-safe aggregate report is displayed/exported.

1. Verify Institution mode and reporting entitlement server-side.
2. Default to aggregate program view.
3. Apply program, cohort, term, discipline, opportunity type/stage and date-range filters.
4. Compute summaries for profiles, approved relationships, opportunities, gigs, introductions, follow-ups, learning progress, organizations and geography.
5. Suppress or group small cohorts according to privacy policy.
6. Render charts/tables without student ranking.
7. If authorized, allow controlled student-support drill-down with warning and audit event.
8. Export CSV or printable report using only permitted fields.

DECISION / EXCEPTION	SYSTEM RESPONSE
Unauthorized drill-down	Return aggregate view and explain permission.
Small cohort re-identification risk	Suppress, bucket or withhold the metric.
Private field requested	Exclude it from report and export.
Export requested	Recheck permission at export time and log the action.

Audit events

- Report opened/filtered
- Student-level drill-down
- CSV/print export
- Permission denial

13. WORKFLOW 12 – RELATIONSHIP INTELLIGENCE LEARNING

FIELD	WORKFLOW DEFINITION
Primary actor	Student or Professional learner
Trigger	User opens Learning or Continue Learning.

FIELD	WORKFLOW DEFINITION
Preconditions	Access to assigned/available module.
Successful output	Lesson progress, reflection and completion badge are recorded.

1. Load module and current progress.
2. Present lesson content and scenario.
3. Learner submits knowledge check and receives explanatory feedback.
4. Learner completes reflection prompt where required.
5. Save progress after each meaningful step.
6. When all requirements pass, mark module complete and issue badge.
7. Surface next recommended module; institution views receive only permitted progress summaries.

DECISION / EXCEPTION	SYSTEM RESPONSE
Connection interrupted	Resume from last saved step.
Knowledge check incomplete	Provide feedback and retry; do not publicly penalize.
Institution requests private reflection	Do not expose unless policy and learner notice explicitly permit it.
Module updated	Preserve historical completion and identify version.

Audit events

- Module started/progressed/completed
- Badge issued
- Faculty/admin progress view

14. WORKFLOW 13 – ARCHIVE, RESTORE AND DELETE DATA

FIELD	WORKFLOW DEFINITION
Primary actor	Record owner or authorized administrator
Trigger	User selects Archive, Restore or Delete.
Preconditions	Lifecycle permission and confirmation requirements.
Successful output	Record moves to correct recoverable/final state with dependencies handled.

1. Archive hides record from active views but preserves history and links.

2. Archived records remain searchable in Archive to authorized users.
3. Restore returns record to active state and recalculates appropriate summaries.
4. Delete request shows dependencies, retention requirements and impact.
5. If eligible, move to Pending Deletion/Trash for recovery period.
6. After recovery/retention conditions, permanently delete or anonymize according to policy.

DECISION / EXCEPTION	SYSTEM RESPONSE
Record has legal/contractual retention	Block permanent deletion; explain retention status.
Shared record deleted by personal owner	Revoke personal data while preserving authorized minimal historical references.
Restore conflicts with duplicate	Launch duplicate resolution.
Bulk delete	Require elevated confirmation and detailed audit event.

Audit events

- Archived/restored
- Deletion requested/cancelled/completed
- Retention hold applied

15. WORKFLOW 14 – GLOBAL NETWORK AND PASSPORT BOUNDARY

FIELD	WORKFLOW DEFINITION
Primary actor	Authorized user
Trigger	User opens Global Network or travels to a destination context.
Preconditions	Accessible contacts with location/language/time-zone data.
Successful output	Global relationship context is shown without duplicating Passport-owned travel intelligence.

1. Aggregate user-accessible relationships by city/country.
2. Display languages, time zones, disciplines and travel-linked contacts.
3. User selects a location or contact.
4. ANCRLINQ shows relationship data and appropriate communication notes.
5. If destination culture, safety, law, visa or travel readiness is requested, deep-link to Passport with user/context identifiers only as permitted.
6. Passport returns navigation outcome; ANCRLINQ retains no duplicate sensitive travel record.

DECISION / EXCEPTION	SYSTEM RESPONSE
Location precision is private	Display broad city/country or hide according to setting.
Passport unavailable	Explain integration is unavailable; retain ANCRLINQ relationship view.
Cross-app permission mismatch	Do not transmit context; ask user to open Passport independently.
Time-zone difference	Show local/home time and recommend respectful contact timing.

Audit events

- Global view opened
- Location/contact selected
- Passport deep-link invoked

16. CROSS-WORKFLOW NOTIFICATION RULES

EVENT	DEFAULT DELIVERY	USER CONTROL
Follow-up due/overdue	In-app; optional email/push	On/off, timing, quiet periods
Reconnect summary	Weekly in-app; optional digest	Weekly/monthly/off, exclusions
Introduction consent/status	In-app; optional authorized channel	Channel preference; no auto-intro send
Opportunity deadline/stage	In-app; optional reminder	Per-opportunity and global settings
Workspace share/assignment	In-app	Workspace notification preferences
Institution report availability	In-app to authorized admins	Administrative preference

- Notifications must not reveal private content on lock screens or generic email subjects.
- Notification clicks must re-authorize access before displaying protected records.
- Quiet periods delay delivery but do not alter underlying due dates.
- All unsubscribe and preference changes take effect promptly.

17. QA SCENARIO MATRIX

SCENARIO	EXPECTED RESULT
Student attempts Institution Reporting	Access denied server-side; no institutional data returned.
Team viewer attempts edit	Control disabled and mutation returns 403 if attempted.
Introduction has one approval	Draft remains locked; no contact details disclosed.
CSV duplicate email match	Compare screen appears; no automatic merge.
Private interaction in shared contact	Only authorized users see content; others see no private summary.
Reconnect disabled	No digest generated; manual follow-ups remain available.
Opportunity advanced	Stage, history, audit and dashboard update consistently.
Logo asset missing	Accessible ANCRLINQ™ text fallback appears without layout break.
Mobile filter flow	Filter sheet is keyboard/touch accessible and preserves selections.
Network/API failure during mutation	No duplicate mutation; user receives recoverable retry state.

18. WORKFLOW ACCEPTANCE CHECKLIST

- Every workflow has an identified actor, trigger, preconditions and successful output.
- Server authorization is tested at every protected action.
- Private data never appears in unauthorized API responses, exports, logs or notifications.
- Consent state is persisted and rechecked before introductions or contact sharing.
- No automated communication occurs without explicit user action and configured provider.
- All state transitions update connected views and audit history.
- All decision branches have clear, non-shaming user messaging.
- All critical mutations are idempotent or protected from accidental duplicates.
- Keyboard, screen-reader, reduced-motion and mobile acceptance checks pass.
- Demonstration-only behavior is labeled and production integrations are not fabricated.

19. WORKFLOW CHANGE CONTROL

Changes to consent, privacy, data ownership, state transitions, cross-app boundaries or role permissions require product-owner approval and a versioned update to both ANCRLINQ-WF-001 and ANCRLINQ-PTS-001. Engineering may refine UI implementation without changing the required decision logic or outcomes.

END OF WORKFLOW SPECIFICATION