

ANCRA™

Design-Intent Specification

What Every Element Is Intended To Do

Every control mapped to its intended behaviour — with open questions left for the team to answer.

PURPOSE

ANCRA is a design prototype. This document maps what the designer placed on each screen to **the behaviour a developer must build on our own infrastructure**. It does not report the prototype's controls as broken — that is expected and is the reason this specification exists. Where the design leaves a question open, the document **leaves space for the team to answer it** rather than guessing.

DOCUMENT

ANCRA Design-Intent Specification

SYSTEM

ANCRA™ — Learning Operating System

DOC TYPE

Design-Intent Specification

PREPARED FOR

Engineering / Build Team

SURFACES COVERED

45 routes · 19 pages · 43 items to complete

COMPANION DOCUMENT

ANCRA User Flow
ANCRID Design-Intent Spec

This document maps the ANCRA design to the behaviour a developer must build. For every element the designer placed on screen, it states what that element is **for** and what must happen when a user uses it. It is written to be built from — and, where the design is incomplete, to be **completed by the team** before building.

THIS IS NOT A DEFECT REPORT

ANCRA is a design prototype. Its controls are not wired to a backend, and that is expected — it is the reason this specification exists. Nothing in this document reports a control as broken. Every entry describes **intended behaviour for the production build on our own infrastructure**.

Classification

LABEL	MEANING	WHAT YOU DO WITH IT
SPECIFIED	Defined by the ANCRA product specification or User Flow, or unambiguous from the design itself.	Build it as written.
PROPOSED	Behaviour inferred from surrounding context. A reasonable reading, but not confirmed.	Confirm or correct. Drawn with a dashed violet outline.
TO DEFINE	The design does not answer this and it cannot be safely inferred.	Fill it in. Each carries an ID and a ruled space to write in.
DECISION	A genuine product choice with more than one defensible answer.	Choose. Options are listed where known.

How the fill-in areas work

Where the design leaves a question open, this document does not guess. It leaves you space. Each open item is numbered `TD-01`, `TD-02` and so on, appears at the point in the document where it matters, and is collected into a single register on the final page so you can see how much is outstanding and work through it in order.

TD-00 · EXAMPLE

This is what an open item looks like. The question is stated here, with any context needed to answer it. **Write your answer on the ruled lines below** — on a printed copy, or in the editable HTML source supplied alongside this PDF.

Answered items should be marked complete in the register on the final page.

What each control specification contains

FIELD	MEANING
Purpose	What the user is trying to accomplish by using this control.
On activation	What the system does when it is used, including what data is sent.
Success	What the user sees, and where they end up.
Failure	What the user sees, and what is preserved so their work is not lost.
Preconditions	What must be true for the control to be available or enabled.


TARGET INFRASTRUCTURE

This document describes the build on **our own server**. Where the prototype relied on a hosted development platform, the capability is named neutrally — a **configured AI service**, an **approved media storage service**. Where that capability does not yet exist on our infrastructure, it appears as a cross-screen requirement on page 13 rather than being assumed available.

ANCRA presents two experiences — student and faculty. Which one a user receives determines what they can see and do across all 45 routes. This is the foundation every other page depends on.

Intended sign-in and role assignment

PROPOSED



WHY THIS PAGE CONTRASTS WITH THE PROTOTYPE

This is the one place in the document where current prototype behaviour is worth naming, because it would otherwise mislead. The prototype lets any user switch between student and faculty using a toggle in the top bar, with the role stored in the browser. **A developer reading only the prototype would reasonably conclude that role is user-selectable.** It is not. Role comes from ANCRID and the user cannot change it.

What each role may reach

ROLE	REACHES	MUST NOT REACH
Student	Dashboard, learning journey, experiences, lessons, assignments, projects, peer reviews, portfolio, graduation, capstones, teams, messages, calendar, achievements, passport, library	All faculty routes, all other students' work
Faculty	Command centre, students, approvals, reviews, grading, all authoring tools, analytics, cohorts, creative teams	TD-01 — see below

TD-01 · FACULTY SCOPE

Does a faculty member see **all** students, or only students in cohorts they teach? This determines whether the roster, grading queue and analytics are filtered by teaching assignment, and whether a cohort-to-faculty relationship needs to exist in the data model.

TD-02 · ADDITIONAL ROLES

The ANCR ecosystem describes mentors, artists in residence, and institution administrators. **Do any of these need an ANCRA experience?** If so, list the role and what it reaches. If not, state that ANCRA is student and faculty only.

Every destination in ANCRA and which role reaches it. The shell — top bar, command palette and assistant — is present on every screen inside the application.




FIGURE 1 — ALL DESTINATIONS. ROLE DETERMINES WHICH SET IS REACHABLE.

TD-03 · LANDING VS WELCOME

Two entry routes exist: `/welcome` and `/`. **What distinguishes them?** Is one a first-run experience shown once, and the other the returning-user entry? Which does a user land on after signing in?

The path a student takes to consume content. Three levels deep, and the reason ANCRA exists.

Lesson Player — control specifications

Play / Pause BUTTON		SPECIFIED
PURPOSE	Start and stop lesson media.	
ON ACTIVATION	Begins playback of the lesson's media from the current position; pause holds position.	
SUCCESS	Media plays. Elapsed time and remaining duration are visible. Progress is reported periodically so the position survives leaving the page.	
FAILURE	If media cannot load, the player shows a retry affordance and states that the lesson could not be loaded — it must not present as an empty or finished lesson.	
PRECONDITIONS	Lesson exists and the student is enrolled in the parent experience.	

TD-05 · LESSON MEDIA FORMAT AND HOSTING

The design shows a video-style player with a poster image. **What media does a lesson actually contain** — video, audio, or both? What formats must be supported, where is the media hosted, and is it streamed or downloaded? This determines the media storage requirement on page 13.

If lessons are video, note whether captions and transcripts are required.

Chapter list LIST		SPECIFIED
PURPOSE	Jump to a named section within the lesson.	
ON ACTIVATION	Moves playback to that chapter's start time and marks it as the active chapter.	
SUCCESS	Playback continues from the chapter start. The active chapter is highlighted.	
PRECONDITIONS	The lesson defines chapters. If it does not, the list is not shown.	

Bookmark BUTTON		PROPOSED
PURPOSE	Let a student mark this lesson to return to later.	
ON ACTIVATION	Saves a bookmark against the student and the lesson.	
SUCCESS	The control shows a saved state. The bookmark appears in a place the student can find it.	
FAILURE	The control returns to its unsaved state with a brief message.	

TD-06 · BOOKMARKS

Two things the design does not answer. **Is a bookmark for the whole lesson or a timestamp within it?** And **where does the student go to see their bookmarks** — there is currently no surface listing them. If bookmarks need a home, name it.

Discussion BUTTON		TO DEFINE
PURPOSE	Open a conversation attached to this lesson.	
ON ACTIVATION	See TD-07 — the discussion surface is not designed.	

TD-07 · LESSON DISCUSSION

A Discussion control exists on the lesson, but **no discussion screen was designed**. Define: is it a thread per lesson visible to the whole cohort, or to a smaller group? Can faculty post and moderate? Are replies threaded? Does it notify anyone? **If discussion is out of scope for the first build, say so** and the control is removed.

The points at which a student commits work. These are the highest-consequence controls in the student experience — each represents an academic act.

Portfolio Builder

Work toggle

BUTTON, PER WORK

SPECIFIED

PURPOSE	Add or remove a piece of work from the portfolio being assembled.
ON ACTIVATION	Updates the draft selection and persists it immediately, so the student can leave and return without losing the assembly.
SUCCESS	The work shows as included; the portfolio count updates.
FAILURE	The toggle reverts and a brief message appears. The rest of the selection is unaffected.

Save & Sign

BUTTON

PROPOSED

PURPOSE	Commit the assembled portfolio as the student's submitted work.
ON ACTIVATION	Submits the selection with a timestamp and the student's attestation.
SUCCESS	A clear confirmation states the portfolio is submitted and when. The portfolio moves to a submitted state visible to the student.
FAILURE	An error is shown and the selection is preserved in full . The student must never lose an assembled portfolio to a failed submission.
PRECONDITIONS	At least one work selected. TD-10

TD-10 · PORTFOLIO REQUIREMENTS

Are there rules a portfolio must satisfy before it can be signed — a **minimum number of works**, required categories, or a required capstone? If so, the builder should show progress toward those requirements and explain what is missing rather than simply refusing.

Preview

BUTTON

PROPOSED

PURPOSE	Show the student their portfolio as a reviewer will see it, before committing.
ON ACTIVATION	Opens a read-only rendering of the current selection.
SUCCESS	Preview opens with a clear way to return to editing. Nothing is submitted.

Graduation

Send Packet

BUTTON

PROPOSED

PURPOSE	Submit the student's graduation packet for review.
ON ACTIVATION	Assembles and submits the packet contents (see TD-11) with a timestamp.
SUCCESS	Confirmation states the packet was sent, to whom, and what happens next. Graduation status moves to submitted.
FAILURE	Error shown; nothing is sent; the packet remains editable.
PRECONDITIONS	Graduation readiness requirements met. TD-12

TD-11 · GRADUATION PACKET CONTENTS

What is in the packet, and who receives it? The design shows the control but not the payload. List what it must contain (signed portfolio, transcript, capstone, faculty recommendations?) and the recipient (faculty adviser, an institutional queue, an external body?).

TD-12 · GRADUATION READINESS

The dashboard shows a readiness indicator. **What conditions must be satisfied** for a student to be eligible to send the packet — lessons completed, capstone approved, portfolio signed, minimum songs in the 30 Song Project? Can a student send a packet while not fully ready?

The design presents assignments and peer reviews as lists. Neither has a designed submission or authoring screen — both are named below as work still to be designed.

Assignments

Assignment row		SPECIFIED
PURPOSE	Show the student what has been set, when it is due, and its current state.	
DISPLAYS	Title, brief, due date, current status (not started, in progress, submitted, returned), and grade once returned.	
ON ACTIVATION	Opens the assignment detail, from which the student submits.	
PRECONDITIONS	Assignment has been issued to the student's cohort by faculty.	

TD-13 · ASSIGNMENT SUBMISSION SCREEN

No assignment submission screen was designed. The list shows assignments but there is no surface for handing one in. Define what a student submits: uploaded files, a text response, a link to a project already in ANCRA, or a combination. Note file types and any size limit.

TD-14 · RESUBMISSION AND LATE WORK

Can a student **submit more than once** before the due date, and does a new submission replace the previous one? Is submission allowed **after** the due date, and if so is it marked late and still accepted?

Peer review and personal creative work. Neither has a designed authoring screen; both are named below as work still to be designed.

Peer Review

Review	BUTTON	TO DEFINE
PURPOSE	Write a review of another student's work.	
ON ACTIVATION	Opens a review authoring surface. That surface is not designed. See TD-15.	

Listen	BUTTON	SPECIFIED
PURPOSE	Play the audio work under review without leaving the review context.	
ON ACTIVATION	Plays the submitted audio inline.	
SUCCESS	Audio plays with transport controls. The reviewer can write while listening.	
NOTE	Depends on the same media capability as the Lesson Player — see page 16.	

Reply	BUTTON	PROPOSED
PURPOSE	Let the student who received a review respond to it.	
ON ACTIVATION	Opens a response field attached to that review.	
SUCCESS	Reply is posted and visible to the reviewer and, per TD-15, possibly to faculty.	

TD-15 · PEER REVIEW MODEL

The whole peer review model needs defining. **Is a review anonymous** to the recipient? **How is a reviewer assigned** — allocated by faculty, chosen by the student, or automatic? **How many** reviews must a student give and receive? **Does faculty see** peer reviews, and do they count toward a grade?

TD-16 · REVIEW STRUCTURE

Is a peer review **free text**, or structured against criteria like a rubric? If structured, does it reuse the faculty Rubrics tool or have its own simpler form?

Creative Projects

New Project	BUTTON	PROPOSED
PURPOSE	Start a new piece of creative work.	
ON ACTIVATION	Creates a project and opens it for editing.	
SUCCESS	Project appears in the student's project list in a draft state.	
PRECONDITIONS	None — a student may start a project at any time. TD-17	

TD-17 · WHAT IS A CREATIVE PROJECT?

The design lists projects but does not show what one contains. **What does a student create and edit inside a project?** Is it a container for uploaded files, a text document, a link to work in ANCRLAB, or something else? Is a project ever submitted, or is it a personal working space?

Seven authoring tools share one structure: compose content in a form, then publish it so students receive it. They are specified once here, with the differences tabulated.

The shared authoring pattern

PROPOSED

Compose fields		TEXT INPUTS	SPECIFIED
PURPOSE	Capture the content the faculty member is authoring.		
ON ACTIVATION	Every field's value is held as the user types and included when the item is saved or published.		
SUCCESS	A draft indicator confirms work is saved. Leaving and returning restores the draft intact.		
FAILURE	If a draft save fails, the editor warns and keeps the content on screen. It must not silently discard work.		

Publish		BUTTON	PROPOSED
PURPOSE	Make the authored content available to students.		
ON ACTIVATION	Validates required fields, then publishes to the named target.		
SUCCESS	Confirmation states what was published and which students can now see it.		
FAILURE	Validation errors are shown against the specific fields. Nothing is published; the draft is retained.		
PRECONDITIONS	Required fields complete. TD-19		

How each tool differs

TOOL	PRODUCES	PUBLISH TARGET	OPEN ITEMS
Lesson Builder	A lesson: title, subtitle, chapters, media	A Studio Experience	Media upload — TD-05, page 13
Experience Builder	A Studio Experience grouping lessons	A learning journey	Ordering and prerequisites — TD-20
Curriculum Builder	Programme structure across experiences	The programme	Canvas persistence — TD-21
Assignment Builder	An assignment: title, brief, type, due date	A cohort	Scheduling & targeting — TD-22
Rubrics	Criteria with weights and descriptors	Reusable, attached to assignments	Reuse model — TD-23
Creative Teams	A team of students	A cohort	Membership rules — TD-24
AI Course Builder	A drafted outline for a course	Hands off to Lesson Builder	See below

TD-19 · PUBLISHING PERMISSION

Can **any faculty member publish** content that students will see, or does publishing require review or approval by a lead? This affects whether a submitted-for-review state is needed between draft and published.

TD-20 · SEQUENCING AND PREREQUISITES

Are lessons and experiences **ordered**, and must a student complete one before the next unlocks? Or is all published content available at once? This changes the learning journey and the progress model substantially.

TD-21 · CURRICULUM CANVAS

The Curriculum Builder presents a canvas of blocks. **What is a block**, and what does arranging them produce? Is the canvas the authoritative programme structure, or a planning view that is then applied?

The cycle by which submitted student work is reviewed, graded and returned. Together with student submission on page 05, this is the core academic workflow of ANCRA.

Approve

BUTTON

PROPOSED

PURPOSE	Accept a student's submitted work as meeting requirements.
ON ACTIVATION	Marks the submission approved, recording who approved it and when.
SUCCESS	The item leaves the approval queue. The student sees their work as approved.
FAILURE	Error shown; the item stays in the queue in its previous state.
PRECONDITIONS	Item is in a submitted state and assigned to this faculty member. TD-01

TD-26 · APPROVAL SEMANTICS

Three things the design does not settle. **Is approval reversible** once given? **Does approval lock** the student's submission from further edits? And **is approval distinct from grading**, or does approving something also mean grading it? The Approvals and Grading screens are separate in the design, which suggests they are distinct acts — confirm.

Preview

BUTTON

SPECIFIED

PURPOSE	Open the submitted work so it can be assessed before approving.
ON ACTIVATION	Opens the student's submission in a read-only view, including any media.
SUCCESS	Work is displayed with a clear route back to the queue.

Feedback field

TEXT AREA

SPECIFIED

PURPOSE	Write the written feedback the student will receive.
ON ACTIVATION	Content is captured as typed and retained as a draft against that submission.
SUCCESS	Draft feedback survives navigating away and returning.
FAILURE	The editor warns if a draft save fails and keeps the text on screen.

Use as starting point

BUTTON

PROPOSED

PURPOSE	Populate the feedback field from a rubric descriptor or a saved comment, to speed up marking.
ON ACTIVATION	Inserts the selected text into the feedback field, where it can then be edited.
SUCCESS	Feedback field contains the inserted text; the cursor is placed for editing.

TD-27 · FEEDBACK STARTING POINTS

Where do the starting points come from? Rubric criterion descriptors, a faculty member's own saved comment bank, or a shared department bank? If saved comments are a feature, they need a place to be created and managed — that screen is not in the design.

Sign & Return

BUTTON

PROPOSED

PURPOSE	Commit the grade and feedback, and release them to the student.
ON ACTIVATION	Records the grade, feedback and rubric scores against the submission, attributed to the faculty member with a timestamp.
SUCCESS	Confirmation states the grade was returned. The item leaves the grading queue. The student is notified per TD-25.
FAILURE	Error shown; grade and feedback are preserved in full ; nothing is released to the student.
PRECONDITIONS	A grade has been entered. TD-28

The faculty landing screen presents a queue of items needing attention, with three actions on each. What those actions do is the main open question on this page.

Queue actions

Review / Schedule / Dismiss		ROW ACTIONS	PROPOSED
PURPOSE	Triage the faculty member's queue of items needing attention.		
REVIEW	Opens the item in whichever surface handles it — a submission opens in Grading, an approval in Approvals.		
SCHEDULE	Sets a time to deal with the item.	TD-29	
DISMISS	Removes the item from the queue.	TD-29	


TD-29 · QUEUE BEHAVIOUR

What does Dismiss mean — hide permanently, snooze until a date, or resolve the underlying item? And what does Schedule do — add to the ANCRA calendar, set a personal reminder, or book time with the student? These two controls sit side by side and currently have no defined outcome.

TD-30 · WHAT GENERATES A QUEUE ITEM?

List the events that place something in the faculty queue — a submission arriving, a deadline passing with work outstanding, a student falling behind, a peer review not completed. This determines what the command centre can meaningfully surface.

Eleven screens present a list of records the user can read but not change. They share one specification.



THE ONE RULE THAT MATTERS HERE

An **empty** record set and a **failed** request must never look the same. A student whose achievements fail to load must not be shown a screen implying they have earned nothing. Every screen in this pattern needs three distinct states: populated, genuinely empty, and failed — the last with a retry.

SCREEN	ROLE	WHAT IT LISTS
Achievements	Student	Badges and milestones earned.
Portfolio	Student	Works included in the portfolio. Editing is in Portfolio Builder.
Teams	Student	Creative teams the student belongs to.
Calendar	Student	Scheduled sessions, deadlines and events.
30 Song Project	Student	Progress across the songwriting programme.
Capstones	Student	Capstone work and its status.
Creator Passport	Student	Verified record of accomplishment across the ecosystem.
Progress	Student	Completion across the learning journey.
Students	Faculty	Roster, filtered per TD-01. Searchable.
Cohorts	Faculty	Cohorts and their membership.
Reviews	Faculty	Reviews given and outstanding.

TD-31 · EMPTY-STATE COPY

Each screen needs a sentence telling the user **how the first record appears**. These differ per screen and are best written by whoever knows the programme. Two examples to set the pattern:

Achievements: _____

Capstones: _____

TD-32 · ARE THESE TRULY READ-ONLY?

The design shows no actions on these screens. Confirm that is intended — in particular whether a student should be able to **respond to a calendar event**, **leave a team**, or **share their Creator Passport** outward. If any of those are wanted, they become new controls to design.

Three surfaces sit above every screen: the top bar, the command palette, and the assistant. They are the primary means of moving around ANCRA — there is no persistent sidebar in the design.

Command palette OVERLAY		SPECIFIED
PURPOSE	Reach any destination or record quickly by typing, without navigating a menu.	
ON ACTIVATION	Opens over the current screen with focus in the query field. Results filter as the user types, grouped by kind.	
SUCCESS	Selecting a result navigates there and closes the palette.	
EMPTY	When nothing matches, the palette says so rather than showing an empty panel.	
PRECONDITIONS	Results are scoped to what the user's role may reach — a student never sees faculty destinations in results.	

TD-33 · WHAT THE PALETTE SEARCHES

The design groups results into several categories. **Which of these are live searches over real content** (lessons, students, assignments) and which are simply lists of destinations? Live content search needs an endpoint per category. Confirm the categories and mark which are which.

AIAH assistant DOCK PANEL		SPECIFIED
PURPOSE	Ask a question and get help without leaving the current screen.	
ON ACTIVATION	Opens a panel; the prompt is sent to the configured AI service and the reply streams in.	
SUCCESS	Response appears progressively. The conversation remains visible while the user works.	
FAILURE	A clear message states the assistant is unavailable. It must not present a fabricated answer.	

TD-34 · ASSISTANT CONTEXT AND HISTORY

Two questions. **Does the assistant know what screen the user is on** and what they are working on — or is every question asked cold? Context makes it far more useful but means sending student data to the AI service.

And **is the conversation retained** between sessions? If yes, for how long, and can the student clear it?

Two shell surfaces the design leaves largely undrawn. Both need defining before the shell is complete.

Notifications BELL + PANEL		TO DEFINE
PURPOSE	Tell the user something needs their attention.	
ON ACTIVATION	Opens a list of notifications. That panel is not designed. See TD-35.	
INDICATOR	The bell shows an unread count when items are waiting.	

TD-35 · NOTIFICATION MODEL

A notification bell appears in the design but **no notification panel was drawn**. Define what generates a notification for each role. Likely candidates — confirm and add:

Student: grade returned, assignment issued, peer review assigned, deadline approaching, portfolio approved

Faculty: work submitted, review outstanding, cohort deadline passed


Also: are notifications in-app only, or email as well? Do they persist once read?

Settings SCREEN		TO DEFINE
PURPOSE	Let the user adjust their own preferences.	
ON ACTIVATION	The design shows two controls without labels. See TD-36.	

TD-36 · WHAT IS IN SETTINGS?

The Settings screen is largely undrawn. **List what a user can change** — notification preferences, display name, avatar, accessibility options, language? And note which apply to ANCRA only versus which belong to the ANCRID profile shared across the ecosystem.

ANCRA presents the surrounding ANCR modules and offers actions that reach into them. These are the seams between ANCRA and the rest of the ecosystem, and each depends on the target module exposing something to call.



MODULE	ACTION IN ANCRA	WHAT IT SHOULD DO
ANCRLAB	Open the DAW	Opens the student's workspace in ANCRLAB.
	Upload stems	Sends audio files into the student's ANCRLAB project. Depends on file upload, page 13.
	Book room	Reserves studio time. Requires a booking capability in ANCRLAB.
	Export to INHEIRA	Sends finished work onward for publishing and rights registration.
ANCRSync	3 collaboration actions	Opens shared workspaces and sessions.
COHEIR	3 mentorship actions	Reaches mentorship and portfolio review.
INHEIRA	2 publishing actions	Reaches publishing, credits and rights.
ANCRID	1 identity action	Opens the student's identity and Creator Passport.

TD-37 · MODULE ENTRY POINTS

For each action above, **what does the target module need to expose?** A URL that accepts a session and a context identifier is the minimum. This cannot be built from the ANCRA side alone — it needs agreement with each module team. Note which modules are ready and which are not.

TD-38 · SAME TAB OR NEW?

When a user opens another module, do they **leave ANCRA** or does it open alongside? And is there a route back? This shapes whether ANCRA feels like a hub or a departure point.

Coming-soon modules		SURFACE	DECISION
PURPOSE	Show a module that exists in the ecosystem plan but is not yet available.		
DECISION	The design offers Notify me at launch and Read the spec . Either wire the first to a real waitlist that records the request and the second to a real document, or present the module without actions. A control that registers nothing should not be shown.		

Each role has a landing screen summarising what matters and offering routes into the work. Both are composite surfaces assembled from data owned by other screens.

Student Dashboard

ELEMENT	SOURCE	BEHAVIOUR
Continue learning	Learning journey	Opens the next incomplete lesson. If none, points to the journey.
Progress indicator	Completion records	Shows advancement through the programme. See TD-39.
Upcoming events	Calendar	Next scheduled items.
RSVP	Calendar	Records attendance intent for an event. PROPOSED
Add to Calendar	Calendar	Adds to the student's own external calendar. TD-40
Portfolio score	Portfolio	A measure of portfolio strength. See TD-39.

TD-39 · HOW ARE PROGRESS AND PORTFOLIO SCORE CALCULATED?

The dashboard shows a progress figure and a portfolio score, both with a trend indicator. **Define the calculation for each.** Progress is presumably lessons completed over lessons available — confirm. Portfolio score is less obvious: what raises it, and over what period is the trend measured?

TD-40 · EXTERNAL CALENDAR

Add to Calendar implies a calendar outside ANCRA. Which — a downloaded calendar file the user opens, or a connected account? A file download is far simpler and needs no integration; confirm that is sufficient.

Faculty Command Centre

ELEMENT	SOURCE	BEHAVIOUR
Attention queue	Submissions, deadlines	Items needing action, with Review / Schedule / Dismiss. See page 08.
Cohort summary	Cohorts	Cohorts taught, with size and progress.
Analytics	Student activity	Engagement and completion across cohorts. See TD-41.

TD-41 · WHICH ANALYTICS MATTER?

The design shows an analytics surface without settling what it measures. **Name the handful of figures faculty actually need** to spot a student falling behind or a cohort struggling. Fewer, well-chosen measures will serve better than a broad dashboard.

Note that most of these depend on completion and submission data existing first — see the sequencing note on page 17.

DECISION — ANALYTICS DEPEND ON EARLIER WORK

Every figure on the faculty analytics surface derives from student activity: lessons completed, work submitted, grades returned. None of that data exists until the learning and submission flows are built. **Analytics should be specified in detail only after those land**, or it risks being designed around measures that cannot be produced.

Three capabilities are relied on by several screens. Each is specified once here rather than repeated, and each is a prerequisite for the screens that depend on it.

Media playback

Media playback	CAPABILITY	SPECIFIED
NEEDED BY	Lesson Player (page 04) · Peer Review listening (page 06) · submitted audio in Grading (page 08)	
MUST SUPPORT	Play, pause, seek, elapsed and remaining time, volume. Position reported periodically so it survives leaving the screen.	
FAILURE	A clear message that the media could not be loaded, with retry. Never a silent empty player.	
OPEN	Format, hosting and streaming approach — TD-05. Captions and transcripts — TD-42.	

TD-42 · CAPTIONS AND TRANSCRIPTS

Are **captions required** on lesson media, and are **transcripts** provided? Both carry accessibility obligations for an educational product and affect what must be produced alongside every lesson. If required, note who produces them.

File upload

File upload	CAPABILITY	TO DEFINE
NEEDED BY	Assignment submission (page 06) · Lesson Builder media (page 07) · ANCRLAB stem upload (page 14) · portfolio artefacts (page 05)	
MUST SUPPORT	Select file, show progress, confirm success, report failure without losing the surrounding form.	
OPEN	Storage location, accepted types, size limits, retention — TD-43.	

TD-43 · FILE STORAGE

No upload capability exists in the design or on our infrastructure yet, and four separate flows depend on it. Define: **where files are stored, which types are accepted** per context (audio for stems, documents for assignments), **maximum size**, and **who may retrieve a file** once uploaded. Note also how long student work is retained after graduation.

Notifications

Notifications	CAPABILITY	TO DEFINE
NEEDED BY	Assessment cycle (page 08) · shell bell (page 13) · assignment issue (page 06)	
MUST SUPPORT	Generate on defined events, mark read, surface an unread count.	
OPEN	Triggering events and delivery channels — TD-25, TD-35.	

How the work in this document depends on itself, and how prototype-platform language maps to our own infrastructure.

SUGGESTED BUILD SEQUENCE

Several items in this document depend on others and should not be scheduled in parallel:

1. Identity (page 02) — nothing else can be safely deployed without role enforcement.

2. Media playback and file upload (this page) — shared infrastructure that several screens need.

3. Submission and assessment (pages 05, 06, 08) as one workstream — a submission with nowhere to go is not useful, and grading with nothing to grade is untestable.

4. Progress, dashboards and analytics (page 15) — these can only be truthful once real activity exists to compute from.

5. Ecosystem actions (page 14) — gated on other module teams, so treat as a separate track.

Target infrastructure vocabulary

PROTOTYPE RELIED ON	DOCUMENTED AS	STATUS
Hosted AI service	Configured AI service	Capability proven in the prototype assistant. Provider and account to be chosen for our infrastructure.
Platform-managed identity	ANCRID session	Integration required. See page 02.
—	Approved media storage	Does not exist. Blocks four flows — TD-43.
Seeded demonstration data	—	Not carried forward. Every screen must handle a genuinely empty account.

Every open item in this document, in order. Work through them and mark each complete. Items marked **blocks build** prevent the affected screen being built at all; the rest can be answered in parallel with development.

ID	PAGE	QUESTION	PRIORITY	DONE
TD-01	02	Faculty scope — all students or only own cohorts?	Blocks build	
TD-02	02	Additional roles beyond student and faculty?	Before build	
TD-03	03	Difference between Welcome and Landing entry routes	Minor	
TD-04	04	What marks a lesson complete?	Blocks build	
TD-05	04	Lesson media format, hosting and delivery	Blocks build	
TD-06	04	Bookmark scope, and where bookmarks are listed	Before build	
TD-07	04	Lesson discussion model — or drop the control	Before build	
TD-08	04	Share target — internal, cohort, or public	Before build	
TD-09	05	What "Sign" means on a portfolio — lock, reverse, notify	Blocks build	
TD-10	05	Portfolio requirements before signing	Before build	
TD-11	05	Graduation packet contents and recipient	Blocks build	
TD-12	05	Graduation readiness conditions	Blocks build	
TD-13	06	Assignment submission screen — not designed	Blocks build	
TD-14	06	Resubmission and late submission rules	Before build	
TD-15	07	Peer review model — anonymity, assignment, count	Blocks build	
TD-16	07	Peer review structure — free text or criteria	Before build	
TD-17	07	What a Creative Project contains	Blocks build	
TD-18	08	Draft and publish model, versioning	Blocks build	
TD-19	08	Who may publish — approval step needed?	Before build	
TD-20	08	Lesson sequencing and prerequisites	Blocks build	
TD-21	08	What a curriculum canvas block is	Before build	
TD-22	08	Assignment targeting and scheduled release	Before build	

ID	PAGE	QUESTION	PRIORITY	DONE
TD-23	08	Rubric reuse across assignments	Before build	
TD-24	08	Creative team membership rules	Before build	
TD-25	09	Who is notified at each assessment step	Blocks build	
TD-26	09	Approval semantics — reversible, locking, vs grading	Blocks build	
TD-27	09	Where feedback starting points come from	Minor	
TD-28	09	Grade format, visibility and amendment	Blocks build	
TD-29	10	What Dismiss and Schedule do in the queue	Before build	
TD-30	10	What events generate a faculty queue item	Before build	
TD-31	11	Empty-state copy for each record surface	Minor	
TD-32	11	Confirm record surfaces are read-only	Before build	
TD-33	12	What the command palette searches	Before build	
TD-34	12	Assistant context and conversation retention	Before build	
TD-35	13	Notification model — panel not designed	Blocks build	
TD-36	13	Settings contents	Before build	
TD-37	14	Module entry points — needs other module teams	Separate track	
TD-38	14	Same tab or new when leaving for a module	Minor	
TD-39	15	Progress and portfolio score calculation	Blocks build	
TD-40	15	External calendar approach	Minor	
TD-41	15	Which analytics figures matter	After activity data	
TD-42	16	Captions and transcripts on lesson media	Before build	
TD-43	16	File storage, types, limits, retention	Blocks build	

SUMMARY

43 open items. Of these, **15 block the build** of the screen they affect — mostly concentrated in the learning flow, student submission and the assessment cycle. A further 20 should be answered before those screens are built but do not prevent starting. The remainder are minor or depend on other teams.

The fastest route to a buildable specification is to answer the 15 blocking items first. They cluster into four conversations: **what completion and progress mean** (TD-04, TD-20, TD-39), **what students submit and what happens to it** (TD-09, TD-11, TD-12, TD-13, TD-15, TD-17), **how assessment works** (TD-25, TD-26, TD-28), and **infrastructure** (TD-05, TD-43, TD-35, TD-01).

HOW TO RETURN THIS DOCUMENT

Answers can be written directly onto a printed copy, or typed into the editable HTML source supplied alongside this PDF — each fill-in area is a labelled block in that file. Once the blocking items are answered, this specification is rebuilt with those answers folded in as **Specified** behaviour, and the remaining open items carried forward.