

NServiceBus and Service Fabric

daniel.marbach@particular.net @danielmarbach


bob.langley@particular.net @boblangley


A Tale of

chocolate

A few hours


Microservices 1.0







The RPC callstack of

Microservices 2.0









a happy life


a happy life


Microservices 3.0



DB Cluster Cold Storage







Recap

Stateful computation with low latency requires smart routing

Service Fabric with stateless and stateful services combined with messaging gives you best of two worlds

Slides, Links...

github.com/danielmarbach/Service-fabric-webinar

NServiceBus Quick Start

In this tutorial, we'll see why software systems built on asynchronous messaging using NServiceBus are superior to traditional synchronous HTTP-based web services. We'll also show how NServiceBus guarantees reliability and extensibility that can't be achieved with REST.

This tutorial skips over some concepts and implementation details in order to get up and running quickly. If you'd prefer to go more in-depth, check out our Introduction to NServiceBus tutorial. It will teach you the NServiceBus API and important concepts you need to learn to build successful message-based software systems.


To get started, download the solution, extract the archive, and then open the RetailDemo.sIn file with Visual Studio 2017^{cf}.

▲ Download the solution now

Project structure


The solution contains four projects. The ClientUI, Sales, and Billing projects are endpoints that communicate with each other using NServiceBus messages. The ClientUI endpoint mimics a web application and is an entry point in our system. The Sales and Billing endpoints contain business logic related to processing and fulfilling orders. Each endpoint references the Messages assembly, which contains the definitions of messages as POCO class files.

As shown in the diagram, the ClientUI endpoint sends a PlaceOrder command to the Sales endpoint. As a result, the Sales endpoint will publish an OrderPlaced event using the publish/subscribe pattern, which will be received by the Billing endpoint.



The solution mimics a real-life retail system, where the command to place an order is sent as a result of a customer interaction, and the actual processing occurs in the background. Publishing an event allows us to isolate the code to bill the credit card from the code to place the order, reducing coupling and making the system easier to maintain over the long term. Later in this tutorial, we'll see how to add a second subscriber in the **Shipping** endpoint which would begin the process of shipping the order.

docs.particular.net/ tutorials/quickstart



docs.particular.net/ samples/azure/azure-service-fabrication

Home / Samples / Azure Samples

Service Fabric Partition Aware Routing

Nugets Used → 🗹 Edit Code → Component: NServiceBus | Nuget: NServiceBus (Version: 6.x)

This sample currently makes use of a pre-release version of NServiceBus.Persistence.ServiceFabric.

The sample demonstrates how the NServiceBus API can be used to implement partition aware routing for services hosted inside a Service Fabric cluster. It takes advantage of routing system extensibility points and custom pipeline behaviors to support various types of NServiceBus communication patterns. It is assumed that the NServiceBus users are able to define mapping between message type and service partition for each message. It is also assumed that send local, timeout and reply messages are partition affine i.e. should be processed in the context of originating partition. The sample consists of services hosted inside and outside the Service Fabric and enables proper communication between the two.

Scenario

The scenario used in this sample covers a voting system. In this voting system the cast votes are counted by candidate. The endpoint responsible for counting candidate votes is subscribed to an event published when votes are cast.


Next to this the system also counts the total number of votes cast in each zip code. In order to achieve this the candidate voting endpoint issues a request to the zip code counting endpoint to track the zip code. The zip code counting endpoint will reply back with the intermediary results.

When the election is closed, the candidate vote counting endpoint will publish the results per candidate and report W Event Viewer windows^d
).

ode counting endpoint sends a local command to report the

- There are only 2 candidates in the election, called "John" and "Abby",
- Zip codes are integers in the range of 0 to 99000.

This simplifies partition id value calculation. In a real world scenario a hash function could be used to perform mapping from arbitrary input types.



NServiceBus

(((()) Transports

Persistence

ServiceInsight

✓ ServicePulse

ServiceControl

Samples

General

Azure

Azure Service Bus Transport Long running operations with Azure Service Bus

Service Fabric Partition Aware Routing

Azure Blob Storage DataBus

Custom ASB Namespace Partitioning Custom Sanitization with Azure Service Bus

Native Integration with Azure Service Bus Transport

Azure Service Bus Performance Tuning Polymorphic events with Azure Service Bus Transport

Shared Hosting in Azure Cloud Services

Azure Storage Persistence Azure Storage Queues Transport

Container

Custom Checks

Encryption





daniel.marbach@particular.net @danielmarbach

bob.langley@particular.net @boblangley

