

Notes from CS 450

Daniel Craig
Department of Computer Science
BYU Idaho - Class of 2019

September 28, 2018

1 Notes from Chapter 1

I have not read Chapter 1 yet.

2 Notes from Chapter 2

“Accuracy is defined as the sum of the number of true positives and true negatives divided by the total number of examples.”

$$Accuracy = \frac{TP + TN}{TP + FP + TN + FN} \quad (1)$$

“Sensitivity (also known as the true positive rate) is the ratio of the number of correct positive examples to the number classified as positive”

$$Sensitivity = \frac{TP}{TP + FN} \quad (2)$$

“specificity is the same ratio for negative examples”

$$Specificity = \frac{TN}{TN + FP} \quad (3)$$

“Precision is the ratio of correct positive examples to the number of actual positive examples”

$$Precision = \frac{TP}{TP + FP} \quad (4)$$

Recall is the ratio of the number of correct positive examples out of those that were classified as positive, which is the same as sensitivity.

$$\frac{TP}{TP + FN} \quad (5)$$

Bayes rule is the most important equation in machine learning, and it is as follows:

$$P(C_i|X_j) = \frac{P(X_j|C_i)P(C_i)}{P(X_j)} \quad (6)$$

“Bayes rule relates the posterior probability

$$P(C_i|X_j)$$

with the prior probability

$$P(C_i)$$

and class conditional probability

$$P(X_j|C_i)$$

. The denominator (the term on the bottom of the fraction) acts to normalise everything, so that all the probabilities sum to 1.”