

Evermount project documentation

Systems, information architecture, API contracts the frontend actually calls, and the dual-product split. Companion to docs/BACKEND_FRONTEND_SYNC_PROMPT.md.

1. Repositories and runtime

System	What it is	Notes
evermount-capital	Next.js 15 marketing site + account dashboard	Node 24, Yarn 1, Vercel, port 3001 locally
Backend (separate repo)	REST API at api.evermount.co	JWT, wallets, KYC, admin — keep stable
gex-engine	Internal Python FastAPI research engine	Uncommitted in frontend repo; paper mode; not public

2. Public information architecture

Nav: Platform, Markets, Institutions, Developers, Research, Company. Primary CTA: Request Access → /book-demo. Secondary: Explore Platform.

Path	Role
/	Homepage — infrastructure positioning
/platform /infrastructure /technology	Product and stack (conceptual)
/markets /institutions /developers /research	Audience and access
/pricing	Quoted tiers; no invented prices
/book-demo /partners /about /careers	Sales and company
/terms /privacy /data-policy /api-terms /risk-disclosure ...	Legal — counsel should still review

Frontend 301 redirects

- /investor-tour → /platform-tour
- /portfolio-insights → /analytics
- /capital → /institutions
- /features → /platform
- /investment-agreement → /terms

3. Private application (still live)

robots.txt disallows /login, /register, password flows, /dashboard, and /api. That is not access control. The dashboard sidebar still exposes Overview, Trade, Portfolio, Wallet, Transactions, Documents, Verification, Help, Settings, plus admin Users, Managers, KYC, Withdrawals, Trading Ops, Compliance.

Login page copy and metadata still say “Evermount Capital investor portal.” That contradicts the public site and should be fixed on the frontend; backend emails should already use infrastructure wording so crawlers and inboxes do not tell two stories.

4. Frontend API client

Single Axios instance: `src/lib/api/client.ts`. Base URL: `NEXT_PUBLIC_API_URL` or `https://api.evermount.co`. Request interceptor attaches Bearer access token. On 401, POST `/auth/refresh` with `{ refreshToken }`; retry once; otherwise clear auth and redirect to `/login`. Error toast text: `response.data.error.message` then `response.data.message` (`src/lib/api-error.ts`).

Domain modules composed in `src/lib/api-client.ts`: auth, users, kyc, wallets, deposits, withdrawals, investments, portfolio, transactions, dashboard, risk, documents, demo, newsletter, ops, portfolioManager, security, statements, compliance, admin. Mock mode: `NEXT_PUBLIC_API MOCKING=enabled` (MSW).

5. Contracts that must not drift

Call	Path	Body / response
Register	POST <code>/auth/register</code>	<code>{ email, password, fullName }</code>
Login	POST <code>/auth/login</code>	<code>{ email, password }</code> → <code>token, user, refreshToken</code>
Refresh	POST <code>/auth/refresh</code>	<code>{ refreshToken }</code> → <code>{ token, refreshToken }</code>
Request Access	POST <code>/demo-booking</code>	<code>{ fullName, email, company?, preferredDateTime, message? }</code>
Calendar	GET <code>/booked-demo-slots</code>	<code>{ bookedSlots: ISO string[] }</code>
Newsletter	POST <code>/waitlist</code>	<code>{ email }</code>
Dashboard	GET <code>/dashboard/stats</code>	Authenticated
Wallet	GET <code>/wallets/balance, /wallets/history</code>	Authenticated

Also live: investments (options, preferences, trade preview/execute, create, close), deposits, withdrawals, KYC, statements download, risk/assessment, GitHub/Google/X/Apple auth, admin users/KYC/settings. Source of truth if this PDF and the server disagree: `src/lib/api/*.ts`.

6. Next.js BFF routes (not the main API)

- POST `/api/auth/github/callback` — OAuth code exchange, then backend `/auth/github`
- POST `/api/chat` — support chat (OpenAI keys server-side only)
- Stripe create-intent via `/api/stripe/create-intent` when used
- GET `/api/health` — frontend health

7. Environment

See `.env.example`: `NEXT_PUBLIC_API_URL`, `NEXT_PUBLIC_APP_URL`, Stripe publishable key, GitHub OAuth, OpenAI for chat, optional Sentry and Intercom (Intercom off by default). Never put Stripe secret keys in the frontend repo.

8. Security headers and SEO

`next.config.ts` sets X-Frame-Options DENY, nosniff, Referrer-Policy, Permissions-Policy, HSTS. Sitemap lists marketing and legal routes only. Do not add `/login` or `/dashboard` to the sitemap.

9. Internal research engine (gex-engine)

Separate Python service for XAUUSD / COMEX gold options analytics and a paper decision snapshot. Default PAPER. It does not place broker orders. Typical local routes include `/api/decision`, `/api/market`, `/api/status`. Do not expose this as `www.evermount.co` developer documentation. Do not commit secrets from `gex-engine/.env`.

10. Known inconsistencies to fix

- Public site = infrastructure; login metadata = investor portal.
- Homepage repeats the same six capabilities and publishes a company roadmap.
- Hero Top Movers (crypto/equities sample) reads as retail, not infra.
- Empty careers and coming-soon research still sit in primary nav.
- Kenya phone and TikTok/Discord vs global institutional claim.

11. Backend sync

Paste `docs/BACKEND_FRONTEND_SYNC_PROMPT.md` into the backend repo agent. Priority: copy/email/OpenAPI/CORS; confirm demo-booking and waitlist; do not break capital APIs; do not publish fake market or execution APIs because the marketing site listed them.

12. Document control

These PDFs are internal. They describe intent and current code, not audited financials. Update when the Track B account product is split or retired, and when the first real gated API ships.