

DE/OL 80 – T300 – AG500



DE/OL 80 INJECTOR:

- Electric motor 4 kW (5,5 kW with DE/OL 80S)
- Adjustable max pressure 80 bar (110 bar with DE/OL 80S)
- Adjustable flow rate 60 lt/min
- Pre-settable stroke counter

TURBO-MIXER 300 LT

- Electric motor 5,5 Kw
- Pression 1,5 bar -Flow rate 700 lt/min
- Mechanical water liter counter
- Magnetic safety sensors

AGITATOR 500 LT

- Electric motor 1,1 kW
- Reducer to 60 RPM
- Magnetic safety sensors

DIMENSIONS: cm 275 x 112 x h225

WEIGHT: kg 950

POWER SUPPLY: 32 Amp.

PRICE: € 36.595,00 (€ 37.225,00 with DE/OL 80S)

DE/OL 100 – T300 – AG750



DE/OL 100 INJECTOR

- Electric motor 9,2 kW
- Adjustable max pressure 110 bar
- Adjustable flow rate 100 lt/min
- Pre-settable stroke counter

TURBO-MIXER 300 LT

- Electric motor 5,5 kW
- Pression 1,5 bar -Flow rate 700 lt/min
- Mechanical water liter counter
- Magnetic safety sensors

AGITATOR 750 LT

- Electric motor 1,5 kW
- Reducer to 60 RPM
- Magnetic safety sensors

DIMENSIONS: cm 240 x 185 x h230

WEIGHT: kg 1450

POWER SUPPLY: 32 Amp.

PRICE: € 47.036,00

1.0 OPTIONAL ACCESSORIES



1.0 WASH PUMP

- Electric motor 2,2 kW
- Flow rate 12 lt/min -Pressure 110 bar
- With lance and hose reel
- Managed by the electrical panel

PRICE: € 2.800,00



1.1 WATER LOADING PUMP

- Electric motor 1,1 kW
- Flow rate up to 2200 lt/min
- Managed by the electrical panel

PRICE: € 1.735,00



1.2 WEIGHING SYSTEM

- Nr.3 load cells installed under the turbo-mixer
- Weight display. Does not record data.

LIST PRICE: € 2.400,00

YOUR PRICE: € 1.920,00 (20% discount)

EXTERNAL SCREW AND VIBRATOR MANAGEMENT OPTION

PRICE: € 800,00



1.3 COMPRESSOR

- For the management and control of pneumatic valves
- Motor 0,75 kW -Tank 15 LT -Max pressure 8 bar
- Managed by electrical panel

X2 PNEUMATIC VALVES

- For recirculation and transfer from turbo-mixer to agitator

PRICE: € 2.320,00

2.0 TECHNOLOGY



2.0 TECHNOLOGY FOR INJECTION (REMOTE IN)

- 10" display
- Setup/control/data export of: valve break pressure, maximum pressure, injection volume, stop GIN value.
- Adjustable constant flow rate
- Data management/export from the screen and remote computer
- Includes software supply
- Pressure sensor and flow meter included

PRICE: € 9.400,00



2.1 TECHNOLOGY FOR MIXING (REMOTE MES)

- 10" display
- Including compressor, load cells, water loading pump, pneumatic valves.
- Setting of 3 recipes with weighing via load cells.
- Data management/download from screen and/or remote computer.
- Includes software supply
- Includes and Replaces Weighing System
- Management of external screw and vibrator

PRICE: € 14.200,00



2.3 TECHNOLOGY FOR MIXING AND INJECTION (REMOTE TOT)

- 16" display
- Includes and replaces RemoteIn injection and RemoteMes mixing systems
- Includes Weighing System and external screw and vibrator management

PRICE: € 22.000,00



THE DIMENSIONS OF THE SYSTEMS WITH AUTOMATIC MIXING (REMOTE MES) OR WITH 2.0 TECHNOLOGY FOR BOTH MIXING AND INJECTION (REMOTE TOT) HAVE LARGER DIMENSIONS, APPROXIMATELY 200 x 200 cm, WHICH WILL NEED TO BE VERIFIED FROM TIME TO TIME BASED ON THE CHOSEN SETUP.

All pumps can be modified and custom build according to customers wishes and demand.

Contact info

Jukka@nasps.se
Ingemar@nasps.se

+358 40 079 3534
+46 730 60 62 52