























Added basic client and server Browse files



 main

Daniel Mitrov committed on Sep 4, 2020 0 parents commit 343bf1f

 Showing 49 changed files with 18,168 additions and 0 deletions. Split Unified

Filter changed files

-  .gitignore 
- ▼  client
-  .babelrc 
-  .eslintignore 
-  .eslintrc.js 
- ▼  dist
-  index.html 
-  package-lock.json 
-  package.json 
- ▼  src
-  App.tsx 
- ▼  api
-  index.ts 

▼ 8  .gitignore 

...

...

@@ -0,0 +1,8 @@

1 + **/dist/

2 + !client/dist/index.html

3 + **/node_modules/



4 + **/build/

5 + *.tsbuildinfo

6 +

7 + # dev

8 + .idea/

▼ 31  client/.babelrc 

...

...

@@ -0,0 +1,31 @@

1 + {

2 + "presets": [

3 + "@babel/preset-env",

4 + "@babel/preset-react"

5 +],

6 + "plugins": [

7 + "react-hot-loader/babel",

8 + ["transform-imports", {

9 + "@fortawesome/pro-

10 + regular-svg-icons": {

11 + "transform":

12 + "@fortawesome/pro-regular-svg-

13 + icons/\${member}",

14 + "skipDefaultConversion": true

15 + },

16 + "@fortawesome/pro-solid-

17 + svg-icons": {

- login.ts
- assets
 - fonts/Lato
 - Lato-Black.ttf
 - Lato-BlackItalic.ttf
 - Lato-Bold.ttf
 - Lato-BoldItalic.ttf
 - Lato-Italic.ttf
 - Lato-Light.ttf
 - Lato-LightItalic.ttf
 - Lato-Regular.ttf
 - Lato-Thin.ttf
 - Lato-ThinItalic.ttf
 - Lato.css
 - images
 - favicon.png
 - fingerprint.svg
- components

```
14 +       "transform":
15 +       "@fortawesome/pro-solid-svg-
16 +       icons/${member}",
17 +       "skipDefaultConversion": true
18 +     },
19 +     "@fortawesome/pro-light-
20 +     svg-icons": {
21 +       "transform":
22 +       "@fortawesome/pro-light-svg-
23 +       icons/${member}",
24 +       "skipDefaultConversion": true
25 +     },
26 +     "rc-slider": {
27 +       "transform": "rc-
28 +       slider/lib/${member}",
29 +       "skipDefaultConversion": true
30 +     }
31 +   }
32 + }]
```

1

client/.eslintignore

...	...	@@ -0,0 +1 @@
	1	+ /dist/

60

client/.eslintrc.js

...	...	@@ -0,0 +1,60 @@
	1	+ module.exports = {
	2	+ parser: '@typescript-
	3	+ eslint/parser',
	4	+ rules: {
	5	+ indent: [
	6	+ 'error',
		4,

```

7 +         {
8 +             SwitchCase: 1,
9 +         },
10 +     ],
11 +     quotes: [
12 +         'error',
13 +         'single'
14 +     ],
15 +     'comma-dangle': [
16 +         'error',
17 +         'always-multiline',
18 +     ],
19 +     semi: [
20 +         'error',
21 +         'always'
22 +     ],
23 +     'no-unused-vars': [
24 +         'error',
25 +         {
26 +
27 +             ignoreRestSiblings: true,
28 +         },
29 +     ],
30 +     '@typescript-eslint/explicit-function-
        return-type': 'off',
31 +     '@typescript-eslint/no-
        use-before-define': ['error',
        {functions: false, classes:
        false}],
32 +     '@typescript-eslint/no-
        explicit-any': ['off'],
33 +     '@typescript-eslint/no-
        empty-interface': ['off'],
34 +     },
35 +     env: {
36 +         es6: true,
37 +         browser: true,
38 +     },
39 +     parserOptions: {
40 +         ecmaVersion: 2018,
41 +         sourceType: 'module',
42 +         ecmaFeatures: {
43 +             'jsx': true,
44 +         },
45 +     },
46 +     extends: [
        'eslint:recommended',

```

```
47 + 'plugin:react/recommended',
48 + 'plugin:@typescript-
  eslint/eslint-recommended',
49 + 'plugin:@typescript-
  eslint/recommended',
50 + ],
51 + globals: {
52 +   'Atomics': 'readonly',
53 +   'SharedArrayBuffer':
    'readonly',
54 +   'API_URL': 'readonly',
55 + },
56 + plugins: [
57 +   'react',
58 +   '@typescript-
    eslint/eslint-plugin'
59 + ]
60 + };
```

▼ 14 ■■■■■ client/dist/index.html 

```
...    ...    @@ -0,0 +1,14 @@
1 + <!DOCTYPE html>
2 + <html lang="en">
3 + <head>
4 +   <meta charset="UTF-8">
5 +   <title>Guard | Team
    Bravo</title>
6 +   <base href="/" />
7 +   <meta name="viewport"
    content="width=device-width,
    initial-scale=1.0">
8 +   <link rel="stylesheet"
    type="text/css"
    href="main.css" />
9 + </head>
10 + <body>
11 +   <div id="app"></div>
12 +   <script src="bundle.js">
    </script>
13 + </body>
14 + </html>
```

▼ 11,706 ■■■■■ client/package-lock.json 

Load diff

Large diffs are not rendered by default.

▼ 65 ■■■■■ client/package.json 

```
...      @@ -0,0 +1,65 @@
1      + {
2      +   "name": "guard-client",
3      +   "version": "1.0.0",
4      +   "scripts": {
5      +     "clean": "rm
      dist/bundle.js",
6      +     "build-dev": "webpack -d --
      mode development",
7      +     "build-prod": "webpack -p -
      -mode production",
8      +     "start": "webpack-dev-
      server --hot --mode
      development"
9      +   },
10     +   "dependencies": {
11     +     "@tippyjs/react": "^4.0.2",
12     +     "axios": "^0.19.2",
13     +     "classnames": "^2.2.6",
14     +     "color": "^3.1.2",
15     +     "howler": "^2.1.3",
16     +     "lodash": "^4.17.15",
17     +     "luxon": "^1.23.0",
18     +     "react": "^16.13.1",
19     +     "react-animate-height":
      "^2.0.20",
20     +     "react-awesome-reveal":
      "^2.4.2",
21     +     "react-dom": "^16.13.1",
22     +     "react-helmet": "^6.0.0",
23     +     "react-hot-loader":
      "^4.12.20",
24     +     "react-modal": "^3.11.2",
25     +     "react-router-dom":
      "^5.1.2"
26     +   },
27     +   "devDependencies": {
28     +     "@babel/core": "^7.9.0",
```

```
29 +   "@babel/preset-env":
    "^7.9.0",
30 +   "@babel/preset-react":
    "^7.9.4",
31 +   "@hot-loader/react-dom":
    "^16.13.0",
32 +   "@svgr/webpack": "^5.3.0",
33 +   "@types/classnames":
    "^2.2.10",
34 +   "@types/color": "^3.0.1",
35 +   "@types/howler": "^2.1.2",
36 +   "@types/lodash":
    "^4.14.149",
37 +   "@types/rc-slider":
    "^8.6.5",
38 +   "@types/react": "^16.9.32",
39 +   "@types/react-dom":
    "^16.9.6",
40 +   "@types/react-helmet":
    "^5.0.15",
41 +   "@types/react-modal":
    "^3.10.5",
42 +   "@types/react-router-dom":
    "^5.1.3",
43 +   "@typescript-eslint/eslint-
    plugin": "^2.26.0",
44 +   "@typescript-
    eslint/parser": "^2.26.0",
45 +   "babel-loader": "^8.1.0",
46 +   "babel-plugin-transform-
    imports": "^2.0.0",
47 +   "css-loader": "^3.4.2",
48 +   "eslint": "^6.8.0",
49 +   "eslint-plugin-react":
    "^7.19.0",
50 +   "file-loader": "^6.0.0",
51 +   "less": "^3.11.1",
52 +   "less-loader": "^5.0.0",
53 +   "lodash-webpack-plugin":
    "^0.11.5",
54 +   "mini-css-extract-plugin":
    "^0.9.0",
55 +   "optimize-css-assets-
    webpack-plugin": "^5.0.3",
56 +   "style-loader": "^1.1.3",
57 +   "terser-webpack-plugin":
    "^2.3.5",
58 +   "ts-loader": "^6.2.2",
59 +   "typescript": "^3.9.7",
```

```
60 +     "url-loader": "^4.0.0",
61 +     "webpack": "^4.42.1",
62 +     "webpack-cli": "^3.3.11",
63 +     "webpack-dev-server":
        "^3.10.3"
64 +   }
65 + }
```

✓ 22 ■■■■■ client/src/App.tsx 

```
...    ...    @@ -0,0 +1,22 @@
1      + import React from 'react';
2      + import {BrowserRouter as
      Router, Switch, Route} from
      'react-router-dom';
3      + import {Helmet} from 'react-
      helmet';
4      +
5      + import faviconImage from
      './assets/images/favicon.png';
6      + import LoginPage from
      './pages/LoginPage/LoginPage';
7      +
8      +
9      + export default function App() {
10     +   return <>
11     +     <Helmet>
12     +       <link rel="icon"
      type="image/png" href=
      {faviconImage}/>
13     +     </Helmet>
14     +     <Router>
15     +       <Switch>
16     +         <Route
      path="/">
17     +       <LoginPage/>
18     +         </Route>
19     +       </Switch>
20     +     </Router>
21     +   </>;
22     + }
```

✓ 6 ■■■■■ client/src/api/index.ts 

```
...    ...    @@ -0,0 +1,6 @@
1      + import axios from 'axios';
2      +
```

```
3 +
4 + export const API =
  axios.create({
5 +   baseURL:
    'http://localhost:5000/api/v1',
6 + });
```



▼ 8 client/src/api/login.ts 

```
... @@ -0,0 +1,8 @@
1 + import {API} from './index';
2 +
3 +
4 + export async function
  sendCredentials(credentials:
    {username: string, password:
      string}) {
5 +   const response = await
    API.post('/user/login',
      credentials);
6 +
7 +   return response.data;
8 + }
```

▼ BIN +67.9 KB

client/src/assets/fonts/Lato/Lato-Black.ttf 

Binary file not shown.

▼ BIN +70.3 KB

client/src/assets/fonts/Lato/Lato-BlackIta... 

Binary file not shown.

▼ BIN +71.6 KB

client/src/assets/fonts/Lato/Lato-Bold.ttf 

Binary file not shown.

▼ BIN +75.9 KB

client/src/assets/fonts/Lato/Lato-BoldItal... 

Binary file not shown.

✓ BIN +74 KB

client/src/assets/fonts/Lato/Lato-Italic.t... 

Binary file not shown.

✓ BIN +75.4 KB

client/src/assets/fonts/Lato/Lato-Light.ttf 

Binary file not shown.

✓ BIN +47.9 KB

client/src/assets/fonts/Lato/Lato-LightIta... 

Binary file not shown.

✓ BIN +73.4 KB

client/src/assets/fonts/Lato/Lato-Regular.... 

Binary file not shown.

✓ BIN +68.3 KB

client/src/assets/fonts/Lato/Lato-Thin.ttf 

Binary file not shown.

✓ BIN +47.7 KB

client/src/assets/fonts/Lato/Lato-ThinItal... 

Binary file not shown.

✓ 180 

client/src/assets/fonts/Lato/Lato.css 

...	...	@@ -0,0 +1,180 @@
	1	+ /* latin-ext */
	2	+ @font-face {
	3	+ font-family: 'Lato';
	4	+ font-style: italic;
	5	+ font-weight: 100;
	6	+ font-display: swap;

```

7 +     src: local('Lato Hairline
    Italic'), local('Lato-
    HairlineItalic'),
    url(https://fonts.gstatic.com/s
    /lato/v16/S6u-w4BMUTPHjxsIPx-
    mPCLQ7A.woff2) format('woff2');
8 +     unicode-range: U+0100-024F,
    U+0259, U+1E00-1EFF, U+2020,
    U+20A0-20AB, U+20AD-20CF,
    U+2113, U+2C60-2C7F, U+A720-
    A7FF;
9 + }
10 + /* latin */
11 + @font-face {
12 +     font-family: 'Lato';
13 +     font-style: italic;
14 +     font-weight: 100;
15 +     font-display: swap;
16 +     src: local('Lato Hairline
    Italic'), local('Lato-
    HairlineItalic'),
    url(https://fonts.gstatic.com/s
    /lato/v16/S6u-w4BMUTPHjxsIPx-
    oPCI.woff2) format('woff2');
17 +     unicode-range: U+0000-00FF,
    U+0131, U+0152-0153, U+02BB-
    02BC, U+02C6, U+02DA, U+02DC,
    U+2000-206F, U+2074, U+20AC,
    U+2122, U+2191, U+2193, U+2212,
    U+2215, U+FEFF, U+FFFD;
18 + }
19 + /* latin-ext */
20 + @font-face {
21 +     font-family: 'Lato';
22 +     font-style: italic;
23 +     font-weight: 300;
24 +     font-display: swap;
25 +     src: local('Lato Light
    Italic'), local('Lato-
    LightItalic'),
    url(https://fonts.gstatic.com/s
    /lato/v16/S6u_w4BMUTPHjxsI9w2_F
    Qft1dw.woff2) format('woff2');
26 +     unicode-range: U+0100-024F,
    U+0259, U+1E00-1EFF, U+2020,
    U+20A0-20AB, U+20AD-20CF,
    U+2113, U+2C60-2C7F, U+A720-
    A7FF;
27 + }

```

```

28 + /* latin */
29 + @font-face {
30 +     font-family: 'Lato';
31 +     font-style: italic;
32 +     font-weight: 300;
33 +     font-display: swap;
34 +     src: local('Lato Light
        Italic'), local('Lato-
        LightItalic'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u_w4BMUTPHjxsI9w2_G
        wft.woff2) format('woff2');
35 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-
        02BC, U+02C6, U+02DA, U+02DC,
        U+2000-206F, U+2074, U+20AC,
        U+2122, U+2191, U+2193, U+2212,
        U+2215, U+FEFF, U+FFFD;
36 + }
37 + /* latin-ext */
38 + @font-face {
39 +     font-family: 'Lato';
40 +     font-style: italic;
41 +     font-weight: 400;
42 +     font-display: swap;
43 +     src: local('Lato Italic'),
        local('Lato-Italic'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u8w4BMUTPHjxsAUi-
        qJCY.woff2) format('woff2');
44 +     unicode-range: U+0100-024F,
        U+0259, U+1E00-1EFF, U+2020,
        U+20A0-20AB, U+20AD-20CF,
        U+2113, U+2C60-2C7F, U+A720-
        A7FF;
45 + }
46 + /* latin */
47 + @font-face {
48 +     font-family: 'Lato';
49 +     font-style: italic;
50 +     font-weight: 400;
51 +     font-display: swap;
52 +     src: local('Lato Italic'),
        local('Lato-Italic'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u8w4BMUTPHjxsAXC-
        q.woff2) format('woff2');
53 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-

```

```

02BC, U+02C6, U+02DA, U+02DC,
U+2000-206F, U+2074, U+20AC,
U+2122, U+2191, U+2193, U+2212,
U+2215, U+FEFF, U+FFFD;
54 + }
55 + /* latin-ext */
56 + @font-face {
57 +     font-family: 'Lato';
58 +     font-style: italic;
59 +     font-weight: 700;
60 +     font-display: swap;
61 +     src: local('Lato Bold
        Italic'), local('Lato-
        BoldItalic'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u_w4BMUTPHjxsI5wq_F
        Qft1dw.woff2) format('woff2');
62 +     unicode-range: U+0100-024F,
        U+0259, U+1E00-1EFF, U+2020,
        U+20A0-20AB, U+20AD-20CF,
        U+2113, U+2C60-2C7F, U+A720-
        A7FF;
63 + }
64 + /* latin */
65 + @font-face {
66 +     font-family: 'Lato';
67 +     font-style: italic;
68 +     font-weight: 700;
69 +     font-display: swap;
70 +     src: local('Lato Bold
        Italic'), local('Lato-
        BoldItalic'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u_w4BMUTPHjxsI5wq_G
        wft.woff2) format('woff2');
71 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-
        02BC, U+02C6, U+02DA, U+02DC,
        U+2000-206F, U+2074, U+20AC,
        U+2122, U+2191, U+2193, U+2212,
        U+2215, U+FEFF, U+FFFD;
72 + }
73 + /* latin-ext */
74 + @font-face {
75 +     font-family: 'Lato';
76 +     font-style: italic;
77 +     font-weight: 900;
78 +     font-display: swap;

```

```

79 +     src: local('Lato Black
      Italic'), local('Lato-
      BlackItalic'),
      url(https://fonts.gstatic.com/s
      /lato/v16/S6u_w4BMUTPHjxsI3wi_F
      Qft1dw.woff2) format('woff2');
80 +     unicode-range: U+0100-024F,
      U+0259, U+1E00-1EFF, U+2020,
      U+20A0-20AB, U+20AD-20CF,
      U+2113, U+2C60-2C7F, U+A720-
      A7FF;
81 + }
82 + /* latin */
83 + @font-face {
84 +     font-family: 'Lato';
85 +     font-style: italic;
86 +     font-weight: 900;
87 +     font-display: swap;
88 +     src: local('Lato Black
      Italic'), local('Lato-
      BlackItalic'),
      url(https://fonts.gstatic.com/s
      /lato/v16/S6u_w4BMUTPHjxsI3wi_G
      wft.woff2) format('woff2');
89 +     unicode-range: U+0000-00FF,
      U+0131, U+0152-0153, U+02BB-
      02BC, U+02C6, U+02DA, U+02DC,
      U+2000-206F, U+2074, U+20AC,
      U+2122, U+2191, U+2193, U+2212,
      U+2215, U+FEFF, U+FFFD;
90 + }
91 + /* latin-ext */
92 + @font-face {
93 +     font-family: 'Lato';
94 +     font-style: normal;
95 +     font-weight: 100;
96 +     font-display: swap;
97 +     src: local('Lato
      Hairline'), local('Lato-
      Hairline'),
      url(https://fonts.gstatic.com/s
      /lato/v16/S6u8w4BMUTPHh30AUi-
      qJCY.woff2) format('woff2');
98 +     unicode-range: U+0100-024F,
      U+0259, U+1E00-1EFF, U+2020,
      U+20A0-20AB, U+20AD-20CF,
      U+2113, U+2C60-2C7F, U+A720-
      A7FF;
99 + }

```

```

100 + /* latin */
101 + @font-face {
102 +     font-family: 'Lato';
103 +     font-style: normal;
104 +     font-weight: 100;
105 +     font-display: swap;
106 +     src: local('Lato
        Hairline'), local('Lato-
        Hairline'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u8w4BMUTPHh30AXC-
        q.woff2) format('woff2');
107 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-
        02BC, U+02C6, U+02DA, U+02DC,
        U+2000-206F, U+2074, U+20AC,
        U+2122, U+2191, U+2193, U+2212,
        U+2215, U+FEFF, U+FFFD;
108 + }
109 + /* latin-ext */
110 + @font-face {
111 +     font-family: 'Lato';
112 +     font-style: normal;
113 +     font-weight: 300;
114 +     font-display: swap;
115 +     src: local('Lato Light'),
        local('Lato-Light'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u9w4BMUTPHh7USSwaPG
        R_p.woff2) format('woff2');
116 +     unicode-range: U+0100-024F,
        U+0259, U+1E00-1EFF, U+2020,
        U+20A0-20AB, U+20AD-20CF,
        U+2113, U+2C60-2C7F, U+A720-
        A7FF;
117 + }
118 + /* latin */
119 + @font-face {
120 +     font-family: 'Lato';
121 +     font-style: normal;
122 +     font-weight: 300;
123 +     font-display: swap;
124 +     src: local('Lato Light'),
        local('Lato-Light'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u9w4BMUTPHh7USSwiPG
        Q.woff2) format('woff2');
125 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-

```

```

02BC, U+02C6, U+02DA, U+02DC,
U+2000-206F, U+2074, U+20AC,
U+2122, U+2191, U+2193, U+2212,
U+2215, U+FEFF, U+FFFD;
126 + }
127 + /* latin-ext */
128 + @font-face {
129 +     font-family: 'Lato';
130 +     font-style: normal;
131 +     font-weight: 400;
132 +     font-display: swap;
133 +     src: local('Lato Regular'),
         local('Lato-Regular'),
         url(https://fonts.gstatic.com/s
         /lato/v16/S6uyw4BMUTPHjxAwXjeu.
         woff2) format('woff2');
134 +     unicode-range: U+0100-024F,
         U+0259, U+1E00-1EFF, U+2020,
         U+20A0-20AB, U+20AD-20CF,
         U+2113, U+2C60-2C7F, U+A720-
         A7FF;
135 + }
136 + /* latin */
137 + @font-face {
138 +     font-family: 'Lato';
139 +     font-style: normal;
140 +     font-weight: 400;
141 +     font-display: swap;
142 +     src: local('Lato Regular'),
         local('Lato-Regular'),
         url(https://fonts.gstatic.com/s
         /lato/v16/S6uyw4BMUTPHjx4wXg.wo
         ff2) format('woff2');
143 +     unicode-range: U+0000-00FF,
         U+0131, U+0152-0153, U+02BB-
         02BC, U+02C6, U+02DA, U+02DC,
         U+2000-206F, U+2074, U+20AC,
         U+2122, U+2191, U+2193, U+2212,
         U+2215, U+FEFF, U+FFFD;
144 + }
145 + /* latin-ext */
146 + @font-face {
147 +     font-family: 'Lato';
148 +     font-style: normal;
149 +     font-weight: 700;
150 +     font-display: swap;
151 +     src: local('Lato Bold'),
         local('Lato-Bold'),
         url(https://fonts.gstatic.com/s

```

```

        /lato/v16/S6u9w4BMUTPHh6UVSwaPG
        R_p.woff2) format('woff2');
152 +     unicode-range: U+0100-024F,
        U+0259, U+1E00-1EFF, U+2020,
        U+20A0-20AB, U+20AD-20CF,
        U+2113, U+2C60-2C7F, U+A720-
        A7FF;
153 + }
154 + /* latin */
155 + @font-face {
156 +     font-family: 'Lato';
157 +     font-style: normal;
158 +     font-weight: 700;
159 +     font-display: swap;
160 +     src: local('Lato Bold'),
        local('Lato-Bold'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u9w4BMUTPHh6UVSwiPG
        Q.woff2) format('woff2');
161 +     unicode-range: U+0000-00FF,
        U+0131, U+0152-0153, U+02BB-
        02BC, U+02C6, U+02DA, U+02DC,
        U+2000-206F, U+2074, U+20AC,
        U+2122, U+2191, U+2193, U+2212,
        U+2215, U+FEFF, U+FFFD;
162 + }
163 + /* latin-ext */
164 + @font-face {
165 +     font-family: 'Lato';
166 +     font-style: normal;
167 +     font-weight: 900;
168 +     font-display: swap;
169 +     src: local('Lato Black'),
        local('Lato-Black'),
        url(https://fonts.gstatic.com/s
        /lato/v16/S6u9w4BMUTPHh50XSwaPG
        R_p.woff2) format('woff2');
170 +     unicode-range: U+0100-024F,
        U+0259, U+1E00-1EFF, U+2020,
        U+20A0-20AB, U+20AD-20CF,
        U+2113, U+2C60-2C7F, U+A720-
        A7FF;
171 + }
172 + /* latin */
173 + @font-face {
174 +     font-family: 'Lato';
175 +     font-style: normal;
176 +     font-weight: 900;
177 +     font-display: swap;

```



```
178 +     src: local('Lato Black'),
      local('Lato-Black'),
      url(https://fonts.gstatic.com/s
        /lato/v16/S6u9w4BMUTPHh50XSwiPG
        Q.woff2) format('woff2');
179 +     unicode-range: U+0000-00FF,
      U+0131, U+0152-0153, U+02BB-
      02BC, U+02C6, U+02DA, U+02DC,
      U+2000-206F, U+2074, U+20AC,
      U+2122, U+2191, U+2193, U+2212,
      U+2215, U+FEFF, U+FFFD;
180 + }
```



✓ BIN +73.2 KB

client/src/assets/images/favicon.png

Unable to render rich display

✓ 101

client/src/assets/images/fingerprint.svg

Unable to render rich display

✓ 22

client/src/components/Button/Button.module...

```
...    ...    @@ -0,0 +1,22 @@
      1 + @import
        '../..../theme/palette.less';
      2 +
      3 +
      4 + .button {
      5 +     display: flex;
      6 +     justify-content: center;
      7 +     align-items: center;
      8 +     width: 100%;
      9 +
     10 +     padding: 1em;
     11 +     margin: .5em 0;
     12 +
     13 +     background-color: @primary;
```

```

14 +   color: @text-color-on-
    primary;
15 +   cursor: pointer;
16 +   outline: 0;
17 +   transition: .2s ease
    background;
18 +
19 +   &:focus {
20 +       background:
    lighten(@primary, 10%);
21 +   }
22 + }

```



▼ 24 ■■■■■■

client/src/components/Button/index.tsx

```

...    ...    @@ -0,0 +1,24 @@
1      + import React from 'react';
2      +
3      + import classes from
    './Button.module.less';
4      +
5      +
6      + function handleKeyPress(e:
    React.KeyboardEvent, onClick) {
7      +   if (e.key === "Enter" ||
    e.key === " ") {
8      +       onClick();
9      +   }
10     + }
11     +
12     + function Button({label,
    onClick=() => {}, ...rest}) {
13     +   return <div
14     +       tabIndex={0}
15     +       className=
    {classes.button}
16     +       onClick={onClick}
17     +       onPress={e =>
    handleKeyPress(e, onClick)}
18     +       {...rest}
19     +   >
20     +       {label}
21     +   </div>;
22     + }
23     +

```

▼ 47 ■■■■■

client/src/components/Input/Input.module.l...



```
...      @@ -0,0 +1,47 @@
1      + @import
      +   '../..../theme/palette.less';
2      +
3      + @input-padding: 1em;
4      +
5      +
6      + .container {
7      +   margin: .5em 0;
8      +   width: 100%;
9      +   display: flex;
10     +   position: relative;
11     +
12     +   input {
13     +     border: 0;
14     +     outline: solid 1px
15     +       lighten(@text-color, 40%);
16     +     border-radius: .25em;
17     +     padding: @input-
18     +       padding;
19     +     transition: .2s ease
20     +       outline;
21     +     width: 100%;
22     +
23     +     &:hover {
24     +       outline-color:
25     +         @primary;
26     +     }
27     +
28     +     &:focus {
29     +       outline-width: 2px;
30     +       outline-color:
31     +         @primary;
32     +
33     +       &:focus, &:not(.empty)
34     +       {
35     +         + .label {
36     +           color:
37     +             @primary;
38     +           font-size:
39     +             .75em;
40     +           top: -.75em;
```

```

34 +             background-
           color: #fff;
35 +             padding: 0
           .5em;
36 +         }
37 +     }
38 + }
39 +
40 +     .label {
41 +         position: absolute;
42 +         top: @input-padding;
43 +         left: @input-padding;
44 +         pointer-events: none;
45 +         transition: .2s ease
           all;
46 +     }
47 + }

```



✓ 18 ■■■■■

client/src/components/Input/index.tsx

```

...     @@ -0,0 +1,18 @@
1 + import React from 'react';
2 +
3 + import classes from
   './Input.module.less';
4 +
5 +
6 + function Input({label, value,
   onChange=(e) => {}, ...rest}) {
7 +     return <div className=
   {classes.container}>
8 +         <input
9 +             className={value
   === "" ? classes.empty : null}
10 +             value={value}
11 +             onChange={onChange}
12 +             {...rest}
13 +         />
14 +         <div className=
   {classes.label}>{label}</div>
15 +     </div>;
16 + }
17 +
18 + export default Input;

```

▼ 8 ■■■■■■

client/src/components/InvalidCredentials/I... 

```
...    ...    @@ -0,0 +1,8 @@
      1    + @import
      2    + '...../theme/palette.less';
      3    +
      4    + .container {
      5    +     color: @error;
      6    +     line-height: 1;
      7    +     width: 100%;
      8    + }
```



▼ 10 ■■■■■■

client/src/components/InvalidCredentials/i... 

```
...    ...    @@ -0,0 +1,10 @@
      1    + import React from 'react';
      2    +
      3    + import classes from
      4    + '.../InvalidCredentials.module.le
      5    + ss';
      6    +
      7    + export default function
      8    + InvalidCredentials() {
      9    +     return <div className=
      10    + {classes.container}>
      11    +     Wrong credentials.
      12    +     </div>
      13    + }
```



▼ 12 ■■■■■■ client/src/declarations.d.ts 

```
...    ...    @@ -0,0 +1,12 @@
      1    + declare module '*.module.less'
      2    + {
      3    +     const classes: {
      4    +         [className: string]:
      5    +         string;
      6    +     };
      7    +     export default classes;
```

```
7 +
8 + declare module '*.svg';
9 + declare module '*.png';
10 +
11 + // globals
12 + declare const API_URL: string;
```

▼ 43 ■■■■■ client/src/index.less 

```
...    ...    @@ -0,0 +1,43 @@
1      + @import './theme/palette.less';
2      + @import
3        './theme/utils/scrollbars.less'
4        ;
5      + @import
6        './assets/fonts/Lato/Lato.css';
7      +
8      + html {
9        + height: 100%;
10     + }
11     +
12     + *, *:before, *:after {
13     + -webkit-box-sizing: border-box;
14     + -moz-box-sizing: border-box;
15     + -ms-box-sizing: border-box;
16     + box-sizing: border-box
17     + }
18     +
19     + body {
20     +   font-family: @font-family;
21     +   margin: 0;
22     +   background-color: @body-
23     background-color;
24     +   background-attachment:
25     fixed;
26     +   color: @text-color;
27     +   display: flex;
28     +   flex-direction: column;
29     +   height: 100%;
30     +   overflow: auto;
31     +   .slim-scrollbar();
32     + }
33     +
34     + button, input, textarea {
35     +   font: inherit;
36     +   color: inherit;
37     + }
38     +
```

```

34 + button:not([disabled]) {
35 +   cursor: pointer;
36 + }
37 +
38 + #app {
39 +   flex-grow: 1;
40 +   display: flex;
41 +   flex-direction: column;
42 +   height: 100%;
43 + }

```

✓ 11 ■■■■■ client/src/index.tsx 

```

...    ...    @@ -0,0 +1,11 @@
1      + import React from 'react';
2      + import ReactDOM from 'react-
      dom';
3      +
4      + import App from './App';
5      +
6      + import './index.less';
7      +
8      +
9      + const mountNode =
      document.getElementById('app');
10     + const app =
      React.createElement(App);
11     + ReactDOM.render(app,
      mountNode);

```

✓ 50 ■■■■■

client/src/pages/LoginPage/LoginPage.modul... 

```

...    ...    @@ -0,0 +1,50 @@
1      + @import
      '../..../theme/palette.less';
2      + @import
      '../..../theme/utils/scrollbars.l
      ess';
3      +
4      +
5      +
6      + .container {
7      +   display: flex;
8      +   justify-content: center;
9      +   align-items: center;
10     +   flex-direction: column;

```

```

11 +     height: 100vh;
12 +
13 +     .content {
14 +         display: flex;
15 +         justify-content:
            center;
16 +         align-items: center;
17 +         flex-direction: column;
18 +         width: 25em;
19 +
20 +         padding: 3em;
21 +
22 +         border: 1px solid
            lighten(@text-color, 50%);
23 +         border-radius: .375em;
24 +
25 +         .fingerprint {
26 +             width: 4em;
27 +
28 +             svg {
29 +                 fill:
                    currentColor;
30 +             }
31 +         }
32 +
33 +         h1 {
34 +             font-size: 1.5em;
35 +             margin: 0;
36 +             margin-bottom: 1em;
37 +         }
38 +
39 +         .placeholder {
40 +             height: 1em;
41 +         }
42 +     }
43 +
44 +     .footer {
45 +         margin-top: 1em;
46 +         color: @primary;
47 +         user-select: none;
48 +         font-size: .875em;
49 +     }
50 + }

```

▼ 66 ■■■■■

client/src/pages/LoginPage/LoginPage.tsx 

... | ... | @@ -0,0 +1,66 @@


```
1 + import React, {useState} from
  'react';
2 +
3 + import {sendCredentials} from
  '../api/login';
4 + import Input from
  '../components/Input';
5 + import Button from
  '../components/Button';
6 + import InvalidCredentials from
  '../components/InvalidCreden
  tials';
7 +
8 + import Fingerprint from
  '../assets/images/fingerprin
  t.svg';
9 +
10 + import classes from
  './LoginPage.module.less';
11 +
12 +
13 + async function
  validateCredentials({username,
  password},
  setInvalidCredentials) {
14 +   const {isValid, token} =
    await
    sendCredentials({username,
    password});
15 +
16 +   if (isValid) {
17 +     const url = new
      URL(window.location.href);
18 +     const redirectBaseUrl =
      new
      URL(url.searchParams.get('conti
      nue'));
19 +
20 +     redirectBaseUrl.searchParams.se
      t('token', token);
21 +
22 +     window.location.replace(redirect
      BaseUrl.href);
23 +   } else {
24 +     setInvalidCredentials();
25 +   }
```

```

26 +
27 +
28 + function LoginPage() {
29 +     const
        [isInvalidCredentials,
        setIsInvalidCredentials] =
        useState(false);
30 +     const [username,
        setUsername] = useState("");
31 +     const [password,
        setPassword] = useState("");
32 +
33 +     return <div className=
        {classes.container}>
34 +         <div className=
        {classes.content}>
35 +             <div className=
        {classes.fingerprint}>
        <Fingerprint /></div>
36 +
        <h1>Authenticate</h1>
37 +             <Input
38 +                 value=
        {username}
39 +                 onChange={e =>
        setUsername(e.target.value)}
40 +
        label="Username"
41 +             />
42 +             <Input
43 +                 value=
        {password}
44 +                 onChange={e =>
        setPassword(e.target.value)}
45 +                 type="password"
46 +
        label="Password"
47 +             />
48 +
        <Button
49 +             label="Login"
50 +             onClick={() =>
        {
51 +
52 +                 validateCredentials(
53 +
54 +                     {username, password},
                    () =>
                    setIsInvalidCredentials(true)

```

```
55 +                                     );
56 +                                     }}
57 +                                     />
58 +
    {isInvalidCredentials ?
    <InvalidCredentials /> : <div
    className={classes.placeholder}
    />}
59 +                                     </div>
60 +                                     <div className=
    {classes.footer}>
61 +                                     Team Bravo
62 +                                     </div>
63 +                                     </div>;
64 + }
65 +
66 + export default LoginPage;
```

3 client/src/theme/palette.less

```
...  ...  @@ -0,0 +1,3 @@
1 + @import './themes/guard-
2 + light.less';
3 + @font-family: Lato, Segoe UI,
  sans-serif, Segoe UI Emoji;
```

9 client/src/theme/themes/guard-light.less

```
...  ...  @@ -0,0 +1,9 @@
1 + @primary: #9f3096;
2 +
3 + @body-background-color: #fff;
4 + @text-color: #202124;
5 + @text-color-on-primary: #fff;
6 +
7 + @error: #f44336;
8 + @success: #4caf50;
9 + @warning: #ff9800;
```

21 client/src/theme/utils/scrollbars.less

```
...  ...  @@ -0,0 +1,21 @@
```

```

1 + @import '../palette.less';
2 +
3 +
4 + .slim-scrollbar(@size: .875rem,
   +   @color: fade(@text-color, 30%))
   + {
5 +     &::-webkit-scrollbar {
6 +         width: @size;
7 +         height: @size;
8 +         background:
           transparent;
9 +
10 +         &-thumb {
11 +             border: @size / 3
               solid transparent;
12 +             background: @color;
13 +             background-clip:
               content-box;
14 +             border-radius:
               @size;
15 +         }
16 +
17 +         &-corner {
18 +             background:
               transparent;
19 +         }
20 +     }
21 + }

```



✓ 29 ■■■■■ client/tsconfig.json 

```

...    ...    @@ -0,0 +1,29 @@
1 + {
2 +     "compilerOptions": {
3 +         "module": "esnext",
4 +         "target": "es5",
5 +         "sourceMap": true,
6 +         "outDir": "../dist/",
7 +
8 +         "allowSyntheticDefaultImports":
           true,
9 +
10 +         "forceConsistentCasingInFileNames": true,
11 +         "esModuleInterop": true,
12 +         "noImplicitAny": false,
13 +         "jsx": "react",

```

```

12 +     "allowJs": true,
13 +     "moduleResolution": "node",
14 +     "baseUrl": "."
15 + },
16 +     "exclude": [
17 +         "node_modules",
18 +         "dist"
19 + ],
20 +     "include": [
21 +         "./src/**/*.ts",
22 +         "./src/declarations.d.ts"
23 + ],
24 +     "references": [
25 +         {
26 +             "path": "../common"
27 +         }
28 +     ]
29 + }

```



▼ 179 ■■■■■ client/webpack.config.js

```

...    ...    @@ -0,0 +1,179 @@
1      + const webpack =
      +     require('webpack');
2      + const path = require('path');
3      + const
      +     LodashModuleReplacementPlugin =
      +     require('lodash-webpack-
      +     plugin');
4      + const TerserJSPlugin =
      +     require('terser-webpack-
      +     plugin');
5      + const MiniCssExtractPlugin =
      +     require('mini-css-extract-
      +     plugin');
6      + const OptimizeCSSAssetsPlugin =
      +     require('optimize-css-assets-
      +     webpack-plugin');
7      +
8      +
9      + const getApiUrl = (mode) => {
10     +     if (mode === 'development')
      +     {
11     +         return
      +         'http://localhost:5000';
12     +     }
13     +     return '';

```

```

14 + };
15 +
16 +
17 + const config = (env, options)
    => {
18 +     const envMode =
        options.mode;
19 +     const isDevMode = envMode
        === 'development'; // not ideal
        - to generate sourcemaps,
        change it to true and run
        `webpack -p`
20 +
21 +     return {
22 +         mode: isDevMode ?
        'development' : 'production',
23 +         entry: [
24 +             'react-hot-
        loader/patch',
25 +             './src/index.tsx',
26 +         ],
27 +         output: {
28 +             path:
        path.resolve(__dirname,
        'dist'),
29 +             filename:
        'bundle.js',
30 +             publicPath: '/',
31 +         },
32 +         module: {
33 +             rules: [
34 +                 {
35 +                     test:
        /\.ts(x?)$/,
36 +                     exclude:
        '/node_modules/',
37 +                     use: [
38 +                         {
39 +                             loader: 'ts-loader',
40 +                         },
41 +                     ],
42 +                 },
43 +                 {
44 +                     test: /\.
        (js|jsx)$/,
45 +                     use:
        'babel-loader',

```

```

46 +                                     exclude:
      /node_modules/,
47 +                                     },
48 +                                     {
49 +                                     test:
      /\.less$/,
50 +                                     exclude:
      /\.module\.less$/,
51 +                                     use: [
52 +                                     {
53 +
      loader:
      MiniCssExtractPlugin.loader,
54 +
      options: {
55 +
      hmr: isDevMode,
56 +                                     },
57 +                                     },
58 +                                     'css-
      loader',
59 +                                     {
60 +
      loader: 'less-loader',
61 +
      options: {
62 +
      javascriptEnabled: true,
63 +
      modifyVars: {
64 +
      // hack: `true; @import
      '${path.join(__dirname,
      './src/theme/antdPalette.less')}
      }`,
65 +
      },
66 +                                     },
67 +                                     },
68 +                                     ],
69 +                                     },
70 +                                     {
71 +                                     test:
      /\.module\.less$/,
72 +                                     use: [
73 +                                     {
74 +
      loader:
      MiniCssExtractPlugin.loader,

```

```

75 +
    options: {
76 +
        hmr: isDevMode,
77 +
        },
78 +
    },
79 +
    {
80 +
        loader: 'css-loader',
81 +
        options: {
82 +
            modules: {
83 +
                localIdentName: isDevMode ?
                '[name]__[local]--
                [hash:base64:5]' :
                '[hash:base64:8]',
84 +
            },
85 +
        },
86 +
    },
87 +
    'less-
    loader',
88 +
    ],
89 +
    },
90 +
    {
91 +
        test:
        /\.css$/,
92 +
        exclude:
        /\.module\.css$/,
93 +
        use: [
94 +
            'style-
            loader',
95 +
            'css-
            loader',
96 +
        ],
97 +
    },
98 +
    {
99 +
        test:
        /\.module\.css$/,
100 +
        use: [
101 +
            'style-
            loader',
102 +
            {
103 +
                loader: 'css-loader',
104 +
            },
            options: {

```



```

105 +
      importLoaders: 1,
106 +
      modules: true,
107 +
      },
108 +
      },
109 +
    ],
110 +
  },
111 +
  {
112 +
    test:
      /\.svg$/,
113 +
    use:
      ['@svgr/webpack'],
114 +
  },
115 +
  {
116 +
    test:
      /\.png$/,
117 +
    use: [
118 +
      {
119 +
        loader: 'file-loader',
120 +
        options: {
121 +
          mimetype: 'image/png',
122 +
        },
123 +
      },
124 +
    ],
125 +
  },
126 +
  {
127 +
    test: /\.
      (woff|eot|ttf|woff2)$/,
128 +
    loader:
      'file-loader?
        name=resources/fonts/[name].
        [ext]',
129 +
  },
130 +
  {
131 +
    test:
      /\.mp3$/,
132 +
    loader:
      'file-loader?
        name=resources/sounds/[name].
        [ext]',
133 +
  },
134 +
  {
135 +
    test:
      /\.mp4$/,

```

```






136 +                 loader:
+                 'file-loader?
+                 name=resources/videos/[name].
+                 [ext]',
137 +                 },
138 +                 ],
139 +             },
140 +             resolve: {
141 +                 extensions: [
142 +                     '.js',
143 +                     '.jsx',
144 +                     '.ts',
145 +                     '.tsx',
146 +                 ],
147 +                 alias: {
148 +                     'react-dom':
+                     '@hot-loader/react-dom',
149 +                 },
150 +             },
151 +             devServer: {
152 +                 contentBase:
+                 './dist',
153 +                 historyApiFallback:
+                 true,
154 +                 host: '0.0.0.0',
155 +             },
156 +             plugins: [
157 +                 new
+                 LodashModuleReplacementPlugin,
158 +                 new
+                 webpack.DefinePlugin({
159 +                     API_URL:
+                     JSON.stringify(getApiUrl(envMod
+                     e)),
160 +                 }),
161 +                 new
+                 MiniCssExtractPlugin({
162 +                     filename:
+                     '[name].css',
163 +                     chunkFilename:
+                     '[id].css',
164 +                 }),
165 +             ],
166 +             devtool: isDevMode ?
+             'source-map' : false,
167 +             optimization: {
168 +                 minimizer: [
169 +                     new
+                     TerserJSPlugin(),

```

```
170 + new
    OptimizeCSSAssetsPlugin(),
171 + ],
172 + },
173 + stats: {
174 +     children: false,
175 + },
176 + };
177 + };
178 +
179 + module.exports = config;
```



✓ 2,113  package-lock.json 

 
 **Load diff**
 Large diffs are not rendered by default.


✓ 26  package.json 

```
...    ...    @@ -0,0 +1,26 @@
1      + {
2      +   "name": "guard",
3      +   "version": "1.0.0",
4      +   "scripts": {
5      +     "start": "cd server && npm
        start",
6      +     "postinstall": "cd common
        && npm install && cd ../client
        && npm install && cd ../server
        && npm install",
7      +     "build": "cd common && npm
        run build && cd ../client &&
        npm run build-prod && cd
        ../server && npm run build",
8      +     "dev:server": "cd server &&
        npm run dev",
9      +     "dev:client": "cd client &&
        npm start",
10     +     "dev": "concurrently \"npm
        run dev:server\" \"npm run
        dev:client\" --names
```

```

    \"SERVER,CLIENT\" -c
    \"bgRed.bold,bgBlue.bold\",
11 +   \"heroku-prebuild\": \"npm
    install --dev\"
12 + },
13 +   \"dependencies\": {
14 +     \"concurrently\": \"^5.0.2\"
15 +   },
16 +   \"devDependencies\": {
17 +     \"eslint\": \"^6.8.0\",
18 +     \"eslint-config-airbnb\":
    \"^18.0.1\",
19 +     \"eslint-config-airbnb-
    base\": \"^14.0.0\",
20 +     \"eslint-plugin-import\":
    \"^2.20.0\",
21 +     \"eslint-plugin-jsx-a11y\":
    \"^6.2.3\",
22 +     \"eslint-plugin-react\":
    \"^7.18.0\",
23 +     \"eslint-plugin-react-
    hooks\": \"^1.7.0\"
24 +   },
25 +   \"main\":
    \"./server/dist/index.js\"
26 + }

```

✓ 16 server/.eslintrc.json

```

...    @@ -0,0 +1,16 @@
1    + {
2    +   \"root\": true,
3    +   \"rules\": {
4    +     \"indent\": [\"error\", 4],
5    +     \"import/order\": [\"error\",
6    +       {
7    +         \"groups\": [
8    +           [\"builtin\",
    \"external\"]
9    +       ],
10   +     \"newlines-between\":
    \"always\"
11   +   }
12   + },
13   +   \"import/newline-after-
    import\": [\"error\", { \"count\": 2
    }]
14   + },

```

```
15 + "extends": "airbnb-base"
16 + }
```



▼ 6 ■■■■■ server/nodemon.json

```
...    ...    @@ -0,0 +1,6 @@
1      + {
2      +   "watch": ["src",
3      +     "../common/src"],
4      +   "ext": "ts",
5      +   "ignore": ["src/dist"],
6      +   "exec": "ts-node
      src/index.ts"
7      + }
```



▼ 3,112 ■■■■■ server/package-lock.json

■■■■■ ■■■■■

Load diff

■■■■■ Large diffs are not rendered by default.

■■■■■

▼ 40 ■■■■■ server/package.json

```
...    ...    @@ -0,0 +1,40 @@
1      + {
2      +   "name": "guard-server",
3      +   "version": "1.0.0",
4      +   "description": "",
5      +   "main": "index.js",
6      +   "scripts": {
7      +     "start": "cross-env
      NODE_ENV=prod node
      dist/index.js",
8      +     "build": "rimraf ./dist/ &&
      cross-env NODE_ENV=prod tsc",
9      +     "dev": "cross-env
      NODE_ENV=dev nodemon --config
      \"./nodemon.json\"/",
10     +     "lint": "eslint .",
11     +     "fix:lint": "eslint . --
      fix"
12     +   },
```

```

13 +   "keywords": [],
14 +   "author": "",
15 +   "license": "ISC",
16 +   "dependencies": {
17 +     "body-parser": "^1.19.0",
18 +     "cors": "^2.8.5",
19 +     "express": "^4.17.1",
20 +     "jsonwebtoken": "^8.5.1",
21 +     "lodash": "^4.17.20"
22 +   },
23 +   "devDependencies": {
24 +     "@types/cors": "^2.8.6",
25 +     "@types/express":
26 +       "^4.17.4",
27 +     "@types/jsonwebtoken":
28 +       "^8.5.0",
29 +     "@types/lodash":
30 +       "^4.14.149",
31 +     "@types/node": "^13.11.0",
32 +     "cross-env": "^6.0.3",
33 +     "eslint": "^6.8.0",
34 +     "eslint-config-airbnb-
35 +       base": "^14.0.0",
36 +     "eslint-plugin-import":
37 +       "^2.20.0",
38 +     "nodemon": "^2.0.2",
39 +     "rimraf": "^3.0.2",
40 +     "ts-node": "^8.8.2",
41 +     "tsconfig-paths": "^3.9.0",
42 +     "tslint": "^6.1.1",
43 +     "typescript": "^3.9.7"
44 +   }
45 + }

```

▼ 31 ■■■■■ server/src/index.ts 

```

...    ...    @@ -0,0 +1,31 @@
1    + import express from 'express';
2    + import bodyParser from 'body-
3    +   parser';
4    + import http from 'http';
5    + import path from 'path';
6    + import cors from 'cors';
7    +
8    + import apiRouter from
9    +   './routes';

```

```

10 + const app = express();
11 + const server =
    http.createServer(app);
12 + const port = process.env.PORT
    || 5000;
13 +
14 + app.use(cors());
15 + app.use(bodyParser.json());
16 +
17 + app.use('/api/v1', apiRouter);
18 +
19 + app.use(express.static('../client/dist'));
20 + app.get('*', function(req, res)
    {
21 +
        res.sendFile(path.resolve('../client/dist/index.html'));
22 + });
23 +
24 + server.listen(port, () => {
25 +     console.log(`Server is
        listening on port ${port}.`);
26 + });
27 +
28 + export default {
29 +     app,
30 +     port,
31 + };

```

▼ 10 ■■■■■ server/src/routes/index.ts 

```

...    ...    @@ -0,0 +1,10 @@
      1 + import { Router } from
        'express';
      2 +
      3 + import userRouter from
        './user';
      4 +
      5 + const router = Router();
      6 +
      7 + router.use('/user',
        userRouter);
      8 +
      9 +
     10 + export default router;

```

```

...      @@ -0,0 +1,32 @@
      1  + import jwt from 'jsonwebtoken';
      2  +
      3  + import { Router } from
      4  +   'express';
      5  +
      6  + const router = Router();
      7  +
      8  + function
      9  +   isValidCredentials(credentials:
10  +     {username: string, password:
11  +       string}): boolean {
12  +     const {username, password}
13  +     = credentials;
14  +     if (username === "test" &&
15  +       password === "password") {
16  +       return true;
17  +     }
18  +     return false;
19  +   }
20  +
21  + router.post('/login', (req,
22  +   res) => {
23  +     const {username, password}
24  +     = req.body;
25  +
26  +     if
27  +       (!isValidCredentials({username,
28  +         password})) {
29  +       return
30  +       res.send({isValid: false});
31  +     }
32  +
33  +     const data = {username};
34  +
35  +     res.send({
36  +       isValid: true,
37  +       token: jwt.sign(data,
38  +         'MYSUPERDUPERSECRET'),
39  +     });
40  +   });
41  +
42  + export default router;

```



```

...      ...      @@ -0,0 +1,28 @@
1      + {
2      +     "compilerOptions": {
3      +         "module": "commonjs",
4      +         "baseUrl": "./",
5      +         "outDir": "dist",
6      +         "removeComments": true,
7      +         "experimentalDecorators":
8      +         true,
9      +         "allowSyntheticDefaultImports":
10      +         true,
11      +         "esModuleInterop": true,
12      +         "noImplicitAny": false,
13      +         "target": "es6",
14      +         "emitDecoratorMetadata":
15      +         true,
16      +         "moduleResolution":
17      +         "node",
18      +         "importHelpers": true,
19      +         "types": [
20      +             "node"
21      +         ],
22      +         "typeRoots": [
23      +             "node_modules/@types"
24      +         ],
25      +         "include": [
26      +             "./src/**/*.ts"
27      +         ],
28      +         "exclude": [
29      +             "./src/dist/"
30      +         ]
31      +     }
32      + }

```



0 comments on commit 343bf1f

