
**DQ1225** 

## **Outline Dimensions**

## INDEX AREA BAREA SEATING PLANE D TYP E PADDLE F 12

## **PCB Land Pattern**



Suggested Layout, Tolerance to be within ±.002

CASE #	A	В	С	D	Е	F	G	Н	J	K	L	M	N
DQ1225	.118 (3.00)	.118 (3.00)	.035 (0.89)	.008 (0.20)	.057 (1.45)	.057 (1.45)	.009 (0.23)	1 1	.016 (0.41)	.020 (0.51)	.127 (3.22)	.127 (3.22)	.049 (1.25)

CASE #	P	Q	R	S	T	WT. GRAM	
DQ1225	.010	.020	.049			.02	
DQ1223	(0.25)	(0.51)	(1.25)				

Dimensions are in inches (mm). Tolerances: 2Pl. ± .01; 3 Pl. ± .004

## **Notes:**

1. Case material: Plastic.

INDEX -

2. Termination finish:

For RoHS Case Styles: Tin-Silver alloy plate over Nickel barrier or Matte-Tin. All models, (+) suffix.

See Data sheet.

For RoHS-5 Case Styles: Tin-Lead plate. All models, no (+) suffix.



INTERNET http://www.minicircuits.com

P.O. Box 350166, Brooklyn, New York 11235-0003 (718) 934-4500 Fax (718) 332-4661

Distribution Centers NORTH AMERICA 800-654-7949 • 417-335-5935 • Fax 417-335-5945 • EUROPE 44-1252-832600 • Fax 44-1252-837010

Mini-Circuits ISO 9001 & ISO 14001 Certified