

Template for Usability Aspect Report (UAR)

Complete this form *once*, as the first page of your report:

Product Name: <Name of this product or thing being studied>
Date of Study: <When run>
Experimenters' Names: <Names of experimenter or experimenters present>
Subject ID: <Anonymous identifier for the subject. Usually a number. Not used for HE>

Complete this form *for each* problem or good aspect that you observe. (An empty form, suitable for actual use, is on the last page. These are the instructions).

No. <The <i>type</i> of observation (HE or UE) and <i>unique number</i> > (HE=Heuristic evaluation; UE=User Evaluation)	Problem/Good Aspect < say which >
Name: < Succinct but descriptive and distinctive name for the problem or good aspect.>	
Evidence: Heuristic: < For Heuristic Evaluations, list the name of the heuristic (e.g., “Consistency”) > Interface aspect: <Where the problem is. Include relevant facts about the interface. In addition to interface facts, pictures are almost always necessary and usually faster to produce than words alone, unless you are very skilled at providing word pictures>	
Explanation: <Your explanation of what’s bad or good about this interface aspect. For Heuristic Analysis, put your explanation about how the heuristic is met or violated. If applying the heuristic involves making claims about the user (e.g., what the user will or will not be familiar with), include claims and any evidence/reasoning to support those claims. Locutions such as, “The [expert, novice] user will probably...because... ” or “Users will be unlikely to.... because... ” are appropriate here.>	

Severity or Benefit:

Rating: <number + description. Use Nielson's ratings:

(see <http://www.useit.com/papers/heuristic/severityrating.html>)

0 = Not a problem: I don't agree that this is a usability problem at all

1 = Cosmetic problem only: need not be fixed unless extra time is available on project

2 = Minor usability problem: fixing this should be given low priority

3 = Major usability problem: important to fix, so should be given high priority

4 = Usability catastrophe: imperative to fix this before product can be released >

Justification (Frequency, Impact, Persistence, Weights):

Frequency: <Common or rare? Why? How many users (of what type—new, causal, experienced are *likely* to experience the problem? Why? Is this something most users, some users, hardly any users will *probably* want to do? Why?>

Impact: <Easy or difficult for the user to overcome? Why? If is difficult to overcome if the user is unlikely to be able to achieve goals or will probably waste a lot of time.>

Persistence: <Is it a problem that is one-time (once users know about it and overcome it—no matter how difficult it was to detect and to overcome) or will they be repeatedly bothered by it? Why? (If they can't detect it and overcome it, then it persists)>

How I weighted the factors:

<Justify your numerical rating by providing your assessment and **reasoning** about all of the following: frequency, impact, and persistence, and how you weighed these factors in your overall severity rating. For example, A relatively rare problem, easy to overcome and low persistence could justify rating as a minor usability problem; a low frequency problem but one that is critical occurs (e.g., Unable to Save) would be grounds for giving it a high severity rating, despite low frequency. If this is a good aspect, then Rating is "NA," but describe the benefits to the user that you see from this aspect. >

Possible solution and/or trade-offs:

< If a problem, propose a possible solution.

You **MUST** include trade-offs to be credible. If you can't think of some bad trade-off, say so.

If a good aspect, then trade-offs also are appropriate >

Relationships:

<Cross reference other UARs this relates to (if any). Include No & name. If the relationship to the other UAR is not obvious, then give reasons why you list it here (because...)>

No.	Problem/Good Aspect
Name:	
Evidence:	
Explanation:	
Severity or Benefit: Rating: Justification (Frequency, Impact, Persistence, Weights):	
Possible solution and/or Trade-offs:	
Relationships:	

EXPLICAÇÃO

No.

<person or group>-<UEM>-<unique number>

Person or group:

Os **UARs individuais** devem ser classificados com as **iniciais do nome**

Os **UARs consolidados** devem ter um **número de grupo**

UEM: HE, KLM, CW, TA, etc.

Unique number: **01, 02, 03**, etc.

Name

Os Títulos devem nomear o problema e não a solução

Exemplos:

Indução em erro: “O utilizador não encontrou o seu estado na lista” quando o estado nem aparecia na lista.

Demasiado sucinto: “PA não listado” quando nem todos sabem o que é o PA?

Demasiado vago: “O utilizador não encontra o item”

Evidence

Não é a vossa opinião

Não é a solução

Não é uma explicação sobre o porquê da interface ser como é

Apenas os factos sobre a situação encontrada e a heurística em questão

Confundir evidência com explicação e o primeiro passo para **perder credibilidade**

Explanation

Explica a evidência

Inclui possíveis causas do problema, sempre que apropriado

Pode incluir uma explicação do porque da situação, do ponto de vista de quem desenhou, mas **apenas se houver certeza. Novamente sob risco de perder credibilidade**

Deve interpretar os factos apontados na evidência tomando em consideração um caso real de utilização

Severity or Benefit Rating

É normalmente usado para alocar recursos para resolver os problemas identificados

Resulta da ponderação de:

FREQUENCY: O problema é raro ou comum?

IMPACT: Uma vez encontrado é fácil ou difícil de ultrapassar?

PERSISTENCE: Uma vez do conhecimento dos utilizadores, este problema persiste?

Esta ponderação deve ser feita individualmente por cada investigador

Respondam à questão que o factor vos coloca com uma crítica argumentada.

Exemplo para a **Frequency**:

“Todos os utilizadores vão experienciar este problema porque ...”

Exemplo para o **Impact**:

O Problema é fácil de ultrapassar?

NOTA: Não se trata de quão importante é a tarefa para o utilizador. Isso é algo a ter em consideração na explicação e possivelmente na justificação do peso dos factores.

Exemplo para a **Persistence**:

Uma vez conhecido o problema, é apenas um problema de “uma vez” ou continuará a ser um problema?

Se um utilizador não consegue detectar um problema ou não consegue ultrapassá-lo, significa que o problema persiste. **Este é um atributo do problema, não um atributo do utilizador.**

Severity

Avaliação Heurística

Escala de 5 pontos.

0 - not a problem at all

1 - cosmetic problem only

2 - minor usability problem(fix with low priority)

3 - major usability problem(fix with high priority)

4 - usability catastrophe(imperative to fix before release)

Relationships

Heuristic Evaluation

As relações devem ser preenchidas sempre que:

- Existirem relações com outros UARs
- As situações se repetirem
- Exista um conflito entre heurísticas

Reuniao de grupo

Objectivo: Criar um relatório consensual

É necessário combinar problemas pelo consenso

Leiam cada UAR • ”à vez”

Verifiquem se outros colegas tem UARs para o mesmo problema; se tiverem, aproveitem para consolidar

Mantenham sempre a versão original dos vossos UARs

O documento final deve ser um relatório com todos os UARs em anexo.