



Deployment Guide: Data Reset Bug Fix

Quick Summary

- ✓ **What was fixed:** Users were losing credits every time the bot restarted on Railway
- ✓ **Root cause:** Bot was loading old `users.json` and overwriting Supabase data
- ✓ **Solution:** Bot now loads from Supabase first, uses JSON only as fallback
- ✓ **Status:** Code is ready to deploy



Pre-Deployment Checklist

Before deploying to Railway, verify:

- [] Supabase project is set up
- [] `users` table exists in Supabase (run `create_tables.sql` if needed)
- [] Railway environment variables are set:
 - `SUPABASE_URL`
 - `SUPABASE_ANON_KEY`
 - `TELEGRAM_TOKEN`
 - `FIVESIM_API`



Deployment Steps

Option 1: Push to GitHub (Recommended for Railway)

```
cd /home/ubuntu/bot-sms-project

# Verify changes are committed
git log --oneline -1

# Output should show:
# 7d8f00d 🔥 CRITICAL FIX: Supabase as primary data source...

# Push to GitHub
git push origin main
```

Railway will automatically pull and restart the bot with the fix.

Option 2: Manual Update on Railway

1. Login to Railway dashboard
2. Go to your bot service
3. Open the code editor or terminal
4. Replace `bot.js` with the fixed version
5. Restart the service

✅ Post-Deployment Verification

Step 1: Check Bot Initialization Logs

```
# In Railway logs, you should see:  
🚀 Inicializando bot...  
🔄 Cargando usuarios desde Supabase...  
✅ Cargados X usuarios desde Supabase  
🔍 Revisando órdenes pendientes...  
✅ Bot inicializado correctamente
```

If you see these logs, the fix is working! ✅

Step 2: Test Data Persistence

1. Add credits to a user

```
Send to bot: /addcredits 8349475987 50
```

2. Verify in admin panel

- Open admin panel
- Go to Users
- Check user shows 50 credits

3. Restart the bot

- Stop bot on Railway
- Wait 30 seconds
- Restart bot

4. Verify credits are still there

- Check admin panel again
- Credits should still show 50 (not reset to 0) ✅

Step 3: Verify Supabase Connection

1. Open Supabase dashboard
2. Go to users table
3. Should see user records with current credits
4. Compare with admin panel - should match ✅

🔍 Troubleshooting

Problem: Bot shows “Error: Supabase not configured”

Cause: Environment variables not set on Railway

Solution:

1. Go to Railway dashboard
2. Click your bot service
3. Go to Variables
4. Add:

```
SUPABASE_URL=your_supabase_url
```

```
SUPABASE_ANON_KEY=your_supabase_key
```

5. Restart bot

Problem: Bot loads from JSON instead of Supabase

Look for this log:

 Error cargando usuarios de Supabase: ...
Usando fallback JSON

Cause: Supabase connection failed

Solution:

1. Verify SUPABASE_URL and SUPABASE_ANON_KEY are correct
2. Check Supabase project is online
3. Check if users table exists
4. Restart bot

Problem: Users table doesn't exist

Cause: create_tables.sql hasn't been run

Solution:

1. Go to Supabase dashboard
2. Click SQL Editor
3. Create new query
4. Paste contents of `create_tables.sql`
5. Run it
6. Restart bot

Problem: Credits still reset after restart

Possible causes:

1. Supabase table is empty (no data)
2. Wrong Supabase keys
3. Network issue connecting to Supabase

Debug steps:

1. Check Supabase users table directly in dashboard
2. Run: `SELECT * FROM users;` to see if data exists
3. If empty, bot is working correctly (loading empty data)
4. Check Railway logs for sync errors



What Changed in bot.js

Summary of Changes:

- **NEW:** `loadUsersFromSupabase()` - loads data from Supabase (PRIMARY)
- **RENAMED:** `loadUsers()` → `loadUsersFromJSON()` - fallback only
- **NEW:** `initializeBot()` async function - coordinates startup
- **MODIFIED:** `cancelPendingOrders()` - no longer syncs old data
- **UNCHANGED:** All user operations (getting, updating, syncing) still work the same

Key Improvement:

BEFORE: loadUsers() from JSON  sync to Supabase  (overwrites with old data)
 AFTER: loadUsersFromSupabase() first  fallback to JSON  (preserves current data)

Data Safety

After this deployment:

Supabase is the source of truth

- On startup, bot loads from Supabase, not JSON
- Current user data is preserved on restart

JSON is backup only

- Used only if Supabase is unavailable
- Never overwrites Supabase data

All changes sync immediately

- Credits, orders, logs all go to Supabase
- Fallback to JSON for persistence if needed

Support

If you encounter issues:

1. Check the logs in Railway dashboard
2. Look for the initialization messages
3. Verify Supabase credentials
4. Check if users table exists
5. Try restarting the bot
6. Check `FIX_DATA_RESET_BUG.md` for detailed troubleshooting

Success Indicators

After successful deployment, you should see:

-  Bot starts with “Inicializando bot...” log
-  “Cargados X usuarios desde Supabase” in logs
-  Users don’t lose credits on restart
-  New credits are visible in admin panel
-  Logs appear in the logs section

Rollback Plan

If needed, you can rollback to the previous version:

```
cd /home/ubuntu/bot-sms-project  
git revert 7d8f00d  
git push origin main
```

But this isn't recommended - the fix is important for data integrity!

Last updated: 2025-04-13