




zebrafish 0.4 Hz (2022 Q1): 20220221_magnet, 20220221_visualmagnet
3669 ROIs with npix >= 10 (coverage averaged over repeat trials); 1363 pass production cut ($P(\text{iscell}) > 0.55$, npix > 10; dashed)




zebrafish 0.4 Hz (2022 Q1): 20220223_magnet, 20220223_visualmagnet
170 ROIs with npix >= 10 (coverage averaged over repeat trials); 118 pass production cut ($P(\text{iscell}) > 0.6$, $\text{npix} > 10$; dashed)




zebrafish 0.4 Hz (2022 Q1): 20220301_visualmagnet_a, 20220301_visualmagnet_b
3129 ROIs with npix >= 10 (coverage averaged over repeat trials); 1395 pass production cut ($P(\text{iscell}) > 0.55$, $\text{npix} > 10$; dashed)




zebrafish 0.3 Hz: 20220915_fish1_magneto_0, 20220915_fish1_magneto_1, 20220915_fish1_magneto_2
286 ROIs with npix >= 10 (coverage averaged over repeat trials); 165 pass production cut (P(iscell) > 0.6, npix > 10; dashed)




zebrafish 0.1 Hz: 20221001_fish1_magneto_0, 20221001_fish1_magneto_1, 20221001_fish1_magneto_2
1157 ROIs with npix >= 10 (coverage averaged over repeat trials); 490 pass production cut ($P(\text{iscell}) > 0.6$, npix > 10; dashed)




zebrafish 0.1 Hz: 20221001_fish2_magneto_0, 20221001_fish2_magneto_1, 20221001_fish2_magneto_2
697 ROIs with npix >= 10 (coverage averaged over repeat trials); 323 pass production cut (P(iscell) > 0.6, npix > 10; dashed)




zebrafish 0.1 Hz: 20221002_fish1_magneto_1
1370 ROIs with npix >= 10 (coverage averaged over repeat trials); 387 pass production cut ($P(\text{iscell}) > 0.6$, $\text{npix} > 10$; dashed)




zebrafish 0.1 Hz: 20221002_fish2_magneto_0, 20221002_fish2_magneto_1, 20221002_fish2_magneto_2
1203 ROIs with npix >= 10 (coverage averaged over repeat trials); 429 pass production cut ($P(\text{iscell}) > 0.6$, $\text{npix} > 10$; dashed)




medaka 0.1 Hz: medaka_fish3_8dpf_magneto_0
 397 ROIs with npix >= 10 (coverage averaged over repeat trials); 168 pass production cut (P(iscell) > 0.7, npix > 10; dashed)




medaka 0.1 Hz: medaka_fish3_8dpf_magneto_1
 561 ROIs with npix >= 10 (coverage averaged over repeat trials); 201 pass production cut ($P(\text{iscell}) > 0.7$, npix > 10; dashed)




medaka 0.1 Hz: medaka_fish3_8dpf_magneto_2
511 ROIs with npix >= 10 (coverage averaged over repeat trials); 216 pass production cut (P(iscell) > 0.7, npix > 10; dashed)



zebrafish visual only, 1/60 Hz (2022 Q1): 20220221_visual
3669 ROIs with npix >= 10 (coverage averaged over repeat trials); 1363 pass production cut ($P(\text{iscell}) > 0.55$, $\text{npix} > 10$; dashed)



zebrafish visual only, 1/60 Hz (2022 Q1): 20220223_visual
170 ROIs with npix >= 10 (coverage averaged over repeat trials); 118 pass production cut ($P(\text{iscell}) > 0.6$, $\text{npix} > 10$; dashed)



zebrafish visual only, 1/60 Hz (2022 Q1): 20220301_visual_a, 20220301_visual_b
3129 ROIs with npix >= 10 (coverage averaged over repeat trials); 1395 pass production cut ($P(\text{iscell}) > 0.55$, npix > 10; dashed)

