Top 50 GPUs for AI Training: VRAM, Price, Scarcity and Availability

Ordered by VRAM (most to least), then manufacturer. Snapshot of the global market.

Research conducted 2026-11-10 by Claude Code (claude-opus-5-5, research agents on Sonnet). AI-assisted desk research from public sources read on that date. Prices, stock and cloud availability change quickly: re-verify before any purchase decision.

Summary table

Scarcity indexes run 1 (readily available) to 5 (effectively unobtainable through that channel). **Srv** = serverless inference platforms; **Ded** = dedicated cloud instances (hyperscalers and neoclouds); **New** = buying new hardware; **Comp** = composite, the mean of the three. Prices are USD per new unit; see the appendix for what each price represents.

#	GPU	Maker	VRAM GB	Memory	New price (USD)	Srv	Ded	New	Comp	Cloud availability	Regions
1	**AMD Instinct MI350X**	AMD	288	HBM3E	—	5	4	3	4.0	DigitalOcean, CoreWeave (reported), CloudRift, Cirrascale (announced)	North America [thin, mostly contact-sales]
2	**AMD Instinct MI355X**	AMD	288	HBM3E	—	4	3	3	3.3	Oracle OCI, CoreWeave, Vultr (preemptible), TensorWave, DigitalOcean (spot/preview), Crusoe (contact sales), Cirrascale	North America, Europe [limited]
3	**NVIDIA B300 (HGX B300)**	NVIDIA	288	HBM3e	$50,000–98,201	2	3	3	2.7	Modal, CoreWeave, Lambda, Nebius, Oracle Cloud, AWS, GCP, Hyperstack, DataPacket	North America, Europe, Asia-Pacific, Middle East
4	**NVIDIA GB300 (GB300 NVL72 per-GPU)**	NVIDIA	288	HBM3e	$59,722–90,278	5	3	4	4.0	CoreWeave [contact sales], Oracle Cloud, AWS, Azure, Lambda	North America, Europe, Asia-Pacific
5	**AMD Instinct MI325X**	AMD	256	HBM3E	$10,000–20,000	5	4	3	4.0	TensorWave, Cyfuture AI, Bentaus	North America, Asia-Pacific [very limited, few providers]
6	**AMD Instinct MI300X**	AMD	192	HBM3	$10,000–15,000	3	2	3	2.7	Microsoft Azure, Oracle OCI, Vultr, DigitalOcean, TensorWave, Crusoe, Hot Aisle, RunPod (often unavailable), Cirrascale, Spheron	North America, Europe [Azure eastus2/westus3 mainly]
7	**NVIDIA GB200 (GB200 NVL72 per-GPU)**	NVIDIA	186	HBM3e	$43,056–54,167	5	3	3	3.7	CoreWeave [$10.50/GPU-hr], AWS, Azure, GCP, Oracle Cloud, Lambda, Nebius	North America, Europe, Asia-Pacific
8	**NVIDIA B200 (HGX B200)**	NVIDIA	180	HBM3e	$48,029–70,269	2	2	2	2.0	Modal, RunPod, AWS, Azure, GCP, Oracle Cloud, CoreWeave, Lambda, Nebius, Crusoe, Together, Hyperstack, Vast.ai	North America, Europe, Asia-Pacific, Middle East
9	**NVIDIA H200 NVL**	NVIDIA	141	HBM3e	$28,000–33,732	4	3	2	3.0	CoreWeave, Hyperstack, Vast.ai, Oracle Cloud	North America, Europe, Asia-Pacific
10	**NVIDIA H200 SXM**	NVIDIA	141	HBM3e	$30,000–58,414	2	2	2	2.0	Modal, RunPod, AWS, Azure, GCP, Oracle Cloud, CoreWeave, Lambda, Nebius, Crusoe, Together, Vast.ai, Hyperstack	North America, Europe, Asia-Pacific, Middle East
11	**AMD Instinct MI250**	AMD	128	HBM2e	—	5	4	4	4.3	Limited (listed by aggregators, not sold on demand)	North America [few]
12	**AMD Instinct MI250X**	AMD	128	HBM2e	$14,500	5	4	4	4.3	Limited (GPUPerHour lists few instances)	North America [few]
13	**AMD Instinct MI300A**	AMD	128	HBM3	$6,499–14,999	5	5	4	4.7	None found (HPC systems e.g. El Capitan via HPE)	North America, Europe [HPC/government only]
14	**Huawei Ascend 910C**	Huawei	128	HBM2e (reported)	$12,700–15,500	4	4	5	4.3	Huawei Cloud, Chinese neoclouds (SMM-tracked rentals)	China, Asia-Pacific [foreign access via cloud only, domestic shortage

#	GPU	Maker	VRAM GB	Memory	New price (USD)	Srv	Ded	New	Comp	Cloud availability	Regions
											blocks export], Middle East [reported plans]
15	**Intel Data Center GPU Max 1550**	Intel	128	HBM2e	—	5	5	5	5.0	None found (Argonne Aurora and some legacy deployments)	North America [legacy/ HPC]
16	**Intel Gaudi 3**	Intel	128	HBM2e	$15,625	4	3	3	3.3	IBM Cloud, Cyfuture AI (reported), Dell/ Supermicro OEM systems	North America, Europe [IBM Frankfurt, Washington DC, Dallas]
17	**Intel Gaudi 2**	Intel	96	HBM2e	$8,125	5	3	4	4.0	Cyfuture AI, Intel Tiber AI Cloud (not verified)	North America, Asia-Pacific [few]
18	**NVIDIA GH200 Grace Hopper**	NVIDIA	96	HBM3 (96GB) or HBM3e (144GB variant) plus 480GB LPDDR5X	—	4	3	3	3.3	Lambda, CoreWeave, Vultr, Oracle Cloud, Fluence marketplace	North America, Europe
19	**NVIDIA H20**	NVIDIA	96	HBM3	—	5	3	4	4.0	Alibaba Cloud, Chinese domestic providers	China [domestic only]
20	**NVIDIA RTX PRO 6000 Blackwell (Workstation + Server editions)**	NVIDIA	96	GDDR7 ECC	$8,565–16,000	2	2	4	2.7	AWS (g7e), Google Cloud (G4), Azure (NCv6), Oracle Cloud, CoreWeave, Nebius, Modal, RunPod, Vast.ai, Hyperstack, Verda, Akamai, Beam	North America, Europe, Asia-Pacific [Australia via mCloud]
21	**NVIDIA H100 NVL**	NVIDIA	94	HBM3	$24,500–32,383	4	3	4	3.7	Hyperstack, GPUOutlet, Lambda, Vultr, Oracle Cloud	North America, Europe, Asia-Pacific
22	**NVIDIA A100 PCIe 80GB**	NVIDIA	80	HBM2e	$8,000–12,000	2	2	4	2.7	Modal, RunPod, Lambda, Vast.ai, Jarvislabs, Azure, GCP, OCI, Hyperstack, Nebius	North America, Europe, Asia-Pacific, Middle East
23	**NVIDIA A100 SXM 80GB**	NVIDIA	80	HBM2e	$10,000–15,000	2	2	4	2.7	Modal, RunPod, Lambda, CoreWeave, Jarvislabs, Vast.ai, AWS (p4de), Azure, GCP, OCI, Nebius, Alibaba Cloud	North America, Europe, Asia-Pacific, Middle East, China
24	**NVIDIA A800 80GB**	NVIDIA	80	HBM2e	—	5	4	5	4.7	Alibaba Cloud, Chinese neoclouds/GPU rental indices (SMM spot index)	China, Asia-Pacific [mainly China]
25	**NVIDIA H100 PCIe**	NVIDIA	80	HBM2e	$22,000–32,412	2	1	3	2.0	RunPod, Hyperstack, Lambda, Vultr, Vast.ai, Oracle Cloud, Azure, CoreWeave	North America, Europe, Asia-Pacific, Latin America
26	**NVIDIA H100 SXM**	NVIDIA	80	HBM3	$25,000–31,000	1	1	2	1.3	Modal, RunPod, Baseten, Together, AWS, Azure, GCP, Oracle Cloud, CoreWeave, Lambda, Nebius, Crusoe, Vast.ai, Hyperstack, Alibaba Cloud	North America, Europe, Asia-Pacific, Middle East, Latin America
27	**NVIDIA H800**	NVIDIA	80	HBM3	—	5	4	5	4.7	Alibaba Cloud, Chinese domestic providers	China [domestic only]
28	**AMD Instinct MI210**	AMD	64	HBM2e	$11,000–13,500	5	4	2	3.7	Limited (aggregators list, not sold on demand)	North America [few]
29	**Huawei Ascend 910B**	Huawei	64	HBM2e	$13,400–16,900	4	3	4	3.7	Huawei Cloud, Chinese neoclouds (SMM rentals)	China, Asia-Pacific, Middle East [batch shipments of several thousand reported]
30	**NVIDIA A40**	NVIDIA	48	GDDR6	$3,500–5,500	3	2	4	3.0	RunPod, Vast.ai, Lambda, CoreWeave, Hyperstack, Jarvislabs	North America, Europe, Asia-Pacific
31	**NVIDIA L20**	NVIDIA	48	GDDR6	$3,400–4,800	5	4	4	4.3	Alibaba Cloud, Tencent Cloud, Chinese neoclouds	China, Asia-Pacific
32	**NVIDIA L40**	NVIDIA	48	GDDR6	$6,500–8,000	3	2	3	2.7	RunPod, Vast.ai, CoreWeave, Hyperstack, Lambda	North America, Europe, Asia-Pacific
33	**NVIDIA L40S**	NVIDIA	48	GDDR6	$7,000–9,000	1	1	2	1.3	Modal, RunPod, CoreWeave, Lambda, Nebius, Vast.ai, AWS (g6e), OCI, Hyperstack, Crusoe, Baseten, fal	North America, Europe, Asia-Pacific, Middle East
34	**NVIDIA Quadro RTX 8000**	NVIDIA	48	GDDR6 ECC	$2,479	5	3	4	4.0	Vast.ai (limited marketplace hosts)	North America, Europe
35	**NVIDIA RTX 6000 Ada**	NVIDIA	48	GDDR6 ECC	$6,800–7,499	2	2	3	2.3	RunPod, Vast.ai, DigitalOcean, Lambda	North America, Europe

#	GPU	Maker	VRAM GB	Memory	New price (USD)	Srv	Ded	New	Comp	Cloud availability	Regions
36	**NVIDIA RTX A6000**	NVIDIA	48	GDDR6 ECC	$4,650–6,999	2	2	4	2.7	RunPod, Vast.ai, Thunder Compute, Lambda	North America, Europe
37	**NVIDIA A100 40GB**	NVIDIA	40	HBM2	$5,000–8,000	3	2	4	3.0	Modal, GCP (a2-highgpu), AWS (p4d), Azure, Vast.ai, Lambda, Jarvislabs	North America, Europe, Asia-Pacific
38	**NVIDIA GeForce RTX 5090**	NVIDIA	32	GDDR7	$1,999–6,919	2	2	4	2.7	RunPod, Vast.ai, TensorDock, Lambda (limited)	North America, Europe, Asia-Pacific
39	**NVIDIA RTX 5000 Ada Generation**	NVIDIA	32	GDDR6 ECC	$4,000–4,999	4	3	3	3.3	Vast.ai (limited), smaller neoclouds	North America, Europe
40	**NVIDIA V100 32GB**	NVIDIA	32	HBM2	—	5	3	5	4.3	AWS (p3dn), Azure (ND40rs_v2), Google Cloud, Oracle Cloud, Vast.ai, TensorDock, Ori	North America, Europe
41	**NVIDIA A10**	NVIDIA	24	GDDR6	$3,300–4,100	1	2	3	2.0	Modal, Baseten, Lambda, Vast.ai, Oracle OCI, Azure (NVadsA10 v5), CoreWeave	North America, Europe, Asia-Pacific, Middle East
42	**NVIDIA A10G (AWS variant)**	NVIDIA	24	GDDR6	—	2	2	5	3.0	AWS (g5/g5g), Modal, Baseten, Replicate	North America, Europe, Asia-Pacific, Middle East, Latin America
43	**NVIDIA A30**	NVIDIA	24	HBM2	$2,600–3,900	5	3	4	4.0	Vast.ai, CoreWeave (limited), small neoclouds	North America, Europe
44	**NVIDIA GeForce RTX 3090**	NVIDIA	24	GDDR6X	$1,499	2	1	5	2.7	RunPod, Vast.ai, TensorDock, marketplaces	North America, Europe, Asia-Pacific
45	**NVIDIA GeForce RTX 4090**	NVIDIA	24	GDDR6X	$1,599–4,800	2	1	4	2.3	RunPod, Vast.ai, TensorDock, Lambda (limited), many marketplaces	North America, Europe, Asia-Pacific
46	**NVIDIA L4**	NVIDIA	24	GDDR6	$3,900–7,000	1	1	2	1.3	Modal, RunPod, GCP (g2, Cloud Run GPUs), AWS (g6), Azure, OCI, Cloudflare, Koyeb, Vast.ai	North America, Europe, Asia-Pacific, Middle East, Latin America
47	**NVIDIA RTX A5000**	NVIDIA	24	GDDR6 ECC	$2,250–3,200	2	2	3	2.3	RunPod, Vast.ai, Paperspace, TensorDock	North America, Europe
48	**NVIDIA P100 16GB**	NVIDIA	16	HBM2	—	5	3	5	4.3	Vast.ai, LeaderGPU, Omega Gradient, Kaggle (unverified)	North America, Europe
49	**NVIDIA T4**	NVIDIA	16	GDDR6	$500–2,299	1	1	3	1.7	Modal, GCP, AWS (g4dn), Azure, Vast.ai, Koyeb, Replicate	North America, Europe, Asia-Pacific, Middle East, Latin America, China
50	**NVIDIA V100 16GB**	NVIDIA	16	HBM2	—	5	2	5	4.0	AWS (p3), Azure (NC v3), Google Cloud, Oracle Cloud, Lambda, Paperspace, Vast.ai	North America, Europe

Four-tier stratification

Each GPU gets a tier from 1 (least of the attribute) to 4 (most) on three axes. Rubric version 2026-11-10, file `rubrics/gpu-four-tier.json`. Tier 1 = least of the attribute, tier 4 = most. Bounds are inclusive lower, exclusive upper (min <= x < max). Blank input -> blank tier.

VRAM — *vram_gb (per GPU)*

T	Label	Range	Meaning
1	Entry	0–<48	Fine-tuning small models, LoRA, inference of <=13B; consumer and legacy cards
2	Mid	48–<96	Workhorse training: 7-70B with sharding; A100/H100/L40S class
3	High	96–<180	Large-model training and long context on fewer GPUs; H200, MI210-MI300A, Gaudi
4	Frontier	≥ 180	Frontier-scale training; Blackwell and MI300X/MI3xx class

Cost — *cost_mid_usd = mean of new_price_usd_low and new_price_usd_high (or whichever is present)*

T	Label	Range	Meaning
1	Budget	0–<5000	Consumer and entry workstation/ inference cards
2	Mid	5000–<15000	Workstation and previous-gen data-centre cards
3	High	15000–<40000	Current-gen Hopper-class data-centre GPUs
4	Premium	≥ 40000	Blackwell-class, usually only sold in 8-GPU boards or racks

Scarcity — *scarcity_composite (mean of the three 1-5 channel indexes)*

T	Label	Range	Meaning
1	Abundant	1–<2	Rent or buy anywhere, today
2	Available	2–<3	Obtainable with some shopping around or quota requests
3	Constrained	3–<4	Few providers, sales-led, waitlists or regional limits
4	Scarce	≥ 4	Effectively unobtainable for most buyers (EOL, export-restricted, HPC-only)

Grid: VRAM tier × scarcity tier

Rows are VRAM tiers (Frontier at top), columns scarcity tiers (Abundant at left). Each name carries its cost tier: **C1** Budget … **C4** Premium, **C?** no reliable new price. The top-left corner (big memory, easy to get) is where buyers want to be. It is nearly empty: memory and availability trade off against each other.

VRAM \ Scarcity	S1 Abundant	S2 Available	S3 Constrained	S4 Scarce
V4 Frontier		B300 (HGX B300) (C4) MI300X (C2) B200 (HGX B200) (C4)	MI355X (C?) GB200 (GB200 NVL72 per-GPU) (C4)	MI350X (C?) GB300 (GB300 NVL72 per-GPU) (C4) MI325X (C3)
V3 High		H200 SXM (C4) RTX PRO 6000 Blackwell (Workstation + Server editions) (C2)	H200 NVL (C3) Gaudi 3 (C3) GH200 Grace Hopper (C?)	MI250 (C?) MI250X (C2) MI300A (C2) Ascend 910C (C2) Data Center GPU Max 1550 (C?) Gaudi 2 (C2) H20 (C?)
V2 Mid	H100 SXM (C3) L40S (C2)	A100 PCIe 80GB (C2) A100 SXM 80GB (C2) H100 PCIe (C3) L40 (C2) RTX 6000 Ada (C2) RTX A6000 (C2)	H100 NVL (C3) MI210 (C2) Ascend 910B (C3) A40 (C1)	A800 80GB (C?) H800 (C?) L20 (C1) Quadro RTX 8000 (C1)
V1 Entry	L4 (C2) T4 (C1)	RTX 5090 (C1) A10 (C1) RTX 3090 (C1) RTX 4090 (C1) RTX A5000 (C1)	A100 40GB (C2) RTX 5000 Ada Generation (C1) A10G (AWS variant) (C?)	V100 32GB (C?) A30 (C1) P100 16GB (C?) V100 16GB (C?)

Power, noise, form factor and rack fit

Board W is the vendor TDP/TBP of one GPU. **PSU needed** is what a buyer has to supply: the system PSU for a one-card workstation when the GPU is a card, or the node (8-GPU server) or rack (NVL72) power figure when the GPU only ships inside one. “Inferred” means no vendor recommendation was found. **Noise**: passive datacenter GPUs have no fan, so their noise is the host server’s. **Card** gives the card’s own dBA from a review, where one exists. **System** gives the published acoustic figure for the typical host (table at the end of this section). **Rack**: Rack-native ships only in rack servers; Passive fits standard GPU servers, needs their airflow; Caveats workstation/consumer card, fits some 4U chassis; No not practical.

#	GPU	Board W	Connector	PSU needed	Cooling	Noise (dBA)	Physical form	Rack fit
1	**AMD Instinct MI350X**	1000	via UBB 2.0 baseboard (54V/48V busbar)	8-GPU UBB node ~14 kW inferred (8x1000W GPU + CPUs/NICs/fans); redundant 3.0-3.3 kW PSUs; 200-240V or 3-phase	passive (needs chassis airflow)	—	OAM module on UBB 2.0 8-GPU baseboard	**Rack-native** — Air-cooled 8U (some 10U) 8-OAM servers (Supermicro/Gigabyte/Dell); node 100+ kg; needs high-airflow row and 3-phase power
2	**AMD Instinct MI355X**	1400	via UBB 2.0 baseboard (54V/48V busbar)	8-GPU direct-liquid-cooled node ~18-20 kW inferred (8x1400W = 11.2 kW GPUs + CPUs/NICs/PSU loss); 3-phase 200-415V; facility liquid loop (CDU) required	liquid	—	OAM module on UBB 2.0 8-GPU baseboard with cold plate	**Rack-native** — Liquid-cooled 4U or 2U-per-node 8-OAM designs; needs rack manifolds/CDU; high rack density (tens of kW per rack)
3	**NVIDIA B300 (HGX B300)**	1100	via HGX baseboard (54V/48V busbar)	HGX B300 8-GPU node ~14-15 kW inferred (8x1100W = 8.8 kW GPUs + CPUs/NICs/fans); multiple 3.3 kW PSUs; 3-phase	air or liquid	System: ~63-64 (proxy: Dell XE9680L B200 liquid-assisted)	SXM on HGX 8-GPU baseboard	**Rack-native** — Supermicro-type 8U air-cooled or 4U liquid-cooled HGX B300 servers; heavy node; 3-phase power; liquid needs CDU
4	**NVIDIA GB300 (GB300 NVL72 per-GPU)**	1400	via rack busbar/power shelves (rack 48-50V DC bus; shelves 3-phase AC)	NVL72 rack ~132 kW nominal, ~155 kW peak, busway provisioned to 192 kW (HPE figures); 3-phase AC power shelves; facility liquid loop required	liquid	System: up to 82.9 (Lenovo GB300 NVL72 rack spec)	Blackwell Ultra GPU on compute tray (2 GPU + 1 Grace per superchip board; 72 GPUs per rack)	**Rack-native** — NVL72 = one 48U liquid-cooled rack ~1.36-1.58 t (sources vary); ~90% liquid / 10% air; needs reinforced floor and CDU
5	**AMD Instinct MI325X**	1000	via UBB 2.0 baseboard (54V/48V busbar)	8-GPU UBB node ~14 kW inferred (8x1000W + CPUs/NICs/fans); redundant 3 kW+ PSUs	passive (needs chassis airflow)	System: ~77 (proxy: XE9680 air, 100% GPU, 25C MI300X)	OAM module on UBB 2.0 8-GPU baseboard	**Rack-native** — 8U air-cooled 8-OAM servers (Supermicro/Dell/Gigabyte); also liquid variants; same UBB as MI300X
6	**AMD Instinct MI300X**	750	via UBB 2.0 baseboard (54V/48V busbar)	8-GPU UBB node ~10-11 kW inferred (8x750W = 6 kW + CPUs/NICs/fans); redundant 3 kW PSUs	passive (needs chassis airflow)	System: 77 (XE9680 air, 100% GPU, 25C)	OAM module on UBB 2.0 8-GPU baseboard	**Rack-native** — 8U 8-OAM air-cooled servers (Supermicro AS-8125GS, Dell XE9680, Gigabyte G593); some 4U liquid
7	**NVIDIA GB200 (GB200 NVL72 per-GPU)**	1200	via rack busbar/power shelves (rack 48-50V DC bus; shelves 3-phase AC)	NVL72 rack ~120-132 kW; 3-phase AC power shelves; facility liquid loop required	liquid	System: ~82.9 (proxy: Lenovo GB300 NVL72 rack)	Blackwell GPU on compute tray (2 GPU + 1 Grace per superchip; 72 GPUs per rack)	**Rack-native** — NVL72 = one 48U liquid-cooled rack ~1.36 t; NVIDIA page confirms rack-scale liquid-cooled design; needs CDU and reinforced floor
8	**NVIDIA B200 (HGX B200)**	1000	via HGX baseboard (54V/48V busbar)	HGX B200 8-GPU node ~14.3 kW max (DGX B200 spec); multiple 3.3 kW PSUs; 3-phase or 200-240V high-amp	air or liquid	System: 63-64 (Dell XE9680L/XE9685L liquid-assisted, 25C)	SXM on HGX 8-GPU baseboard	**Rack-native** — DGX B200 = 10 RU (444mm tall x 482mm x 897mm); OEM HGX B200 in 8U air or 4U liquid; baseboard alone ~10.2 kW
9	**NVIDIA H200 NVL**	600	1x 16-pin 12V-2x6 (PCIe CEM5) per card in most servers; OEM-specific	No vendor 1-card figure; inferred ~1200 W system PSU for one 600 W card; 4-GPU NVL server ~4 kW+ inferred (4x600W + CPUs)	passive (needs chassis airflow)	System: ~75 (proxy: Dell XE7740 8x H100 NVL)	PCIe FHFL dual-slot (air-cooled) with 2- or 4-way NVLink bridge	**Yes** — 2U 4-GPU or 4U 8-GPU PCIe servers (MGX); needs front-to-back server airflow; NVLink bridges link 2 or 4 cards
10	**NVIDIA H200 SXM**	700	via HGX baseboard (54V/48V busbar)	HGX H200 8-GPU node ~10.2 kW max (DGX H200 spec); 6x 3.3 kW PSUs; 3-phase or high-amp 200-240V	air or liquid	System: 82 (XE9680 air, 100% GPU, 25C); 62 XE9680L liquid-assisted	SXM5 on HGX 8-GPU baseboard	**Rack-native** — DGX/HGX H200 8U air-cooled (DGX 8U); some OEM 4U liquid; node ~130 kg
11	**AMD Instinct MI250**	500	via OAM / platform baseboard (48V)	4-GPU OAM node ~3.5-4 kW inferred (4x500W + CPUs); 2U 4-OAM servers need ~3 kW PSUs	air or liquid	—	OAM module (dual-GCD)	**Rack-native** — 2U 4-OAM servers such as Gigabyte G262; 560W peak variant exists; Frontier-style liquid blades use MI250X
12	**AMD Instinct MI250X**	560	via OAM / platform baseboard (48V)	4-GPU OAM node ~3.5-4.5 kW inferred (4x560W + CPUs); HPE Cray EX blade liquid cooled	air or liquid	—	OAM module (dual-GCD)	**Rack-native** — Liquid-cooled HPE Cray EX235a blades (Frontier) or 2U 4-OAM air/liquid OEM servers; not a card
13	**AMD Instinct MI300A**	550	SH5 socket (power via board 12V/48V VRM; no external GPU connector)	4-APU node ~3.5-4 kW inferred (4x550W air or up to 4x760W liquid + DRAM-less system); El Capitan blade ~4.4 kW avg and 6.08 kW peak (reported)	air or liquid	—	SH5 socket APU (24 Zen 4 cores + CDNA3 + 128GB HBM3)	**Rack-native** — Air-cooled 2U 4-APU (Gigabyte G383-R80) or liquid HPE Cray EX blades; 550W air / 760W liquid peak per AMD data sheet
14	**Huawei Ascend 910C**	600	via server baseboard (module)	Node/system figure: Atlas 800 A3 family max input 16.2 kW (800I A3 variant 14.6 kW; 6x 3 kW PSUs 5+1); CloudMatrix 384 full system ~559 kW (SemiAnalysis estimate; sourcing contested). 600 W per-chip TDP is third-party only (inferred)	air or liquid	—	Dual-die module on Atlas 800T/800I A3 server baseboard (8 NPU modules per node per Flopper; Atlas 900 A3 SuperPoD = up to 384 NPUs)	**Rack-native** — Atlas 800 A3 multi-U chassis (retailer lists 10U for 800T A3); CloudMatrix 384 = multi-rack supernode with optical interconnect; roughly 4x the power of a GB200 NVL72 per SemiAnalysis; export/availability limited outside China
15	**Intel Data Center GPU Max 1550**	600	via server baseboard (OAM)	OAM node: 4- or 8-OAM server with redundant 3 kW-class PSUs; per-node figure not published by Intel (inferred ~5-6 kW for 8x600 W plus CPUs; Aurora uses liquid-cooled blades)	air or liquid	—	OAM module (OCP Accelerator Module) 600 W	**Rack-native** — Ships only in OAM rack servers (e.g. 4-OAM 2U/4U or 8-OAM 4U-8U) and HPE/Cray liquid-cooled blades (Aurora); product discontinued/EOL, Rialto Bridge cancelled
16	**Intel Gaudi 3**	900	OAM via baseboard; HL-338 PCIe: 16-pin	8-OAM node: Supermicro SYS-822GA-NGR3 8U with 8x 3000 W Titanium PSUs (2880 W at 200-207 V; 3000	passive (needs chassis airflow)	—	HL-325L OAM module (900 W air or liquid per Intel white paper);	**Rack-native** — 8U 8-OAM servers (Supermicro SYS-822GA-NGR3: 8U 447x800 mm, up to 10x 80 mm

#	GPU	Board W	Connector	PSU needed	Cooling	Noise (dBA)	Physical form	Rack fit
			auxiliary (assumed, not confirmed)	W above 207 V); max system draw not published (inferred ~10-12 kW for 8x900 W + CPUs). HL-338 PCIe card 600 W passive: no vendor PSU rec found			HL-338 PCIe FHFL dual-slot Gen5 x16 (600 W, passive)	fans, 10-35C); HL-338 goes in standard PCIe GPU servers with strong airflow; 200-240 V feed needed; psu_needed_w is installed PSU capacity (8x3000 W) not draw
17	**Intel Gaudi 2**	600	via baseboard (OAM; 54V)	Supermicro SYS-820GH-TNR2 8U: 6x 3000 W Titanium redundant PSUs (2880 W below 207 V input); max system draw not published (inferred ~8 kW). 200-240 V feed	air	—	OAM module (HL-225B) 600 W on HLS-2 8-OAM baseboard	**Rack-native** — 8U 8-OAM servers (Supermicro SYS-820GH-TNR2; Intel HLS-2 baseboard); psu_needed_w is installed PSU capacity (6x3000 W) not draw; 54V/12V split PSUs
18	**NVIDIA GH200 Grace Hopper**	1000	via server board (module; programmable 450-1000 W total CPU+GPU+memory)	Module 450-1000 W configurable (CPU+GPU+memory); Gigabyte XH23-VG0-AAJ1 2U MGX system uses dual 2000 W 80 PLUS Titanium PSUs. DGX GH200 / multi-node needs 200-240 V	air or liquid	—	Superchip module (72-core Grace + Hopper GPU, NVLink-C2C) soldered/socketed on MGX board	**Rack-native** — 1U/2U MGX servers (1 or 2 superchips, e.g. Gigabyte XH23-VG0-AAJ1 2U); ~1 kW setting generally needs liquid cooling per ServeTheHome; GH200 NVL2 = two superchips (900-2000 W)
19	**NVIDIA H20**	400	via HGX baseboard (SXM)	8-GPU HGX node: no published H20 system figure; inferred ~6-8 kW (8x400 W GPUs + CPUs + NVSwitch + fans). TDP sources conflict (350 W Viperatech; 400 W Flopper). Dual 3 kW+ PSUs, 200-240 V	air	System: ~82 (proxy: XE9680 air, 100% GPU, 25C H100 board)	SXM5-class module on HGX 8-GPU baseboard	**Rack-native** — HGX 8-GPU servers 4U-8U (e.g. Gigabyte G893-SD1/G894-SD1 series); China-market part; H20 draws far less than H100 HGX (10.2 kW DGX H100 max)
20	**NVIDIA RTX PRO 6000 Blackwell (Workstation + Server editions)**	600	1x 12V-2x6 (16-pin) on Workstation (inferred from 5090-class design; not stated on NVIDIA page)	Workstation Edition 600 W: NVIDIA lists no system PSU rec; inferred 1000 W+ ATX 3.1 for 1 card (Puget test rig used 1600 W for multi-card). Max-Q 300 W; Server Edition passive 2-slot configurable up to 600 W	open-air axial (Workstation: dual flow-through fans); blower (Max-Q); passive (Server)	Card: 32.5 (Workstation Ed., GamersNexus, load)	PCIe dual-slot FHFL, 5.4 in (137 mm) high x 12.0 in (305 mm) long (Workstation)	**Yes** — Workstation fan card exhausts into chassis (not rear): needs 4U+ chassis with airflow; Max-Q blower is better for dense multi-GPU racks; Server Edition passive suits 2U-4U GPU servers; 12V-2x6 cable bend clearance in 4U
21	**NVIDIA H100 NVL**	400	1x 16-pin (12VHPWR-style) PCIe auxiliary per card (inferred from H100 PCIe brief; adapter from CPU 8-pin)	Per card 350-400 W configurable; no vendor PSU rec for a 2-card pair: inferred ~1600 W system PSU. Server use: 2U/4U PCIe GPU servers	passive (needs chassis airflow)	System: 75 (Dell XE7740/XE7745, 8 cards, 25C)	PCIe dual-slot FHFL air-cooled card (NVLink bridge connects pair)	**Yes** — 2U 4-GPU or 4U 8-10-GPU PCIe servers; NVLink bridge pairs cards; needs server with high static-pressure airflow
22	**NVIDIA A100 PCIe 80GB**	300	1x CPU 8-pin (EPS) auxiliary (NVIDIA part 030-1233-000 8-pin to 2x 8-pin PCIe cable exists)	No vendor desktop PSU rec found: inferred ~850 W system PSU for 1 card. AnandTech reports dual 8-pin; NVIDIA board spec says 1x CPU 8-pin	passive (needs chassis airflow); single-slot liquid variant also listed	System: 66-68.3 (Dell R760xa 4 cards / Lenovo SR675 V3)	PCIe FHFL dual-slot, 267 mm	**Yes** — 2U 4-GPU or 4U 8-10-GPU PCIe servers; EPS vs PCIe 8-pin mix-up can damage hardware; passive card overheats in workstations without ducted airflow
23	**NVIDIA A100 SXM 80GB**	400	via HGX baseboard (SXM4)	8-GPU node: DGX A100 (8x A100) max 6.5 kW, 6x 3 kW PSUs 3+3 redundant, 200-240 V; HGX A100-80GB custom thermal SKU up to 500 W per GPU	air (500 W custom SKU needs custom thermal solution)	System: 84 (XE9680 air, 100% GPU, 25C)	SXM4 module on HGX 8-GPU baseboard	**Rack-native** — DGX A100 6U (264 mm, 123 kg max); HGX A100 4U-6U OEM servers; operating 5-30C for DGX
24	**NVIDIA A800 80GB**	300	PCIe: 1x CPU 8-pin (EPS); SXM4: via baseboard	PCIe: inferred ~850 W system PSU for 1 card (A100-class). SXM4 8-GPU HGX node ~6.5 kW (DGX A100 spec used as proxy, inferred). TDP sources conflict: TechPowerUp 250 W PCIe, Flopper 300 W; SXM variant ~400 W unconfirmed	passive (PCIe); air (SXM)	System: ~66-68 (proxy: A100 PCIe servers)	PCIe dual-slot FHFL; SXM4 module on HGX baseboard	**Yes** — PCIe in 2U 4-GPU or 4U 8-GPU servers; SXM4 in HGX 4U-6U servers; China-market A100 derivative (reduced NVLink)
25	**NVIDIA H100 PCIe**	350	1x 16-pin PCIe auxiliary (up to 350 W per NVIDIA product brief; CPU 8-pin to 16-pin adapter)	No vendor PSU rec found: inferred ~1000 W system PSU for 1 card. Datasheet lists 300-350 W configurable	passive (needs chassis airflow)	System: 71.3 (Lenovo SR675 V3, 4 cards)	PCIe Gen5 dual-slot FHFL, 267-268 mm (10.5 in)	**Yes** — 2U 4-GPU or 4U 8-10-GPU PCIe servers; connector on east (rear-end) edge needs cable clearance; passive heatsink requires server airflow
26	**NVIDIA H100 SXM**	700	via baseboard (HGX/DGX 54V busbar)	8-GPU HGX node ~10.2 kW max; DGX H100 uses 6x 3.3 kW PSUs (4+2) on 200-240V; 3-phase/high-amp PDU feed per rack	air or liquid	System: 82 (XE9680 air, 100% GPU, 25C); 71.2 XE8640 4-GPU; 74.8 Lenovo SR675 V3	SXM5 module on HGX 8-GPU baseboard	**Rack-native** — DGX/HGX 8U air-cooled (DGX H100 = 8U); liquid-cooled variants 4U from OEMs; very loud, needs sound mitigation and 10+ kW per node rack power budget
27	**NVIDIA H800**	700	via baseboard (SXM5); PCIe variant 1x CPU 8-pin (EPS)	SXM5 variant: same as H100 HGX 8-GPU node ~10.2 kW max (DGX-class 6x 3.3 kW PSUs); PCIe variant 350W card: inferred 1000W system PSU per card	air or liquid	System: ~82 (proxy: XE9680 air, 100% GPU, 25C H100 board)	SXM5 module on HGX baseboard; PCIe FHFL dual-slot variant (350W passive)	**Rack-native** — HGX 8U air or 4U liquid for SXM5; PCIe variant fits 2U-4U GPU servers; China-market part so OEM chassis mirror H100 ones; board power inferred identical to H100 (700W SXM / 350W PCIe)
28	**AMD Instinct MI210**	300	1x CPU 8-pin (EPS12V)	Inferred ~1000W ATX system PSU for 1 card (no vendor system rec. found); server PSU per OEM	passive (needs chassis airflow)	—	PCIe FHFL dual-slot, 267mm	**Yes** — 2U-4U GPU servers with high-static-pressure fans; EPS connector not PCIe 8-pin so cable must be right; Infinity Fabric bridge for 2-4 cards
29	**Huawei Ascend 910B**	400	via baseboard (OAM-style module in Atlas 800T/800I A2)	8-NPU Atlas 800I A2 node ~10.4 kW max system power (reseller listing); per-module ~400W unconfirmed, ~310-400W reported	air or liquid	—	OAM-style module on 8-NPU baseboard (some PCIe card variants)	**Rack-native** — Atlas 800T A2 / 800I A2 4U 8-NPU server; China-market, 3-phase 380-415V typical; Huawei publishes no public TDP for 910B
30	**NVIDIA A40**	300	1x CPU 8-pin (EPS12V)	Inferred ~850W ATX system PSU for 1 card (no vendor rec. found)	passive (needs chassis airflow)	System: ~66-68 (proxy: 2U/4U 4-GPU passive PCIe server, Dell	PCIe FHFL dual-slot, 267mm	**Yes** — 2U-4U GPU servers; EPS 8-pin not PCIe 8-pin; needs server fans, not for tower use without added airflow

#	GPU	Board W	Connector	PSU needed	Cooling	Noise (dBA)	Physical form	Rack fit
						R760xa / Lenovo SR675 V3 A100)		
31	**NVIDIA L20**	275	1x 16-pin (12VHPWR) per some listings; one listing says 8-pin (unverified)	Inferred ~850W ATX system PSU for 1 card (no official datasheet found)	passive (needs chassis airflow)	System: ~66-68 (proxy: 2U/4U 4-GPU passive PCIe server, Dell R760xa / Lenovo SR675 V3 A100)	PCIe FHFL dual-slot, 267mm	**Yes** — 2U-4U PCIe GPU servers; China-market part, confirm connector with OEM; adapter cable may be needed
32	**NVIDIA L40**	300	1x 16-pin (PCIe CEM5, 12VHPWR)	Inferred ~850W ATX system PSU for 1 card (no vendor system rec. in datasheet)	passive (needs chassis airflow)	System: ~66-68 (proxy: 2U/4U 4-GPU passive PCIe server, Dell R760xa / Lenovo SR675 V3 A100)	PCIe FHFL dual-slot, 267mm x 111mm	**Yes** — 2U-4U PCIe GPU servers; 16-pin orientation and bend clearance in dense chassis; OEM kits supply cable
33	**NVIDIA L40S**	350	1x 16-pin (12VHPWR)	Inferred ~1000W ATX system PSU for 1 card (no vendor system rec. in datasheet)	passive (needs chassis airflow)	System: ~66-68 (proxy: 2U/4U 4-GPU passive PCIe server, Dell R760xa / Lenovo SR675 V3 A100)	PCIe FHFL dual-slot, 10.5in (267mm) x 4.4in (112mm)	**Yes** — 2U-4U PCIe GPU servers (e.g. 4U 8-10 GPU); 16-pin orientation and bend clearance; OEM supplies cable
34	**NVIDIA Quadro RTX 8000**	260	1x 8-pin + 1x 6-pin PCIe	Inferred ~750W ATX system PSU for 1 card (no vendor rec. verified)	blower	—	PCIe FHFL dual-slot, 267mm	**Yes** — Blower fits 4U GPU servers and tower-to-rack conversions; passive variant suits 2U-4U servers; NVLink bridge for 2 cards; legacy part
35	**NVIDIA RTX 6000 Ada**	300	1x 16-pin (12VHPWR)	Inferred ~800W ATX system PSU for 1 card (no vendor rec. verified)	blower	—	PCIe FHFL dual-slot, 267mm	**Yes** — Blower fits 4U GPU servers and workstation racks (e.g. 4U 4-GPU); 16-pin orientation and side clearance; no NVLink
36	**NVIDIA RTX A6000**	300	1x CPU 8-pin (EPS12V)	Inferred ~750W ATX system PSU for 1 card (no vendor rec. verified)	blower	Card: ~43 (indirect, Igor's Lab comparison)	PCIe FHFL dual-slot, 267mm x 112mm	**Yes** — Blower fits 4U GPU servers and workstation racks; EPS connector not PCIe 8-pin; NVLink bridge for 2 cards
37	**NVIDIA A100 40GB**	400	SXM4: via baseboard (HGX/DGX); PCIe: 1x CPU 8-pin (EPS)	SXM4 8-GPU node: DGX A100 ~6.5 kW max (PCIe variant is 250W; inferred ~850W system PSU per card)	passive (needs chassis airflow)	System: ~84 SXM (proxy: XE9680 A100); ~66-68 PCIe (proxy: R760xa/SR675 V3)	SXM4 module on HGX baseboard; PCIe FHFL dual-slot 267mm (250W)	**Rack-native** — DGX A100 = 6U; HGX A100 4U-6U 8-GPU; PCIe version fits 2U-4U GPU servers; main figure is SXM4 400W (PCIe 250W)
38	**NVIDIA GeForce RTX 5090**	575	1x 12V-2x6 (16-pin) via included 4x 8-pin adapter or native 600W cable	1000W PCIe CEM 5.1 PSU (NVIDIA required system power; 850W minimum)	open-air axial	Card: 32.5-50	PCIe FHFL FE 304mm x 137mm, 2-slot (NVIDIA clearance guidance 3-slot); AIB cards 3-4 slots	**Yes** — Needs 4U+ open chassis; 12V-2x6 connector sits high and needs bend clearance; 575W heat in dense racks; not datacenter supported
39	**NVIDIA RTX 5000 Ada Generation**	250	1x 16-pin (12VHPWR/PCIe CEM5) per PNY/NVIDIA board spec (not stated on NVIDIA page)	~750W system PSU, inferred (no vendor rec. on NVIDIA page)	blower	—	PCIe FHFL dual-slot, 267mm long (10.5in) x 111mm high (4.4in)	**Yes** — Fits 4U GPU servers and rack workstations; blower exhausts out the rear which suits dense chassis; 16-pin connector needs bend clearance; no passive datacenter variant.
40	**NVIDIA V100 32GB**	250	PCIe: 1x 8-pin EPS (CPU) (some sources list 2x 8-pin); SXM2: via baseboard	PCIe: 1-card system ~750W inferred; SXM2 variant is 300W/GPU on 8-GPU DGX-1/HGX-class node (~3.5 kW system)	passive (needs chassis airflow)	—	PCIe FHFL dual-slot 267mm; or SXM2 module (300W variant)	**Yes** — PCIe variant in 2U/4U GPU servers; SXM2 only in DGX-1/OEM 4U SXM2 baseboards. Board power 250W PCIe (300W SXM2). Legacy part.
41	**NVIDIA A10**	150	1x 16-pin (PCIe CEM5) per NVIDIA board spec (recalled; not on product page)	~550W system PSU, inferred (150W card; no vendor rec.)	passive (needs chassis airflow)	System: ~58 (proxy: R760xa 1x A30)	PCIe FHFL single-slot	**Yes** — 1U-4U GPU servers; single-slot so dense (up to 8-10 per 4U). Needs CPU-EPS-to-16-pin cable from server.
42	**NVIDIA A10G (AWS variant)**	300	PCIe 8-pin (per Flopper; AWS-only so no retail spec)	AWS-managed; not purchasable. G5 8-GPU instance (g5.48xlarge) host, rest inferred	passive (needs chassis airflow)	—	PCIe FHFL dual-slot (per getdeploying), AWS custom	**No / impractical** — AWS-only; cannot be bought or racked outside EC2 G5 instances. Spec from third-party databases; 300W figure is uncertain.
43	**NVIDIA A30**	165	1x 8-pin CPU (EPS12V) (Thinkmate listing)	~650W system PSU, inferred (165W card; no vendor rec.)	passive (needs chassis airflow)	System: 58 (Dell R760xa, 1 card, quietest config)	PCIe FHFL dual-slot, 267mm x 112mm	**Yes** — 2U/4U PCIe GPU servers; needs EPS cable not PCIe 8-pin cable (keyed differently); NVLink bridge supported.
44	**NVIDIA GeForce RTX 3090**	350	2x 8-pin PCIe (FE: 1x 12-pin via adapter)	750W system PSU (NVIDIA rec.)	open-air axial	Card: 39	PCIe triple-slot, 313mm x 138mm (FE; AIB cards vary)	**Yes** — Needs 4U+ open chassis or tower-to-rack conversion; triple-slot so max ~4-6 per 4U-8U; open-air fans recirculate heat in dense racks; no NVLink bridges beyond 2 cards.
45	**NVIDIA GeForce RTX 4090**	450	1x 16-pin 12VHPWR (adapter to 3x 8-pin included, up to 4x 8-pin accepted)	850W system PSU (NVIDIA rec.)	open-air axial	Card: 45	PCIe triple-slot (3-slot, 61mm thick), 304mm x 137mm (FE; AIB cards up to ~4-slot)	**Yes** — Needs 4U+ chassis with 36mm+ extra clearance for 12VHPWR cable bend; AIB cards often 3.5-4 slots so 8 per 4U requires blower or water-cooled variants; open-air heat recirculation.

#	GPU	Board W	Connector	PSU needed	Cooling	Noise (dBA)	Physical form	Rack fit
46	**NVIDIA L4**	72	none (powered from PCIe slot)	~450W system PSU, inferred (72W slot-powered card; no vendor rec.)	passive (needs chassis airflow)	System: 72 (Dell XE7740/XE7745, 8-16 cards, 25C)	PCIe low-profile single-slot	**Yes** — 1U/2U servers, edge; up to 8-12 per 2U-4U; no auxiliary power cable.
47	**NVIDIA RTX A5000**	230	1x 8-pin PCIe (per NVIDIA board spec; not stated on product page)	~750W system PSU, inferred (no vendor rec. on NVIDIA page)	blower	—	PCIe FHFL dual-slot, 267mm x 112mm (4.4in high, 10.5in long)	**Yes** — Blower exhaust suits 4U GPU servers and rack workstations; commonly used in multi-GPU workstation racks.
48	**NVIDIA P100 16GB**	250	PCIe: 1x 8-pin EPS (CPU) (recalled; not confirmed); SXM2: via baseboard	PCIe: ~650W system PSU inferred; SXM2 variant is 300W/GPU in DGX-1 (8x P100 node ~3.2 kW)	passive (needs chassis airflow)	—	PCIe FHFL dual-slot 267mm; or SXM2 module (300W)	**Yes** — PCIe variant in 2U/4U GPU servers; SXM2 only in DGX-1/OEM baseboards. Legacy part.
49	**NVIDIA T4**	70	none (powered from PCIe slot)	~450W system PSU, inferred (70W slot-powered card; no vendor rec.)	passive (needs chassis airflow)	System: ~72 (proxy: Dell XE7740 dense L4)	PCIe low-profile single-slot	**Yes** — 1U/2U servers; up to 8-20 per 2U-4U; no auxiliary power cable.
50	**NVIDIA V100 16GB**	250	PCIe: 1x 8-pin EPS (CPU) (some sources list 2x 8-pin); SXM2: via baseboard	PCIe: 1-card system ~750W inferred; SXM2 variant is 300W/GPU on 8-GPU DGX-1/HGX-class node (~3.5 kW system)	passive (needs chassis airflow)	—	PCIe FHFL dual-slot 267mm; or SXM2 module (300W variant)	**Yes** — PCIe variant in 2U/4U GPU servers; SXM2 only in DGX-1/OEM 4U SXM2 baseboards. Board power 250W PCIe (300W SXM2). Legacy part.

Host system acoustics (reference)

System / card	Represents	dBA	Basis	Source
Dell PowerEdge XE9680 (8x H100 SXM board; guide config covers H100/H200/H20)	H100 SXM, H200 SXM, H20 SXM, H800 SXM	82	GPU operating mode = 100% GPU TDP, 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); same table lists idle 52 and 50%-CPU operating 52; LwA,m 9.7 B at GPU operating (sound power, not converted)	https://www.delltechnologies.com/asset/en-au/products/servers/technical-support/poweredge-xe9680-technical-guide.pdf
Dell PowerEdge XE9680 (8x H100 SXM board; guide config covers H100/H200/H20)	H100 SXM, H200 SXM, H20 SXM, H800 SXM	86	Max loading, 35C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); LwA,m 10.2 B	https://www.delltechnologies.com/asset/en-au/products/servers/technical-support/poweredge-xe9680-technical-guide.pdf
Dell PowerEdge XE9680 (8x A100 SXM board)	A100 SXM	84	GPU operating mode = 100% GPU TDP, 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); at 35C max loading 86; LwA,m 10.0 B at 25C	https://www.delltechnologies.com/asset/en-au/products/servers/technical-support/poweredge-xe9680-technical-guide.pdf
Dell PowerEdge XE9680 (8x MI300X OAM board)	MI300X, MI325X (proxy only, MI325X not tested)	77	GPU operating mode = 100% GPU TDP, 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); at 35C max loading 87; LwA,m 9.8 B at 25C. MI325X is NOT measured: shown only as same-platform class	https://www.delltechnologies.com/asset/en-au/products/servers/technical-support/poweredge-xe9680-technical-guide.pdf
Dell PowerEdge XE9680L (8x HGX H200; liquid-assisted)	H200 SXM, H100 SXM (proxy only)	62	Customer-usage operating (100% CPU/mem/SSD/GPU) at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 61; 35C ambient 68 (idle/operating not separated at 28 and 35C); excludes sound from CDUs; LwA,m 7.6 B at 25C	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe9680l-technical-guide.pdf
Dell PowerEdge XE9680L (8x HGX B200; liquid-assisted)	B200 SXM	64	Customer-usage operating (100% CPU/mem/SSD/GPU) at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 60; 35C ambient 71; excludes sound from CDUs; LwA,m 7.8 B at 25C	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe9680l-technical-guide.pdf
Dell PowerEdge XE9685L (8x HGX B200; AMD EPYC 500 W CPUs; liquid-assisted)	B200 SXM	63	Customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 53; 28C 56; 35C ambient 78; excludes CDU sound; LwA,m 7.6 B at 25C	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe9685l-technical-guide.pdf
Dell PowerEdge XE8640 (4x HGX H100 SXM; fan plus liquid-assisted)	H100 SXM	71.2	GPU operating mode 100% workload at 25C ambient (Dell labels it 'Report for reference'); LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe8640-technical-guide.pdf

System / card	Represents	dBA	Basis	Source
			fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 48.1; 50% CPU operating 49; max loading at 35C 83.9; LwA,m 8.7 B	
Dell PowerEdge XE7740 (8x H100 NVL PCIe)	H100 NVL, H100 PCIe (proxy only)	75	Operating/customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 69; guide states ear protection highly recommended and noticeable tones; at 35C max loading printed as '75 / 87' (guide does not define the two values)	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe7740-technical-guide.pdf
Dell PowerEdge XE7740 (16x L4 PCIe)	L4	72	Operating/customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 72; at 35C max loading printed as '77 / 87' (two values not defined in guide)	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe7740-technical-guide.pdf
Dell PowerEdge XE7745 (AMD; 8x H100 NVL PCIe)	H100 NVL, H100 PCIe (proxy only)	75	Operating/customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 69; at 35C max loading printed as '75 / 87' (two values not defined in guide)	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe7745-technical-guide.pdf
Dell PowerEdge XE7745 (AMD; 8x L4 PCIe)	L4	72	Operating/customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 72; at 35C max loading printed as '77 / 87'	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-xe7745-technical-guide.pdf
Dell PowerEdge R760xa (4x A100 PCIe 300 W; Configuration A)	A100 PCIe, L40S (proxy only, not tested), H100 PCIe (proxy only)	66	Customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 57; at 35C max loading 73; LwA,m 8.0 B	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-r760xa-technical-guide.pdf
Dell PowerEdge R760xa (1x A30 165 W; Quietest Configuration)	A30 (low-power PCIe class)	58	Customer-usage operating at 25C ambient; LpA,m bystander position, 24U rack enclosure 25 cm above reflective floor, single unit, Dell technical guide (ISO 7779/9296; Dell notes data may not be fully ISO 7779 compliant; guide prints unit as dB for A-weighted LpA,m); idle 57; at 35C max loading 69; LwA,m 7.5 B	https://www.delltechnologies.com/asset/en-us/products/servers/technical-support/poweredge-r760xa-technical-guide.pdf
Lenovo ThinkSystem SR675 V3 (1x HGX H100 4-GPU SXM5 board)	H100 SXM	74.8	LpAm operating, declared per ISO 7779/9296 in controlled acoustical environment; configuration 'SXM5' with 2x 360W CPUs; idle 62.5 dBA; LWAd operating 9.0 B (not converted); Lenovo does not state ambient or distance on page	https://pubs.lenovo.com/sr675-v3/server_specifications_environmental
Lenovo ThinkSystem SR675 V3 (4x H100 80GB PCIe; 'GPU Max')	H100 PCIe	71.3	LpAm operating, declared per ISO 7779/9296; idle 63.2 dBA; LWAd operating 8.6 B; ambient and distance not stated on page	https://pubs.lenovo.com/sr675-v3/server_specifications_environmental
Lenovo ThinkSystem SR675 V3 (4 or 8x A100 80GB PCIe; 'GPU Typical')	A100 PCIe	68.3	LpAm operating, declared per ISO 7779/9296; idle 62.5 dBA; LWAd operating 8.4 B; ambient and distance not stated on page	https://pubs.lenovo.com/sr675-v3/server_specifications_environmental
Lenovo GB300 NVL72 rack	GB300 NVL72, GB200 NVL72 (proxy only, not stated for GB200)	82.9	Sound pressure level (LpAm) 'up to 82.9 dB' per Lenovo spec page, idle/working mode; no distance or load stated; page separately estimates 'around 92dBA from rack rear, typical ambient and rack exercised' (estimate, not measurement)	https://pubs.lenovo.com/gb300-nvl72/server_specifications_environmental
NVIDIA DGX H100 (8x H100 SXM)	H100 SXM, H200 SXM (proxy only)		SOUND POWER ONLY, no dBA pressure published: LWA,m 98.7 dB at 80% fan PWM and 30C per NVIDIA SuperPOD design guide; page also says 'noise levels up to 106 dB per server are possible' (no conditions stated); not converted to dBA	https://docs.nvidia.com/dgx-superpod/design-guides/dgx-superpod-data-center-design-h100/latest/sound.html
BIZON AI Station with GB300 (NVIDIA DGX Station GB300 architecture; one RTX PRO 6000 Blackwell Max-Q installed for the noise test)	DGX Station GB300 (proxy only, third-party BIZON system, NOT NVIDIA DGX Station), RTX PRO 6000 Max-Q (in that system)	55	Vendor-measured (BIZON) max load stress test, meter at 1.8 m (6 ft) aimed at front panel, room 24C and 43 dB ambient, 30-min test; idle up to 43 dB; footnote says one RTX PRO 6000 Blackwell Max-Q installed; NOT an NVIDIA spec and system is not an official DGX Station	https://bizon-tech.com/gb300.html
NVIDIA RTX PRO 6000 Blackwell Workstation Edition (single card, GamersNexus hemi-anechoic chamber)	RTX PRO 6000 Blackwell Workstation	32.5	Card under load ('At Load Speeds' chart), hemi-anechoic chamber, noise floor 13.6-15.0 dBA; article says the RTX 5090 measured about 32.5 dBA and the PRO 6000 'same noise level' (about 1 dBA louder after floor adjustment); distance and workload not stated in article text; reviewer says microphone is the bottleneck	https://gamersnexus.net/gpus/nvidia-rtx-pro-6000-blackwell-benchmarks-tear-down-thermals-gaming-llm-acoustic-tests
NVIDIA RTX PRO 6000 Blackwell Workstation Edition (single card, blog benchmark)	RTX PRO 6000 Blackwell Workstation	54	Individual blogger, full load 596 W, 3 ft, open case; 'dB' not stated as A-weighted and meter not named; idle 41 dB at 3 ft; 66 dB at 5 cm full load; not a lab measurement	https://www.naveen.ing/writings/benchmarking-rtx-pro-6000
NVIDIA RTX A6000 (indirect: Igor's Lab W7700 review comparison)	RTX A6000	43.3	INDIRECT: Igor's Lab states the Radeon Pro W7700 at 43.3 dBA is 'at the level of the RTX A6000'; the A6000 figure itself, distance and method are not given on that	https://www.igorslab.de/en/amd-radeon-pro-w7700-im-test-wie-gut-ist-amds-workstation-mittleklasse-einstieg-im-arbeitsalltag/6/

System / card	Represents	dBA	Basis	Source
			page, so treat as approximate; Igor's A6000 review states a 50 cm axial dBA(slow) method but gives no numbers	

Method

Question. Which 50 GPUs (and merchant GPU-class accelerators) are most prevalent in AI training worldwide as of 2026-11-10, and for each: VRAM, manufacturer, new-unit price, how scarce it is through three channels, and where it can be rented.

Scope and selection. The list was fixed before research by Claude Code from installed-base prevalence in training clusters, clouds and research labs: NVIDIA data-center parts from Volta (V100) through Blackwell Ultra (GB300/B300), China-market variants (H800, H20, A800, L20), workstation and consumer cards widely used for fine-tuning (RTX PRO 6000, RTX 6000 Ada, RTX 5090/4090/3090, etc.), AMD Instinct MI210 through MI355X, Intel Gaudi 2/3 and Max 1550, and Huawei Ascend 910B/910C. Cloud-only ASICs that cannot be bought as hardware (Google TPU, AWS Trainium/Inferentia, Meta MTIA) are excluded. Gaudi and Ascend are not GPUs strictly but are included because they are bought and deployed as GPU alternatives. NVIDIA Rubin is excluded as not yet prevalent. “Most prevalent” is a judgement, not a measured ranking; the table is ordered by VRAM, not prevalence.

Ordering. VRAM per GPU descending, then manufacturer, then name.

Prices. USD for one new unit. Where a part is only sold inside 8-GPU baseboards or racks (e.g. GB200/GB300, MI355X), the per-GPU figure is derived from system pricing and marked as such. Consumer cards show MSRP to typical 2026 street. Blank means no reliable new price was found (often end-of-life). Research ran from Israel without US egress, so figures come from vendor pages, press and analyst reports rather than live US retailer stock.

Scarcity indexes (integer 1–5 per channel).

- 1 — readily available, many providers, no meaningful wait.
- 2 — generally available, occasional quota or capacity limits.
- 3 — available but constrained: quotas, waitlists, few providers or sales-led only.
- 4 — hard to get: very few providers, long lead times, allocation, or grey-market only.
- 5 — effectively unobtainable through that channel: not offered, export-banned or end-of-life without stock.

Channels. Serverless = per-second/per-request GPU platforms (Modal, RunPod Serverless, Baseten, Replicate, fal, Beam, Cerebrium, Koyeb, Cloud Run GPUs, Azure Container Apps, Cloudflare Workers AI, Huawei ModelArts). Dedicated cloud = on-demand or reserved instances on hyperscalers (AWS, Azure, GCP, OCI) and neoclouds (CoreWeave, Lambda, Nebius, Crusoe, RunPod, Vast.ai, etc.). New hardware = buying new units today. Composite = unweighted mean of the three, a rough global picture.

Process. Four parallel research agents (Claude Sonnet) each covered 12 GPUs with web search, citing 2–4 URLs read per row and rating row confidence; Claude Code (Opus) merged, spot-checked and rendered. Scores are analyst judgement from those sources, not measured data. Raw batch files are kept in `work/`.

Appendix: price basis, confidence and sources

#	GPU	Arch / form	Conf.	Price basis	Sources
1	**AMD Instinct MI350X**	CDNA 4 OAM (1000W air-cooled) 2025	low	No published or analyst per-unit price found (Nov 2026); quote-only via OEMs	https://deploybase.ai/articles/amd-mi350x-cloud-pricing-where-to-rent-and-how-much-it https://www.cloudrift.ai/mi350x https://seekingalpha.com/pr/20108655-cirrascale-cloud-services-to-offer-amd-instinct-mi350-series-gpus-and-platforms-in-its-ai *Physical/power (medium):* https://www.amd.com/en/products/accelerators/instinct/mi350.html https://www.tomshardware.com/pc-components/gpus/amd-announces-mi350x-and-mi355x-ai-gpus-claims-up-to-4x-generational-gain-up-to-35x-faster-inference-performance https://gpupoet.com/gpu/learn/card/amd-instinct-mi350x
2	**AMD Instinct MI355X**	CDNA 4 OAM (1400W liquid-cooled) 2025	medium	No published or analyst per-unit price found (checked Nov 2026); AMD does not publish MSRP; quote-only via OEMs	https://www.spheron.network/blog/amd-mi300x-mi355x-pricing-2026/ https://getdeploying.com/gpus/amd-mi355x https://www.theregister.com/2025/06/12/amd_mi355x/ *Physical/power (medium):* https://wccftech.com/amd-instinct-mi350-gpuai-hardware-powerhouse-3nm-3d-chiplet-cdna-4-185-billion-transistors-1400w-tbp-over-4000b-llm-support/amp/ https://www.tomshardware.com/pc-components/gpus/amd-announces-mi350x-and-mi355x-ai-gpus-claims-up-to-4x-generational-gain-up-to-35x-faster-inference-performance https://gpupoet.com/gpu/learn/card/amd-instinct-mi355x
3	**NVIDIA B300 (HGX B300)**	Blackwell Ultra SXM (HGX 8-GPU baseboard; NVL8) 2025	medium	Derived from 8-GPU system prices / 8: ~$400-450K street (AMCompute Oct 2026) to Supermicro eStore $536-663K (21 Sep 2026) to Lenovo $786K (Jun 2026); single-GPU ~$53K (July 2026); US/web sources; excludes fabric	https://modal.com/pricing https://gpuperhour.com/blog/nvidia-gpu-prices https://intuitionlabs.ai/articles/data-center-gpu-prices *Physical/power (medium):* https://www.supermicro.com/datasheet/Datasheet_Supermicro_NVIDIA_AI_Factories_HGX_B300.pdf https://blog.barrack.ai/nvidia-b300-1400w-data-center-requirements/ https://glennklockwood.com/garden/processors/B300
4	**NVIDIA GB300 (GB300 NVL72 per-GPU)**	Blackwell Ultra Rack-scale NVL72 (Grace CPU + 2 B300 GPU superchips; liquid cooled) 2025	medium	Derived per-GPU from NVL72 rack estimates: Wolfe $4.3M (Jan 2026) to media $6-6.5M (Mar 2026) divided by 72; NVIDIA publishes no price; read via gpuperhour/intuitionlabs Sept 2026	https://gpuperhour.com/blog/nvidia-gpu-prices https://intuitionlabs.ai/articles/data-center-gpu-prices https://www.spheron.network/blog/gb300-nvl72-vs-gb200-nvl72-pricing-availability-2026/ *Physical/power (medium):* https://www.sunbirddcim.com/blog/how-much-power-does-nvidia-gb300-nvl72-need https://flopper.io/system/hpe-nvidia-gb300-nvl72 https://lenovopress.lenovo.com/ds0207
5	**AMD Instinct MI325X**	CDNA 3 OAM (1000W) 2025	low	Unconfirmed analyst/market estimate range from late 2024 reported by secondary source; AMD publishes no MSRP; global	https://getdeploying.com/gpus/amd-mi325x https://www.spheron.network/blog/amd-mi325x-pricing-2026-availability-and-cost/ https://deploybase.ai/articles/amd-mi325x-price *Physical/power (medium):* https://www.amd.com/content/dam/amd/en/documents/instinct-tech-docs/product-briefs/instinct-mi325x-datasheet.pdf https://www.tomshardware.com/pc-components/gpus/amd-announces-mi350x-and-mi355x-ai-gpus-claims-up-to-4x-generational-gain-up-to-35x-faster-inference-performance
6	**AMD Instinct MI300X**	CDNA 3 OAM (750W) 2024	high	Citi analyst estimate Feb 2024 (~$10k Microsoft volume; ~$15k other customers) via Tom's Hardware; no 2026 price found	https://www.spheron.network/blog/amd-mi300x-mi355x-pricing-2026/ https://www.thundercompute.com/blog/amd-mi300x-pricing https://getdeploying.com/gpus/amd-mi300x *Physical/power (medium):*

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://gigabyte.com/Solutions/amd-instinct-mi300 https://SuperMicro.com/products/brief/product-brief-AMD-Instinct-MI300-Systems.pdf https://www.tomshardware.com/pc-components/gpus/amd-announces-mi350x-and-mi355x-ai-gpus-claims-up-to-4x-generational-gain-up-to-35x-faster-inference-performance
7	**NVIDIA GB200 (GB200 NVL72 per-GPU)**	Blackwell Rack-scale NVL72 (Grace CPU + 2 B200 GPU superchips; liquid cooled) 2025	medium	Derived per-GPU from NVL72 rack: SemiAnalysis Aug 2025 $3.1M rack-only to $3.9M with networking/storage divided by 72; Wolfe Jan 2026 ~$3M; HSBC $60-70K per superchip (2 GPUs); no NVIDIA list price	https://gpuperhour.com/blog/nvidia-gpu-prices https://www.spheron.network/blog/gb300-nvl72-vs-gb200-nvl72-pricing-availability-2026/ https://intuitionlabs.ai/articles/data-center-gpu-prices *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/gb200-nvl72/ https://flopper.io/system/hpe-nvidia-gb300-nvl72 https://www.sunbirddcim.com/blog/how-much-power-does-nvidia-gb300-nvl72-need
8	**NVIDIA B200 (HGX B200)**	Blackwell SXM (HGX 8-GPU baseboard) 2024	high	Derived from 8-GPU systems / 8: Supermicro via Newegg $384-394K (21 Sep 2026) to Lenovo SR680a V3 $550K (Jun 2026) and Broadberry DGX B200 $562K; street single-GPU quotes $45-50K in 2026; VRAM 180GB per HGX/DGX spec (192GB marketed)	https://gpuperhour.com/blog/nvidia-gpu-prices https://modal.com/pricing https://intuitionlabs.ai/articles/data-center-gpu-prices *Physical/power (high):* https://www.nvidia.com/en-us/data-center/dgx-b200/ https://flopper.io/system/nvidia-hgx-b200-8-gpu https://lenovopress.lenovo.com/LP2226
9	**NVIDIA H200 NVL**	Hopper PCIe dual-slot card (NVLink bridge) 2024	medium	Single card: PNY H200 NVL at CDW $33.7K with 4-6+ week lead time (21 Sep 2026); $28-34K PCIe-card guide range (2026)	https://gpuperhour.com/blog/nvidia-gpu-prices https://intuitionlabs.ai/articles/data-center-gpu-prices *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/h200/ https://www.supermicro.com/en/accelerators/nvidia
10	**NVIDIA H200 SXM**	Hopper SXM5 (HGX 8-GPU) 2024	high	Street $30-40K and list $40-55K per GPU (intuitionlabs Sept 2026); derived from 8-GPU systems / 8: Supermicro $319K (21 Sep 2026) to Broadberry DGX H200 $467K; China volume ~ $27K (Reuters 1 Jan 2026) not US price	https://gpuperhour.com/blog/nvidia-gpu-prices https://intuitionlabs.ai/articles/data-center-gpu-prices https://modal.com/pricing *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/h200/ https://www.nvidia.com/en-us/data-center/dgx-b200/ https://www.supermicro.com/en/accelerators/nvidia
11	**AMD Instinct MI250**	CDNA 2 OAM (500W) 2021	low	No new retail price found; legacy part	https://getdeploying.com/gpus/amd-mi210-vs-amd-mi250 https://www.fluence.network/blog/amd-instinct-mi250/ *Physical/power (low):* https://www.amd.com/en/products/accelerators/instinct/mi200/mi250x.html https://www.tomshardware.com/news/new-amd-instinct-mi300-details-emerge-debuts-in-2-exaflop-el-capitan-supercomputer
12	**AMD Instinct MI250X**	CDNA 2 OAM (560W) 2021	low	Next Platform 2023 estimate of list price at Frontier shipment; no current new retail price found; reseller claims in stock unverified	https://www.nextplatform.com/2023/05/08/ai-hype-will-drive-datacenter-gpu-prices-sky-high/ https://gpuperhour.com/rent/mi250x https://petronellatech.com/ai/instinct-mi250x/ *Physical/power (low):* https://www.amd.com/en/products/accelerators/instinct/mi200/mi250x.html https://www.tomshardware.com/news/new-amd-instinct-mi300-details-emerge-debuts-in-2-exaflop-el-capitan-supercomputer
13	**AMD Instinct MI300A**	CDNA 3 (APU: Zen 4 + CDNA 3) SH5 socket APU (quad-APU nodes) 2024	low	Weak sources: a hardware review site quotes suggested $6499 (partner deliveries from Jan 2025); a reseller lists $14999 (was $25000); neither verified against AMD	https://cputronic.com/gpu/amd-instinct-mi300a-apu https://marketplace-admin.uvation.com/amd-instinctm-mi300a-apu.html https://www.nextplatform.com/2023/05/08/ai-hype-will-drive-datacenter-gpu-prices-sky-high/ *Physical/power (medium):*

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://www.amd.com/content/dam/amd/en/documents/instinct-tech-docs/data-sheets/amd-instinct-mi300a-data-sheet.pdf https://www.servethehome.com/this-is-the-massive-amd-instinct-mi300a-heatsink-in-the-gigabyte-g383-r80-aap1/ https://gigabyte.com/Solutions/amd-instinct-mi300
14	**Huawei Ascend 910C**	Da Vinci (Ascend; dual-die) Module/card in Atlas servers; CloudMatrix 384 supernode 2025	medium	Derived from CNY 90000 (start 2026) to >110000 (Reuters via secondary reports, Sep 2026) at assumed 7.1 CNY/USD (FX not checked); no official Huawei list price; China channel	https://cryptobriefing.com/china-ai-chipmakers-raise-prices-hbm-shortage/ https://www.news24.com/business/tech/ai-chipmakers-raise-prices-as-memory-shortage-bites-20260912-0930 https://3dnews.ru/1111727/huawei-pristupila-k-postavkam-obraztsov-noveyshih-uskoriteley-ascend-910c *Physical/power (low):* https://www.tomshardware.com/tech-industry/artificial-intelligence/huaweis-new-ai-cloudmatrix-cluster-beats-nvidias-gb200-by-brute-force-uses-4x-the-power https://flopper.io/system/huawei-atlas-800t-a3 https://siliconangle.com/2025/07/27/huawei-launches-cloudmatrix-384-server-alternative-nvidias-ai-infrastructure-stack/
15	**Intel Data Center GPU Max 1550**	Xe-HPC (Ponte Vecchio) OAM (600W) 2023	medium	No current price; Intel ordering page shows Retired/discontinued and could not load pricing	https://www.intel.com/content/www/us/en/products/sku/232873/intel-data-center-gpu-max-1550/ordering.html https://community.intel.com/t5/GPU-Compute-Software/Driver-issues-with-Intel-Datacenter-GPU-MAX-1550/m-p/1716116 *Physical/power (medium):* https://www.intel.com/content/dam/www/central-libraries/us/en/documents/2023-01/data-center-gpu-max-series-product-brief.pdf https://www.servethehome.com/new-intel-data-center-gpu-max-at-sc22-including-pcie-and-oam/
16	**Intel Gaudi 3**	Gaudi 3 OAM (900W) and PCIe HL-338 (600W) 2024	medium	Derived: Intel list $125000 for 8-accelerator OAM kit with UBB / 8 (Computex Jun 2024); TechSpot cites ~$15000 individual; no 2026 price found	https://www.tomshardware.com/pc-components/cpus/intels-gaudi-3-will-cost-half-the-price-of-nvidias-h100 https://servethehome.com/intel-gaudi-2-8x-oam-ubb-65k-gaudi-3-125k-and-includes-networking https://www.storagereview.com/news/ibm-and-intel-announce-gaudi-3-ai-accelerators-on-ibm-cloud-is-now-generally-available *Physical/power (medium):* https://www.supermicro.com/en/products/system/ai_gpu/8u/sys-822ga-ngr3 https://www.presidio.com/wp-content/uploads/2025/06/gaudi-3-ai-accelerator-white-paper.pdf https://www.tomshardware.com/pc-components/cpus/intel-details-guadi-3-at-vision-2024-new-ai-accelerator-sampling-to-partners-now-volume-production-in-q3
17	**Intel Gaudi 2**	Gaudi 2 OAM (600W) 2022	medium	Derived: Intel list $65000 for 8-accelerator OAM kit with UBB / 8 (Jun 2024); no 2026 price found	https://getdeploying.com/gpus/intel-gaudi2-vs-nvidia-a30 https://servethehome.com/intel-gaudi-2-8x-oam-ubb-65k-gaudi-3-125k-and-includes-networking https://www.techradar.com/pro/intel-discloses-list-prices-of-its-gaudi-3-and-gaudi-2-ai-accelerators-and-were-in-for-a-shock-rivals-to-iconic-nvidias-h100-gpu-have-a-much-better-performance-per-dollar-ratio-but-will-it-matter *Physical/power (medium):* https://www.supermicro.com/en/products/system/datasheet/SYS-820GH-TNR2 https://www.supermicro.com/en/products/system/gpu/8u/sys-820gh-tnr2
18	**NVIDIA GH200 Grace Hopper**	Hopper + Grace (superchip) Superchip module (Grace CPU + H100/H200 GPU; NVLink-C2C) 2023	low	No credible per-unit price found; sold mainly in servers/MGX systems; not quoted on sources read	https://www.gpuperhour.com/gpus/gh200/us https://getdeploying.com/gpus/nvidia-gb200-vs-nvidia-gh200 https://lambdalabs.com/service/gpu-cloud/reserved-cloud-pricing

#	GPU	Arch / form	Conf.	Price basis	Sources
					Physical/power (medium): https://www.amax.com/content/files/2023/12/NVIDIA_GH200_Grace_Hopper_Superchip_Datasheet.pdf https://download.gigabyte.com/FileList/DataSheet/xh23-vg0-aaj1_datasheet_v2.0.pdf https://www.servethehome.com/?p=80844
19	**NVIDIA H20**	Hopper (China-specific) SXM (HGX 8-GPU) 2024	low	No 2026 purchase price read; US license requirement since Apr 2025 with conflicting reports on resumption; rental 39000 CNY per unit per month annual contract East China (SMM 7 Sep 2026)	https://news.metal.com/newscontent/104101392-smm-computing-power-news-east-china-4-h20-units-signed-annually-at-39000-yuan-7000-yuan-lower-than-pre-sale-in-the-same-region https://www.itechguides.com/nvidia-h20-shipments-to-china-whats-confirmed-and-what-isnt/ https://aiwiki.ai/wiki/nvidia_h20 *Physical/power (low):* https://viperatech.com/product/nvidia-hgx-h20 https://flopper.io/gpu/nvidia-h20-96gb https://docs.nvidia.com/dgx/dgxh100-user-guide/introduction-to-dgxh100.html
20	**NVIDIA RTX PRO 6000 Blackwell (Workstation + Server editions)**	Blackwell PCIe dual-slot (Workstation 600W; Server passive/Max-Q class) 2025	medium	Low = Mar 2025 launch MSRP (Workstation). High = NVIDIA marketplace list reported 2026-11-09 by Thunder Compute; Newegg 16399 and B&H 19999 third-party. Server edition not priced separately (assumed similar). US prices; reports of 13250 in Jun 2026 and 16000 by Aug 2026	https://www.thundercompute.com/blog/nvidia-rtx-pro-6000-pricing https://modal.com/pricing https://www.runpod.io/pricing https://www.micron21.com/blog/nvidia-rtx-pro-6000-cloud-pricing-in-australia-2026-mcloud-vs-aws-azure-google-and-neoclouds *Physical/power (medium):* https://www.nvidia.com/en-us/products/workstations/professional-desktop-gpus/rtx-pro-6000/ https://www.pugetsystems.com/labs/articles/nvidia-rtx-pro-6000-blackwell-workstation-content-creation-review/
21	**NVIDIA H100 NVL**	Hopper PCIe dual-slot card (NVLink bridge pair) 2023	medium	Single card: PNY H100 NVL 94GB at CDW $32.4K marked discontinued (21 Sep 2026); guide low $24.5K+; reseller-relayed EOL notice not verified at NVIDIA	https://gpuperhour.com/blog/nvidia-gpu-prices https://www.gpuperhour.com/rent/h100-nvl https://computeprices.com/providers/hyperstack/gpus/h100nvl *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/h100/ https://www.pny.com/File%20Library/Company/Support/Product%20Brochures/NVIDIA%20Data%20Center%20GPUs/english/H100-NVL-Datasheet.pdf
22	**NVIDIA A100 PCIe 80GB**	Ampere PCIe 2021	medium	Estimated new street range; Jarvislabs snapshot March 2026; no official list price; new stock sporadic (resellers often only have 40GB)	https://jarvislabs.ai/blog/a100-price https://www.runpod.io/pricing https://intuitionlabs.ai/articles/used-ai-gpu-prices-resale-trends *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/a100/ https://www.anandtech.com/show/16792 https://support.exxactcorp.com/hc/en-us/articles/24146182712215
23	**NVIDIA A100 SXM 80GB**	Ampere SXM4 2020	medium	Estimated new street range; Jarvislabs snapshot March 2026 (updated Oct 2026); global/US-centric; no official NVIDIA list price; used 80GB ~7000-9500 Q3 2026	https://jarvislabs.ai/blog/a100-price https://modal.com/pricing https://www.runpod.io/pricing https://intuitionlabs.ai/articles/used-ai-gpu-prices-resale-trends *Physical/power (high):* https://docs.nvidia.com/dgx/dgxa100-user-guide/introduction-to-dgxa100.html https://www.nvidia.com/en-us/data-center/a100/
24	**NVIDIA A800 80GB**	Ampere PCIe and SXM4 2022	low	No credible 2026 new price found; China-market cut-down A100 (400GB/s NVLink); sold via Chinese distributors/OEMs; export-restricted outside China	https://getdeploying.com/gpus/nvidia-a800 https://www.orangehardwares.com/collections/nvidia-a800-gpu https://www.digitimes.com/news/a20221128PD216.html *Physical/power (low):*

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://techpowerup.com/gpu-specs/a800-pcie-80-gb.c3965 https://flopper.io/gpu/nvidia-a800-pcie-80gb/spec-sheet
25	**NVIDIA H100 PCIe**	Hopper PCIe Gen5 dual-slot card 2023	medium	Single card: guides $22-30K; CDW last listing $32.4K marked discontinued (21 Sep 2026)	https://www.cloudzero.com/blog/h100-gpu-cost/ https://cyfuture.ai/kb/gpu/nvidia-h100-gpu-price-2026-buying-options https://gpu-cost.pages.dev/gpu/h100-pcie/ *Physical/power (high):* https://manuals.plus/m/56b0c3ef7d0a1c470c0af8f05a0bd1f29a778007472ba941201fbbb185c9bccd https://techpowerup.com/gpu-specs/h100-pcie.c3899 https://openzeka.com/wp-content/uploads/2023/12/h100-datasheet-1.pdf
26	**NVIDIA H100 SXM**	Hopper SXM5 (HGX 8-GPU) 2023	high	New 80GB card estimates ~$31K (Aug 2026) and ~$25K; HGX 8-GPU $250-320K (Aug 2026) i.e. ~$31-40K per GPU; form factor not always labeled in sources	https://intuitionlabs.ai/articles/data-center-gpu-prices https://modal.com/pricing https://www.spheron.network/blog/nvidia-h100-price-2026/ *Physical/power (high):* https://docs.nvidia.com/dgx-superpod/design-guides/dgx-superpod-data-center-design-h100/latest/sound.html https://docs.nvidia.com/dgx/dgxh100-user-guide/introduction-to-dgxh100.html https://docs.nvidia.com/dgx-superpod/faq/latest/dgx-superpod.html
27	**NVIDIA H800**	Hopper (China-specific) SXM5 (HGX 8-GPU) and PCIe 2023	low	No credible 2026 purchase price found; China-only reduced-NVLink H100 variant; only rental quote seen ~70,000 CNY per unit per month (SMM; unit/server unclear)	https://news.metal.com/newscontent/104021324-smm-computing-power-daily-h100-spot-rental-quotes-hit-a-new-high-of-85000-h20-and-a800-long-term-agreement-resources-ent https://electronics.alibaba.com/product/h800-gpu https://www.theregister.com/2026/03/18/alibaba_cloud_hikes_prices_by/ *Physical/power (low):* https://docs.nvidia.com/dgx/dgxh100-user-guide/introduction-to-dgxh100.html https://docs.nvidia.com/dgx-superpod/design-guides/dgx-superpod-data-center-design-h100/latest/sound.html
28	**AMD Instinct MI210**	CDNA 2 PCIe dual-slot passive (300W) 2022	medium	EUR 11630 incl. VAT at Latvian reseller aio.lv (valid to Jul 2026); USD range is my approximate conversion/ex-VAT spread; launch Japan price ~JPY 2.09M	https://aio.lv/en/product--amd-100-300000008h--5068609.md https://wccftech.com/amd-instinct-mi210-gpu-accelerator-with-64-gb-hbm2e-memory-16500-usd-price-japan/amp/ https://getdeploying.com/gpus/amd-mi210-vs-amd-mi250 *Physical/power (medium):* https://www.amd.com/en/products/accelerators/instinct/mi200/mi210.html
29	**Huawei Ascend 910B**	Da Vinci (Ascend) OAM-style module / PCIe card in Atlas servers 2023	low	Derived from CNY 95000 (910B4 8-card server quote 760k CNY /8; SMM 2026) to CNY 120000 (2024 reports) at assumed 7.1 CNY/USD; 910B variants (B1-B4) differ, VRAM 32-64 GB; China channel	https://news.metal.com/newscontent/104082769-smm-computing-power-midday-review-market-overall-sideways-domestic-computing-power-rental-and-procurement-prices-emerge https://www.trendforce.com/news/2024/06/11/news-huaweis-self-developed-ai-chip-challenges-nvidia-boasting-its-ascend-910b-to-be-equal-in-match-with-a100/ https://3dnews.ru/1111727/huawei-pristupila-k-postavkam-obraztsov-noveyshih-uskoriteley-ascend-910c *Physical/power (low):* https://support.huawei.com/enterprise/en/doc/EDOC1100285916/181ae99a/specifications https://servermall.com/en-us/catalog/servers/huawei-atlas-800i-a2-8sff-2sff-nvme/ https://www.hiascend.com/en/hardware/ai-server?tag=310
30	**NVIDIA A40**	Ampere PCIe 2020	medium	No official MSRP; launch OEM list ~27500; resale ~5500 and eBay lowest avg ~3400-3970 Nov 2026 (GPUPoet); new stock thin (legacy product)	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-a40 https://www.runpod.io/pricing *Physical/power (medium):*

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://www.nvidia.com/en-us/data-center/products/a40/ https://www.nvidia.com/en-us/design-visualization/rtx-a6000/
31	**NVIDIA L20**	Ada Lovelace PCIe 2023	low	China-market card; marketplace listings from Shenzhen sellers (eBay ~3400-3950 EUR/USD) and Alza.at 4729 EUR pre-sale; undated 2026 snapshot; HPE channel listing 13801 outlier	https://www.ebay.com/itm/226114320745 https://m.alza.at/nvidia-l20-passive-pcie-48gb-d13360717.htm https://www.tomshardware.com/pc-components/gpus/new-nvidia-ai-gpus-designed-to-get-around-us-export-bans-come-to-china-h20-l20-and-l2-to-fill-void-left-by-restricted-models *Physical/power (low):* https://flopper.io/gpu/nvidia-l20-48gb https://flopper.io/compare/nvidia-l40s-48gb-vs-nvidia-l20-48gb/spec-sheet
32	**NVIDIA L40**	Ada Lovelace PCIe 2022	low	No official MSRP; OEM list estimate 31000 (Lenovo 33109 / Cisco ~30000) inflated; eBay lowest avg ~6300-6700 Nov 2026 (GPUPoet); street range is a resale-based proxy	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-l40 https://www.runpod.io/pricing https://www.thundercompute.com/blog/nvidia-l40-pricing *Physical/power (high):* https://bxin.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-c-series-rack-servers/nvidia-l40-gpu.pdf https://www.pny.com/File%20Library/Company/Support/Product%20Brochures/NVIDIA%20Data%20Center%20GPUs/pny-nvidia-l40-datasheet.pdf
33	**NVIDIA L40S**	Ada Lovelace PCIe 2023	medium	No official MSRP; OEM list (Lenovo 51579 / Cisco 39095) are inflated; eBay/resale ~7100-7500 Nov 2026 (GPUPoet) used as proxy for street; actual new street not confirmed	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-l40s https://modal.com/pricing https://www.runpod.io/pricing *Physical/power (high):* https://www.nvidia.com/en-us/data-center/l40s/ https://www.pny.com/File Library/Company/Support/product-briefs/data-center-gpus/NVIDIA-L40S-Product-Brief.pdf
34	**NVIDIA Quadro RTX 8000**	Turing PCIe dual-slot workstation (260W; passive variant exists) 2018	low	Single point: lone new listing 2479 (Amazon US per GPUDojo 2026-10-21); used eBay ~1875. Launch MSRP ~5500 (from memory). Mostly refurbished/EOL; EU new tracker EUR 4119-4385	https://gpudojo.com/quadro-rtx-8000 https://gpuprix.com/eu/gpus/quadro-rtx-8000 *Physical/power (low):* https://www.nvidia.com/en-us/design-visualization/rtx-a6000/
35	**NVIDIA RTX 6000 Ada**	Ada Lovelace PCIe dual-slot workstation (300W) 2023	medium	Low = 2022 announced MSRP (6800; volume 2023). High = US new low 7499 per GPUPrix 2026-08-17; EU low EUR 9000 on 2026-09-24. Succeeded by RTX PRO 6000 Blackwell; residual new stock	https://gpuprix.com/us/gpus/rtx-6000-ada-generation https://www.thundercompute.com/blog/nvidia-rtx-6000-ada-pricing https://www.runpod.io/pricing *Physical/power (medium):* https://www.nvidia.com/content/dam/en-zz/Solutions/design-visualization/rtx-6000/proviz-print-rtx6000-datasheet-web-2504660.pdf
36	**NVIDIA RTX A6000**	Ampere PCIe dual-slot workstation (300W) 2020	medium	Low = original MSRP 4650 (supplier page claim; not verified against NVIDIA). High = new US tracker listing 6999 (2026-10-21); US low range 4997-5990 Aug-Oct 2026; used ~4250-5000. Largely EOL; thin new stock	https://gpuprix.com/us/gpus/rtx-a6000 https://gpudojo.com/articles/rtx-a6000-48gb-price https://www.runpod.io/pricing *Physical/power (medium):* https://www.nvidia.com/en-us/design-visualization/rtx-a6000/
37	**NVIDIA A100 40GB**	Ampere PCIe and SXM4 2020	medium	Jarvislabs snapshot March 2026 for A100 40GB PCIe new; another source cites 10000-12000 undated (older); used 2000-4500 in 2025-2026	https://jarvislabs.ai/blog/a100-price https://modal.com/pricing https://intuitionlabs.ai/articles/used-ai-gpu-prices-resale-trends *Physical/power (medium):* https://docs.nvidia.com/dgx-superpod/faq/latest/dgx-superpod.html https://www.nvidia.com/en-us/data-center/l40s/
38	**NVIDIA GeForce RTX 5090**	Blackwell PCIe triple-slot consumer (575W) 2025	medium	Low = MSRP 1999 (Founders Edition; out of stock 2026-11-02). High = Tom's Hardware best US price 6919 (2026-11-03); eBay lowest avg ~5915 (Nov 2026); TechSpot reported 9400 survey; Walmart listing 3340 (2026-11-02). Driven by GDDR7 shortage; Germany >EUR 5000 (Sep 2026)	https://tech-insider.org/nvidia-rtx-50-prices-rise-november-2026-rtx-5090-3340/ https://www.guru3d.com/story/geforce-rtx-5090-street-prices-in-eu-now-exceed/ https://gpupoet.com/gpu/learn/price/november-2026/nvidia-geforce-rtx-5090

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://www.runpod.io/pricing *Physical/power (high):* https://www.nvidia.com/en-us/geforce/graphics-cards/50-series/rtx-5090/ https://gamersnexus.net/gpus/nvidia-geforce-rtx-5090-founders-edition-review-benchmarks-gaming-thermals-power https://www.tomshardware.com/pc-components/gpus/nvidia-geforce-rtx-5090-review/8 https://techpowerup.com/review/nvidia-geforce-rtx-5090-founders-edition/46.html
39	**NVIDIA RTX 5000 Ada Generation**	Ada Lovelace PCIe dual-slot workstation (250W) 2023	low	Low = launch MSRP 4000 (from memory of 2023 launch; not confirmed in sources read). High = US current low 4999 per GPUPrix 2026-08-01 (12-month low 3599); EU EUR 4099-5300. Retail still stocked	https://gpuprix.com/us/gpus/rtx-5000-ada-generation https://www.runpod.io/pricing *Physical/power (medium):* https://www.nvidia.com/en-us/design-visualization/rtx-5000/
40	**NVIDIA V100 32GB**	Volta SXM2 or PCIe 2018	low	Not sold new (EOL); no reliable used price read this session	https://www.gpuperhour.com/rent/nvidia-tesla-v100-32gb https://www.thundercompute.com/blog/nvidia-v100-pricing *Physical/power (medium):* https://portal.mlcloud.uni-tuebingen.de/user-guide/_specs/gpu/v100/ https://www.tomshardware.com/news/nvidia-tesla-v100s-graphics-card-data-center https://fpsbench.com/gpu/nvidia-tesla-v100-pcie-32-gb
41	**NVIDIA A10**	Ampere PCIe 2021	medium	Newegg ~3299 new (undated; cited by GPUPoet); eBay lowest avg ~4000 Nov 2026; launch est. MSRP 2800 (2021)	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-a10 https://modal.com/pricing *Physical/power (medium):* https://www.nvidia.com/en-us/data-center/products/a10-gpu/
42	**NVIDIA A10G (AWS variant)**	Ampere PCIe (AWS-only custom) 2021	medium	Not sold as a standalone product; AWS-only custom A10 variant (g5 instances); no purchase price	https://modal.com/pricing https://getdeploying.com/gpus/nvidia-a10 *Physical/power (low):* https://getdeploying.com/gpus/nvidia-a10g https://aws.amazon.com/ec2/instance-types/g5/ https://flopper.io/gpu/nvidia-a10g-24gb
43	**NVIDIA A30**	Ampere PCIe 2021	low	Withdrawn from marketing (Lenovo update Mar 2026); gpudojo retail snapshot Oct 21 2026: 2599-3944 (eBay/Amazon/Newegg; likely new/leftover or used); no official list	https://lenovopress.lenovo.com/lp1774-thinksystem-nvidia-a30-24gb-pcie-gen4-passive-gpu https://gpudojo.com/a30 https://flopper.io/pricing/nvidia-a30 *Physical/power (medium):* https://www.thinkmate.com/product/nvidia/900-21001-0040-000 https://www.altair.com/pdfs/gpu-solutions/gpus/nvidia-a30-datasheet.pdf https://store.supermicro.com/nl_de/gpu-nva30-nc.html
44	**NVIDIA GeForce RTX 3090**	Ampere PCIe triple-slot consumer (350W) 2020	medium	Low = launch MSRP 1499 only; no meaningful new retail (EOL), so high blank. Used eBay: ~1463 avg Sep 2026, lowest-3 avg 1633 Nov 2026 (GPU Poet)	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-geforce-rtx-3090 https://gpudojo.com/articles/used-gpu-prices-ai-boom https://www.runpod.io/pricing *Physical/power (high):* https://www.nvidia.com/en-us/geforce/graphics-cards/30-series/rtx-3090-3090ti/ https://guru3d.com/review/geforce-rtx-3090-founder-review/page-33 https://www.3dtested.com/reviews/nvidia-geforce-rtx-3090-review/6
45	**NVIDIA GeForce RTX 4090**	Ada Lovelace PCIe triple-slot consumer (450W) 2022	medium	Low = MSRP 1599. High = US new low 4800 (GPUPrix 2026-11-09; 12-month median 3300). Production ended Oct 2024; used ~2200-2700 (Aug 2026). Leftover new stock only	https://gpuprix.com/us/gpus/geforce-rtx-4090 https://tech-insider.org/rtx-4090-vs-rtx-5080-2026/ https://www.runpod.io/pricing *Physical/power (high):* https://www.nvidia.com/en-us/geforce/graphics-cards/40-series/rtx-4090/ https://www.tomshardware.com/reviews/nvidia-geforce-rtx-4090-review/8

#	GPU	Arch / form	Conf.	Price basis	Sources
					https://www.servethehome.com/nvidia-geforce-rtx-4090-founders-edition-review-the-gpu/7/
46	**NVIDIA L4**	Ada Lovelace PCIe 2023	medium	OEM list ~7000 (Lenovo 7049 / Cisco 6788) at launch; eBay lowest avg ~3860-3900 Nov 2026 (GPUPoet, may be used); new street between	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-l4 https://modal.com/pricing https://www.runpod.io/pricing *Physical/power (high):* https://www.nvidia.com/en-us/data-center/l4/
47	**NVIDIA RTX A5000**	Ampere PCIe dual-slot workstation (230W) 2021	medium	Low = launch MSRP ~2250. High = new ~3200 Newegg (Thunder Compute, Nov 2026) / US tracker 2995 (Oct 2026). Residual new stock	https://www.thundercompute.com/blog/nvidia-a5000-pricing https://gpuprix.com/us/gpus/rtx-a5000 https://www.runpod.io/pricing *Physical/power (medium):* https://www.nvidia.com/en-us/design-visualization/rtx-a5000/
48	**NVIDIA P100 16GB**	Pascal PCIe or SXM2 2016	low	Not sold new (EOL); used ~60-140 per hobbyist review sites (low reliability)	https://gpus.io/en/gpus/p100 https://www.gpuperhour.com/rent/p100 https://gpudojo.com/articles/tesla-p100-16gb-ai-review *Physical/power (low):* https://www.anandtech.com/show/11559/nvidia-formally-announces-pcie-tesla-v100-available-later-this-year https://hmc-tech.com/gpus/nvidia-v100-vs-nvidia-v100-sxm
49	**NVIDIA T4**	Turing PCIe 2018	medium	Launch list 2299 (2018); eBay lowest avg ~434-470 Nov 2026 (GPUPoet; mostly used); new units scarce/uncertain, low bound is resale proxy	https://gpupoet.com/gpu/learn/price/november-2026/nvidia-t4 https://modal.com/pricing *Physical/power (high):* https://www.nvidia.com/en-us/data-center/tesla-t4/
50	**NVIDIA V100 16GB**	Volta SXM2 or PCIe 2017	medium	Not sold new (EOL); no reliable used price read this session	https://www.thundercompute.com/blog/nvidia-v100-pricing https://computeprices.com/providers/google/gpus/v100 *Physical/power (medium):* https://portal.mlcloud.uni-tuebingen.de/user-guide/_specs/gpu/v100/ https://www.tomshardware.com/news/nvidia-tesla-v100s-graphics-card-data-center https://fpsbench.com/gpu/nvidia-tesla-v100-pcie-32-gb