

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Escalation — Tourniquet / Wound Packing



Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

- ✕ **Do NOT remove an embedded or impaled object** from the wound.
- ✕ **Do NOT lift or remove a blood-soaked dressing** to check the wound — add layers on top.
- ✕ **Do NOT remove or loosen a tourniquet** once applied unless instructed by a paramedic or physician.
- ✕ **Do NOT give food or drink** to a casualty with severe bleeding or suspected shock.
- ✕ **Do NOT use wound packing for penetrating stab wounds.**
- ✕ **Do NOT enlarge wound openings** to facilitate wound packing.
- ✕ **Do NOT assume a rapid pulse is caused only by anxiety** — suspect significant blood loss.
- ✕ **Do NOT delay calling 101** for severe or uncontrolled bleeding.
- ✕ **Do NOT apply a tourniquet directly over a joint** — place it 5-10 cm above the wound on the limb.

Equipment needed:

— Disposable gloves
— Sterile gauze or clean cloth
— Israeli Emergency Bandage (pressure dressing)
— Tourniquet (CAT or equivalent)
— Wound packing material (hemostatic gauze preferred)
— Triangular bandage (supplementary)
— Blanket or coat (for shock management)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Bleeding	דימום	di-MUM
Severe bleeding	דימום חמור	di-MUM kha-MUR
Tourniquet	חוסם עורקים	kho-SEM or-KIM
Pressure bandage	תחבושת לחץ	takh-BO-shet LA-khats
Israeli bandage	אמצעי חבישה ישראלי	em-tsa-I kha-vi-SHA yis-re-e-LI
Direct pressure	לחץ ישיר	LA-khats ya-SHIR
Wound	פצע	PE-tsa
Shock	הלם	HE-lem
Gloves	כפפות	kfa-FOT
Ambulance	אמבולנס	am-bu-LANS
Press here hard	לחץ כאן חזק	le-KHATS KAN kha-ZAK
Where is the bleeding?	איפה הדימום?	EI-fo ha-di-MUM?

Daniel Rosehill · share with attribution

Source: Magen David Adom (MDA) — How to Stop Bleeding (MDA 101 Public Guidance)
URL: https://www.mdais.org/101/bleeding
Imported: 2026-03-15 · **Last verified:** 2026-03-15