

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Monitoring & Transport



Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

- ✕ **Do NOT apply a tourniquet** — concentrates venom and causes tissue damage.
- ✕ **Do NOT cut the bite site** — causes additional injury and does not remove venom.
- ✕ **Do NOT attempt to suck out the venom** — ineffective and risks infection.
- ✕ **Do NOT apply ice or cold compresses** — can cause tissue damage and does not slow absorption.
- ✕ **Do NOT apply alcohol, antiseptic, or any substance** to the wound.
- ✕ **Do NOT give the child food or drink** — risk of vomiting; may need anaesthesia.
- ✕ **Do NOT chase, catch, kill, or handle the snake** — risk of additional bites.
- ✕ **Do NOT use a pressure immobilisation bandage** — not recommended for viper bites.
- ✕ **Do NOT allow the child to walk or move** — movement accelerates venom spread.
- ✕ **Do NOT wait for symptoms** before seeking emergency care.

Equipment needed:

— Splint or rigid object for limb immobilisation
— Water and soap (for wound cleaning)
— Phone (to call 101 and photograph the snake)
— Blanket or clothing (to keep child warm while lying still)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Snake	נחש	na-KHASH
Snakebite	הכשת נחש	ha-ka-SHAT na-KHASH
Viper	צפע	TSE-fa
Palestine viper	צפע ארצישראלי	TSE-fa er-ets yis-re-e-LI
Venom	ארס	E-res
Antivenom	נוגדן נגד ארס	nog-DAN NE-ged E-res
Swelling	נפיחות	ne-fi-KHUT
Splint	סד	SAD
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
The child was bitten by a snake	הילד הוכש על ידי נחש	ha-YE-led hu-KASH al ye-DEI na-KHASH
Keep still	תישאר במקום	ti-sha-ER ba-ma-KOM

Source: Magen David Adom (MDA) — MDA Snakebite First Aid Guidelines — Pediatric
URL: https://www.mdais.org/101/snake-bite
Publication date: 2026-01-01
Imported: 2026-03-15 · **Last verified:** 2026-03-15