

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

CPR and AED Use



Reference Notes

DO NOT:

✕ **Do NOT give aspirin to a child** — not indicated for pediatric chest pain; risk of Reye's syndrome.
✕ **Do NOT give nitroglycerin or cardiac medication** unless prescribed and directed by a physician.
✕ **Do NOT dismiss chest pain** in a child who has been ill, has a known heart condition, collapsed during activity, or has family history of sudden cardiac death.
✕ **Do NOT drive the child to hospital yourself** if cardiac arrest is suspected — call 101 for an equipped ambulance.
✕ **Do NOT leave the child unattended** while waiting for the ambulance.
✕ **Do NOT give the child food or drink** (in case hospital procedures are needed).
✕ **Do NOT give any medications** unless instructed by the 101 dispatcher or a physician.

Equipment needed:

— AED with pediatric pads or dose attenuator (if available)
— Phone to call 101 (MDA) or 1221 (United Hatzalah)
— MDA app (for AED locator and emergency calling)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Heart attack	התקף לב	het-KEF LEV
Chest pain	כאב בחזה	ke-EV ba-kha-ZE
Hard to breathe	קשה לנשום	ka-SHE lin-SHOM
CPR	החייאה	ha-kha-ya-A
Defibrillator	דפיברילטור	de-fib-ri-LA-tor
Unconscious	מחוסר הכרה	me-khu-SAR ha-ka-RA
Pulse	דופק	DO-fek
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
Child	ילד / ילדה	YE-led / yal-DA
Does the chest hurt?	כואב לך בחזה?	ko-EV le-KHA ba-kha-ZE?
Can you breathe?	אתה יכול לנשום?	a-TA ya-KHOL lin-SHOM?

Source: Magen David Adom (MDA) — Heart Attack and Chest Pain in Children
URL: https://www.mdais.org/101/first-aid
Publication date: 2022-01-01
Imported: 2026-03-15 · **Last verified:** 2026-03-16