

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Tear Gas Exposure & Poisoning Signs



Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

- ✕ **Do NOT re-enter a burning building or hazardous area** — wait for Fire Department rescue teams.
- ✕ **Do NOT ignore light smoke exposure in a child** — children should be assessed even with mild exposure.
- ✕ **Do NOT assume a well-appearing child is uninjured** — respiratory deterioration can be delayed by hours.
- ✕ **Do NOT rub the eyes after tear gas exposure** — this worsens irritation.
- ✕ **Do NOT give food or drink to a child with stridor or breathing difficulty** — aspiration risk.
- ✕ **Do NOT examine the throat of a child with stridor** — this can worsen airway swelling.
- ✕ **Do NOT leave the child unattended** — monitor breathing continuously.
- ✕ **Do NOT position a child with breathing difficulty lying flat** — keep upright.

Equipment needed:

— Supplemental oxygen and face mask (if available)
— Clean water (for eye irrigation after tear gas)
— Blanket (to prevent hypothermia)
— Cool mist humidifier (if available, for stridor management)
— Phone (to call 101 and 102)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Smoke	עשן	a-SHAN
Fire	שריפה	sre-FA
Tear gas	גז מדמיע	GAZ mad-MI-a
Hard to breathe	קשה לנשום	ka-SHE lin-SHOM
Oxygen	חמצן	kham-TSAN
Cough	שיעול	shi-UL
Stridor	סטרידור	STRI-dor
Fire department	כיבוי אש	ki-BUY ESH
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
The child inhaled smoke	הילד שאף עשן	ha-YE-led sha-AF a-SHAN
Can you breathe?	אתה יכול לנשום?	a-TA ya-KHOL lin-SHOM?

Daniel Rosehill · share with attribution

Source: Magen David Adom (MDA) — MDA Smoke and Inhalation Injury First Aid Guidelines — Pediatric
URL: https://www.mdais.org/101/first-aid
Publication date: 2026-01-01
Imported: 2026-03-16 · **Last verified:** 2026-03-16