

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

EpiPen Administration & Monitoring



EpiPen Dosing by Weight

15-30 kg: EpiPen Junior 0.15 mg (green label)
Over 30 kg: EpiPen 0.3 mg (yellow label)
Under 15 kg: No auto-injector for this range, but 0.15 mg Junior is still recommended over withholding treatment.
Note: Some Israeli allergists prescribe 0.3 mg from 20 kg – follow individual prescription.

Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

✕ **Do NOT delay epinephrine administration** – it is the only effective treatment for anaphylaxis.
✕ **Do NOT substitute antihistamines** (Benadryl/diphenhydramine) for epinephrine in anaphylaxis.
✕ **Do NOT force the child to lie down** if having breathing difficulty – allow upright position of comfort.
✕ **Do NOT over-extend an infant's neck** when managing the airway – use neutral position only.
✕ **Do NOT inject epinephrine into fingers, hands, feet, or buttocks** – outer thigh only.
✕ **Do NOT touch the orange tip** of the EpiPen.
✕ **Do NOT induce vomiting** if the allergen was ingested.
✕ **Do NOT allow a child with anaphylaxis to leave** without hospital evaluation – biphasic reactions can be fatal.
✕ **Do NOT store EpiPen in refrigerator, car, or direct sunlight** – Israeli heat makes degradation a particular risk.
✕ **Do NOT give oral medications** to a child with throat swelling or difficulty swallowing.

Equipment needed:

— EpiPen Junior 0.15 mg (green label) -- for children 15-30 kg
— EpiPen 0.3 mg (yellow label) -- for children over 30 kg
— Phone to call MDA at 101

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Allergic reaction	תגובה אלרגית	tgu-VA a-LER-git
Anaphylaxis	אנפילקסיס	a-na-fi-LAK-sis
EpiPen	אפיפן	E-pi-pen
Swelling	נפיחות	ne-fi-KHUT
Hard to breathe	קשה לנשום	ka-SHE lin-SHOM
Thigh	ירך	ya-REKH
Allergy	אלרגיה	a-ler-GI-ya
Bee sting	עקיצת דבורה	a-ki-TSAT dvo-RA
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
Does the child have an EpiPen?	יש לילד אפיפן?	yesh la-YE-led E-pi-pen?

Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Source: Magen David Adom (MDA) — ALS Manual 2024 / BLS Guide 2016
URL: https://www.mdais.org/media/5033/als-2024.pdf
Publication date: 2024-04-01
Imported: 2026-03-15 · **Last verified:** 2026-03-16

Personal reference only — not medical advice
Daniel Rosehill · share with attribution