

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Post-Seizure and Febrile Management



Post-Seizure Fever Management (Febrile Seizures)

Once the child has recovered and is no longer actively seizing:

- **ADMINISTER** age-appropriate fever-reducing medication (paracetamol or ibuprofen) as directed by the family doctor.
- Dress child in light clothing. Ventilate the room.
- Give plenty of fluids.
- A lukewarm bath (20 min) may be given only when NOT actively seizing.

Note: Antipyretics improve comfort but have NOT been proven to prevent febrile seizures (Israeli Ministry of Health).

Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

- ✕ **Do NOT force the child's mouth open** — the child will not swallow their tongue.
- ✕ **Do NOT insert anything into the mouth** — this can injure teeth or jaw.
- ✕ **Do NOT attempt CPR during the seizure** — this can only cause harm.
- ✕ **Do NOT put the child in a bath or shower during the seizure.**
- ✕ **Do NOT splash water on the child** during the seizure.
- ✕ **Do NOT try to wake the child** or stop the seizure by restraining or holding them down.
- ✕ **Do NOT give medications by mouth** during the seizure.
- ✕ **Do NOT attempt to cool the child rapidly** with cold water or ice.
- ✕ **Do NOT insert an airway device** during an active seizure.
- ✕ **Do NOT attempt forced airway opening** during an active seizure.

Equipment needed:

— Lukewarm damp towel (for febrile seizures)
— Pillows or blankets (to pad surroundings)
— Prescribed seizure-stopping medication if available (e.g., rectal diazepam)
— Fever-reducing medication for post-seizure fever management (paracetamol or ibuprofen, as directed by doctor)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Seizure / convulsion	פרכוס	pir-KUS
Febrile seizure	פרכוס חום	pir-KUS KHOM
Fever	חום	KHOM
Unconscious	מחוסר הכרה	me-khu-SAR ha-ka-RA
Breathing	נשימה	nshi-MA
Medication	תרופה	tru-FA
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
Child	ילד / ילדה	YE-led / yal-DA
The child is having a seizure	הילד מפרכס	ha-YE-led me-far-KES
How long has the seizure lasted?	כמה זמן הפרכוס?	KA-ma ZMAN ha-pir-KUS?
Does the child have a fever?	יש לילד חום?	YESH la-YE-led KHOM?

Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Source: Magen David Adom (MDA) — How to Treat Febrile Seizures
URL: https://www.mdais.org/101/seizures
Publication date: 2022-01-01
Imported: 2026-03-15 · **Last verified:** 2026-03-16