

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Airway and Continued Monitoring



Child found in vehicle

Temperatures inside a locked car in Israeli summer can reach 70 C.
REMOVE the child from the vehicle immediately – break the window if necessary.
Report to MDA that the child was found in a vehicle, including estimated time of exposure.

Personal reference only — not medical advice
Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

✕ **Do NOT give fever-reducing medications** (Acamol, Nurofen, naproxen) — these do not reduce heatstroke temperature and may cause harm.
✕ **Do NOT use ice-cold water immersion** for young children without medical supervision.
✕ **Do NOT force fluids** if the child is vomiting or has altered consciousness.
✕ **Do NOT leave the child unattended** at any point.
✕ **Do NOT give fluids to an unconscious child.**
✕ **Do NOT delay calling 101** if heat stroke is suspected.
✕ **Do NOT leave a child unattended in a vehicle** — even for a moment, even with windows open or A/C running.

Equipment needed:

— Cool water (for pouring or spraying over the body)
— Fan or means of fanning
— Ice packs or cold wet cloths
— Oral rehydration solution (ORS) or cool drinking water
— Thermometer (if available)

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Heatstroke	מכת חום	ma-KAT KHOM
Heat exhaustion	תשישות חום	tshi-SHUT KHOM
Water	מים	MA-yim
Shade	צל	TSEL
Hot	חם	KHAM
Cold water	מים קרים	MA-yim ka-RIM
Unconscious	מחוסר הכרה	me-khu-SAR ha-ka-RA
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
Child	ילד / ילדה	YE-led / yal-DA
Are you thirsty?	אתה צמא?	a-TA tsa-ME?
Drink water	תשתה מים	tish-TE MA-yim

Source: Magen David Adom (MDA) — Heat Stroke Guidelines
URL: https://www.mdais.org/news/300820
Publication date: 2024-04-01
Imported: 2026-03-15 · **Last verified:** 2026-03-16