🕷️ **MOVE** child away from spider.

📷 Safely capture or photograph spider for ID.

↓

💦 **WASH** bite area with water and soap.

↓

🧊 **APPLY** cold compress wrapped in cloth, 10–15 min. Remove 10 min, reapply.

↓

IMMOBILISE bitten limb at heart level.
KEEP child still.

↓

👁️ Systemic symptoms? (severe pain, abdominal cramps, breathing difficulty, sweating, muscle cramps)

- **Y** → 📱 **CALL** 101 immediately. Possible black widow bite. Keep child calm and still. **PREPARE** for transport.
- **N** ↓

🕷️ Spider identified as or suspected Black Widow?

- **Y** → 📱 **CALL** 101 immediately. Antivenom available at Israeli hospitals. **TRANSPORT** urgently.
- **N** ↓

SEEK medical evaluation for all spider bites in children. Bring captured/photographed spider. First 6–8 hours are critical.

Personal reference only — not medical advice

Daniel Rosehill · share with attribution

Reference Notes

DO NOT:

✕ **Do NOT apply a tourniquet** — tourniquets worsen envenomation outcomes by concentrating venom.
✕ **Do NOT cut the bite site** — causes additional injury and does not remove venom.
✕ **Do NOT attempt to suck out the venom** — ineffective and risks infection.
✕ **Do NOT apply antiseptic, alcohol, or any substance** other than water and soap.
✕ **Do NOT bandage tightly** over the bite site.
✕ **Do NOT delay medical evaluation** for any spider bite in a child.
✕ **Do NOT ignore a painless bite** — brown recluse bites are often painless initially but develop serious necrotic wounds hours later.
✕ **Do NOT give the child medications** (painkillers, antihistamines) without medical direction.

Equipment needed:

— Water and soap (for wound cleaning)
— Ice or cold compress wrapped in cloth
— Container or glass (to safely capture the spider for identification)
— Phone (to call 101 and photograph the spider)

Venomous Spiders in Israel

Brown Recluse (shshan chum)
Small, brown, long legs
Lives indoors (wardrobes, shoes)
Bite barely felt initially
Effects appear hours later
Causes local necrotic wound

Black Widow (almana shchora)
Black with markings
Found outdoors (gardens, walls)
Immediate pain and burning
Rapid systemic symptoms
Female bite is dangerous
Antivenom available

Hebrew Terminology — מונחים בעברית

English	עברית	Pronunciation
Spider	עכביש	ak-a-VISH
Spider bite	עקיצת עכביש	a-ki-TSAT ak-a-VISH
Black widow	אלמנה שחורה	al-ma-NA shcho-RA
Brown recluse	שושן חום	sho-SHAN KHUM
Venom	ארס	E-res
Antivenom	נוגדן נגד ארס	nog-DAN NE-ged E-res
Swelling	נפיחות	ne-fi-KHUT
Pain	כאב	ke-EV
Ambulance	אמבולנס	am-bu-LANS
Emergency	חירום	khe-RUM
The child was bitten by a spider	הילד נעקץ על ידי עכביש	ha-YE-led ne-e-KATS al ye-DEI ak-a-VISH

Source: Magen David Adom (MDA) — MDA Spider Bite First Aid Guidelines — Pediatric
URL: https://www.mdais.org/101/first-aid
Publication date: 2026-01-01
Imported: 2026-03-16 · **Last verified:** 2026-03-16

Personal reference only — not medical advice
Daniel Rosehill · share with attribution