Complexity Theory: NP Hard

Travelling Salesperson Problem (TSP)



By the end of this video you will be able to...

 Explain the value (and limitations) of identifying a problem is NP Hard In TSP, given n cities with one Hometown and all pairwise distances, plan a tour starting and ending at Hometown that visits every city exactly once and has minimum distance.

Brute force algorithm: Generate all paths and choose the shortest

How many permutations?

San Diogo How many choices for the first city? 1 (San Diego) Cairo How many choices for the next city? 7 Johannesburg How many choices for the next city? 6 Chennai How many choices for the next city? 5 Lima How many choices for the next city? 4 Paris How many choices for the next city? 3 Beijing How many choices for the next city? 2 Perth How many choices for the next city? 1 How many choices for the last city? 1 (San Diego)

In general we have (N-1)! permutations to try!

N	N! -
10	~3.6 million
19	1.22 x 10 ¹⁷ (the age of the universe)
23	# stars in the universe
59	# of atoms in the universe

N	N!
10	~3.6 million
19	1.22 x 10 ¹⁷ (the age of the universe)
23	# stars in the universe
59	# of atoms in the universe

Yikes!

What do we do now?

N	N!
10	~3.6 million
19	1.22 x 10 ¹⁷ (the age of the universe)
23	# stars in the universe
59	# of atoms in the universe

Yikes!

What do we do now?

Think really hard about a faster solution?

N	N!
10	~3.6 million
19	1.22 x 10 ¹⁷ (the age of the universe)
23	# stars in the universe
59	# of atoms in the universe

Yikes!

What do we do now?

Think really hard about a faster solution?

Classifies problems by their inherent difficulty

Classifies problems by their inherent difficulty


Searching a Linked List – O(n)

Sorting an Array – O(n log n)

n x n Matrix-Matrix Multiply- $O(n^{-2.37})$

Classifies problems by their inherent difficulty


Searching a Linked List – O(n)




Sorting an Array – O(n log n)

n x n Matrix-Matrix Multiply- $O(n^{-2.37})$

Classifies problems by their inherent difficulty




Classifies problems by their inherent difficulty




P stands for "polynomial-time"


Classifies problems by their inherent difficulty



Classifies problems by their inherent difficulty




Classifies problems by their inherent difficulty



NP: Some problems seem harder to find solutions, but its still easy to verify solution correctness


Classifies problems by their inherent difficulty



NP: Some problems seem harder to find solutions, but its still easy to verify solution correctness

NP is *believed* to contain problems harder than P


P?= NP How to get rich and famous



The Millennium Prize Problems


Following the decision of the Scientific Advisory Board, the Board of Directors of CMI designated a \$7 million prize fund for the solutions to these problems, with \$1 million allocated to the solution of each problem.

, with \$1 million allocated to the solution of each problem.




Let's expand the classifications a bit

(Hierarchy if P!= NP)




NP-Complete: No known polynomial time algorithm to find a solution, but can check a solution in polynomial time



NP-Hard: Problems are at least as difficult to solve as hardest problems in NP


NP-Complete: No known polynomial time algorithm to find a solution, but can check a solution in polynomial time




NP-Hard: Problems are at least as difficult to solve as hardest problems in NP


NP-Complete: No known polynomial time algorithm to find a solution, but can check a solution in polynomial time

A polynomial time solution for any NP-Hard problem would solve all NP-hard problems






TSP "optimization": given n cities with one Hometown and all pairwise distances, plan a tour starting and ending at Hometown that visits every city exactly once and has minimum distance.




TSP "optimization": given n cities with one Hometown and all pairwise distances, plan a tour starting and ending at Hometown that visits every city exactly once and has minimum distance.

TSP "decision": given n cities with one Hometown and all pairwise distances, plan a tour starting and ending at Hometown that visits every city exactly once and has a distance less than L.




Since TSP "optimization" is NP-Hard, solving it in polynomial time may be difficult (if not impossible)





Since TSP "optimization" is NP-Hard, solving it in polynomial time may be difficult (if not impossible)


Story doesn't end here though..


BACKUP

































determinism (P) non-determinism (NP)



Non-determinism may seem more powerful