#### IFN501 - System Modeling and Simulation

Session 3: Introduction to Computer Simulation (Part 2)

Daniel Febrian Sengkey

Department of Electrical Engineering Faculty of Engineering Universitas Sam Ratulangi

#### **Outline**

Different Types of Simulation

References

Acknowledgement

When not specifically defined, the contents of this presentation are adapted from [1].

#### **Outline**

Different Types of Simulation

References

Continuous

- Continuous
- Monte Carlo

- Continuous
- Monte Carlo
- Discrete Event

- Continuous
- Monte Carlo
- Discrete Event
- Agent-based Modeling

Continuous Simulation

Concerned with modeling a set of equations over time

- Concerned with modeling a set of equations over time
- The set of equations represents a system

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations
- The parameters may continuously changing

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations
- The parameters may continuously changing
- Examples:

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations
- The parameters may continuously changing
- Examples:
  - 4 WD suspension system

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations
- The parameters may continuously changing
- Examples:
  - 4 WD suspension system
  - Competition between 2 populations

- Concerned with modeling a set of equations over time
- The set of equations represents a system
- System may consist of algebraic system, game theoretic models, statistical models, or differential equations
- The parameters may continuously changing
- Examples:
  - 4 WD suspension system
  - Competition between 2 populations
  - Population and/or urban growth

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of time plays no role</u>.

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of time plays no role</u>.

 Invented by John Von Neumann for his experiments in atomic bomb

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of time plays no role</u>.

- Invented by John Von Neumann for his experiments in atomic bomb
- Based on random numbers the name itself invokes the thoughts of gambling, gaming and chance

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of time plays</u> no role.

- Invented by John Von Neumann for his experiments in atomic bomb
- ► Based on random numbers the name itself invokes the thoughts of gambling, gaming and chance
- The model is not influenced by time

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of</u> time plays no role.

- Invented by John Von Neumann for his experiments in atomic bomb
- ► Based on random numbers the name itself invokes the thoughts of gambling, gaming and chance
- The model is not influenced by time
- The use of random number generators gives Monte Carlo simulation characteristics not common to continuous simulation

Monte Carlo Simulation

#### Definition

A scheme employing random numbers, which is used for solving certain stochastic or deterministic problems where the <u>passage of time plays no role</u>.

- Invented by John Von Neumann for his experiments in atomic bomb
- ► Based on random numbers the name itself invokes the thoughts of gambling, gaming and chance
- The model is not influenced by time
- The use of random number generators gives Monte Carlo simulation characteristics not common to continuous simulation
- Example: paintball game between two groups

Discrete Event Computer Simulation

Characterized by the passage of blocks of time during which nothing happens, punctuated by events which change the state of the system.

Discrete Event Computer Simulation

- Characterized by the passage of blocks of time during which nothing happens, punctuated by events which change the state of the system.
- Example: Customers at an ATM

Discrete Event Computer Simulation

- Characterized by the passage of blocks of time during which nothing happens, punctuated by events which change the state of the system.
- Example: Customers at an ATM
  - Events: arrive, wait for service, receive service, depart

Discrete Event Computer Simulation

- Characterized by the passage of blocks of time during which nothing happens, punctuated by events which change the state of the system.
- Example: Customers at an ATM
  - Events: arrive, wait for service, receive service, depart
  - The duration of each event can be different e.g follows certain distribution pattern (See Tables 1 and 2)

Table 1: Time between customer arrivals

Time (min.)	Percentage (%)	Time (min.)	Percentage (%)
1	5	6	20
2	7	7	10
3	8	8	8
4	10	9	7
5	20	10	5

Table 2: Service durations

Time (min.)	Percentage (%)	Time (min.)	Percentage (%)
1	10	4	25
2	25	5	10
3	30		

Discrete Event Computer Simulation - Example

In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers
  - Average waiting time is 1.381 minutes

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers
  - Average waiting time is 1.381 minutes
  - Utilization time is 76.3%

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers
  - Average waiting time is 1.381 minutes
  - Utilization time is 76.3%
  - Average length of the waiting line is 0.251 customer

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers
  - Average waiting time is 1.381 minutes
  - Utilization time is 76.3%
  - Average length of the waiting line is 0.251 customer
  - The machine was used 10898 times by 10898 customers

- In [1] the example was coded and ran as a GPSS simulation for 1000 hours of simulated time
- Some results:
  - Maximum waiting line size is 5 customers
  - Average waiting time is 1.381 minutes
  - Utilization time is 76.3%
  - Average length of the waiting line is 0.251 customer
  - ► The machine was used 10898 times by 10898 customers
- The results can be used for evaluation and to determine if another machine is needed.

Agent-based Modeling

Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:
  - Multiple agents modeled and scaled with various levels of detail (granularity)

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:
  - Multiple agents modeled and scaled with various levels of detail (granularity)
  - Decision-making heuristics and rules

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:
  - Multiple agents modeled and scaled with various levels of detail (granularity)
  - Decision-making heuristics and rules
  - Adaptive behaviors or learning

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:
  - Multiple agents modeled and scaled with various levels of detail (granularity)
  - Decision-making heuristics and rules
  - Adaptive behaviors or learning
  - Interaction rules or topology

- Addresses the simultaneous interactions of multiple agents to simulate, recreate, study, and predict complex phenomenon.
- Common elements:
  - Multiple agents modeled and scaled with various levels of detail (granularity)
  - Decision-making heuristics and rules
  - Adaptive behaviors or learning
  - Interaction rules or topology
  - Environment for interaction often consisting of constrained resources

#### **Outline**

Different Types of Simulation

References

#### References I

[1] R. McHaney, <u>Understanding Computer Simulation</u>. Ventus Publishing, 2009.