



LESTER B. PEARSON
Pearson Electrotechnology Centre

Installation and Repair of Telecommunications Equipment

Module 21 Telephone network systems installation

VOIP lab experiment#1 Configuring the virtual box

Installation and Repair of Telecommunications Equipment

Name of student: _____

Group Number: _____

Date: _____



LESTER B. PEARSON
Pearson Electrotechnology Centre


Installation and Repair of Telecommunications Equipment

Module 21 Telephone network systems installation

The purpose of the lab is to demonstrate the ability of the students to configure the virtual box.


Oracle VM VirtualBox is cross-platform virtualization software. It allows users to extend their existing computer to run multiple operating systems including Microsoft Windows, Mac OS X, Linux, and Oracle Solaris, at the same time.

1- Open Virtual box software on your desktop






- 2- Click on “**machine**”, and choose “**new**”



A window like this will appear.




- 3- Setup the following:


- a. Name: **Elastix**
- b. Type: **Linux**
- c. Version: **RED Hat 32-bit**
- d. Press Next




- 4- For memory size, choose 1024MB. Click next




- 5- Choose **create a virtual hard disk now** and then click **create**



- 6- Choose VDI (virtual box disk image), and then click next



7- Choose "**dynamically allocated**". Then click next



8- You want to create a hard disk of 8GB, so click on create.



LESTER B. PEARSON
Pearson Electrotechnology Centre

Installation and Repair of Telecommunications Equipment

Module 21 Telephone network systems installation

← Create Virtual Hard Disk

File location and size

Please type the name of the new virtual hard disk file into the box below or click on the folder icon to select a different folder to create the file in.

C:\Users\dnguyen02\VirtualBox VMs\Elastix\Elastix.vdi

Select the size of the virtual hard disk in megabytes. This size is the limit on the amount of file data that a virtual machine will be able to store on the hard disk.


4.00 MB 2.00 TB 8.00 GB

Create Cancel



Once all the previous steps are completed, you can now access to the main page of the virtual box and configure. You will be configuring 2 different settings:

- Network
- Storage



Click on **settings** to choose the configuration that you want to modify.




Network Settings

In this setting, you will be prompt to set the **attached to** and the **name of the adapter**:

Attached to: **Bridge Adapter**

Name: **Wireless Adapter**





Click on **ok** once this setup is completed.




Storage setup

In controller: IDE, click on empty





Browse and attached your **FreePBX** iso file



Click on **ok** to go back in the main window and **start the virtual Box simulation**



A screen like this should appear once you start the virtual box machine.

