qbrechbu

(https://profile.intra.42.fr)

SCALE FOR PROJECT CPP MODULE 01 (/PROJECTS/CPP-MODULE-01)

You should evaluate 1 student in this team



Git repository

git@vogsphere.42lausanne.ch:vogsphere/intra-uuid-4d3e34fd-8674-4083-



Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

 In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.
- You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons

with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e_fence. In case of memory leaks, tick the appropriate flag.

Attachments

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/47810/en.subject.pdf)

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Prerequisites

The code must compile with c++ and the flags -Wall -Wextra -Werror Don't forget this project has to follow the C++98 standard. Thus, C++11 (and later) functions or containers are NOT expected.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header file (except for template functions).
- A Makefile compiles without the required flags and/or another compiler than c++.

Any of these means that you must flag the project with "Forbidden Function":

- Use of a "C" function (*alloc, *printf, free).
- Use of a function not allowed in the exercise guidelines.
- Use of "using namespace" or the "friend" keyword.
- Use of an external library, or features from versions other than C++98.



 \times No

Exercise 00: BraiiiiiinnnzzzZ

The goal of this exercise is to understand how to allocate memory in C++.

Makefile and tests

There is a Makefile that compiles using the appropriate flags. There is at least a main to test the exercise.



 \times No

Zombie Class

There is a Zombie Class.

It has a private name attribute.

It has at least a constructor.

It has a member function announce(void) that prints: ": BraiiiiiinnnzzzZ..."

The destructor prints a debug message that includes the name of the zombie.

Yes	imesNo

newZombie

There is a newZombie() function prototyped as: [Zombie * newZombie(std::string name);]

It should allocate a Zombie on the heap and return it.

Ideally, it should call the constructor that takes a string and initializes $% \left\{ 1,2,\ldots ,n\right\}$

the name.

The exercise should be marked as correct if the Zombie can announce itself

with the name passed to the function.

There are tests to prove everything works.

The zombie is deleted correctly before the end of the program.

igotimes Yes

randomChump

There is a randomChump() function prototyped as: [void randomChump(std::string name);] It should create a Zombie on the stack, and make it announce itself. Ideally the zombie should be allocated on the stack (so implicitly deleted at the end of the function). It can also be allocated on the heap and then explicitly deleted.

The student must justify their choices.

There are tests to prove everything works.

 ${\it \odot}$ Yes ${\it \times}$ No

Exercise 01: Moar brainz!

The goal of this exercise is to allocate a number of objects at the same time using new[], initialize them, and to properly delete them.

Makefile and tests

There is a Makefile that compiles using the appropriate flags.

There is at least a main to test the exercise.

⊗ Yes × No

zombieHorde

The Zombie Class has a default constructor.

There is a zombieHorde() function prototyped as: [Zombie* zombieHorde(int N, std::string name);]

It allocates N zombies on the heap explicitly using new[].

After the allocation, there is an initialization of the objects to set their name.

It returns a pointer to the first zombie.

There are enough tests in the main to prove the previous points.

Like: calling announce() on all the zombies.

Last, all the zombies should be deleted at the same time in the main.

⊗ Yes × No

Exercise 02: HI THIS IS BRAIN

Demystify references! Demystify references!

Makefile and tests

	⊗ Yes	imesNo
HI THIS IS BRAIN		
There is a string containing	ı "HI THIS IS BRAIN"	
stringPTR is a pointer to the		
stringREF is a reference to	_	
	displayed using the string variable, th	e
stringPTR and the stringREI	F. played using the stringPTR and the strir	DAPEE
me variable comem is als	played using the stringt TK and the strii	igneti.
	⊘ Yes	×No
The objective of this exerc	S: Unnecessary v ise is to understand that pointers and r n the use and the lifecycle of the objec	eferences present some small differences that make them less or mor
Makefile and tests	n the use and the lifecycle of the objec	rusea.
	ompiles using the appropriate flags.	
There is at least a main to		
	⊗ Yes	imesNo
Weapon		
	nat has a type string, a getType() and a tring a const reference to the type string	
	⊗ Yes	$ imes_{No}$
HumanA and HumanB		
	ence or a pointer to the Weapon. mented as a reference, since the Wea	non exists
from creation until destruct		SOIT OXISIS
HumanB must have a poin	nter to a Weapon since the field is not	set at
creation time, and the wed	apon can be NULL.	
	✓ Yes	× No
	© 163	ו
Evoreico 0 <i>4</i>	: Sed is for loser	_
EXELCISE 04	e student should have gotten familiar w	
Thanks to this exercise, the		
Thanks to this exercise, the		
Makefile and tests	ompiles using the appropriate flags. test the exercise.	

There is a function replace (or other name) that works as specified in the subject.

The error management is efficient: try to pass a file that does not exist, change the permissions, pass it empty, etc.

If you can find an error that isn't handled, and isn't completely esoteric, no points for this exercise.

The program must read from the file using an ifstream or equivalent, and write using an ofstream or equivalent.

The implementation of the function should be done using functions from std::string, no by reading the string character by character.

This is not C anymore!





Exercise 05: Harl 2.0

The goal of this exercise is to use pointers to class member functions. Also, this is the opportunity to discover the different log levels.

Makefile and tests

There is a Makefile that compiles using the appropriate flags. There is at least a main to test the exercise.

✓ Yes



Our beloved Harl

There is a class Harl with at least the 5 functions required in the subject. The function complain() executes the other functions using a pointer to them. Ideally, the student should have implemented a way of matching the different strings corresponding to the log level to the pointers of the corresponding member function.

If the implementation is different but the exercise works, you should mark it as valid. The only thing that is not allowed is using a ugly if/elseif/else. The student could have chosen to change the message Harl displays or to display the examples given in the subject, both are valid.

✓ Yes

 \times_{No}

Exercise 06: Harl filter

Now that you are experienced coders, you should use new instruction types, statements, loops, etc. The goal of this last exercise is to make you discover the switch statement.

Makefile and tests


There is a Makefile that compiles using the appropriate flags. There is at least a main to test the exercise.

✓ Yes

 \times_{No}

Switching Harl Off

The program harlFilter takes as argument any of the log levels ("DEBUG", "INFO", "WARNING" or "ERROR"). It should then display just the messages that are at the same level or above (DEBUG < INFO < WARNING < ERROR). This must be implemented using a switch statement with a default case. Once again, no if/elseif/else anymore please.



6 sur 6